FIXED DOSE COMBINATIONS APPROVED BY DCG (I) From 1st January 2021 to 31st December 2021

S.No	FI	OC	Indication	Approval Date
1.	Each gram contains: Adapalene EP Benzoyl Peroxide EP Topical Gel (Additional Strength)	2.5% w/w	For the cutaneous treatment of Acne vulgaris, when comedones, numerous papules and pustules are present.	08.01.2021
2.	contains: S (-) Metoprolol Su	· · · · · · · · · · · · · · · · · · ·	For the treatment of essential hypertension.	18.01.2021
3.	Zinc Citrate Trihydrate Zinc Ascorbic Acid IP Effervescent tablets	10mg	For the treatment of Vitamin C and Zinc deficiency.	01.02.2021
4.	Each Capsules contain Atorvastatin Calciu Atorvastatin	IM IP eq. to 40mg 75mg (ttablet)	Treatment of dyslipidemia associated with atherosclerotic arterial disease with risk of myocardial infarction, stroke, or peripheral vascular disease.	05.02.2021
5.	Each 20ml vial contair Ceftazidime pent Ceftazidime2g Avibactam Sodi Avibactam0 Powder for concentrinfusion	ahydrate eq. to gm um eq. to .5gm	 Complicated Intra-abdominal infections (cIAI) Complicated Urinary tract infections (cUTI), including pyelonephritis Hospital-acquired pneumonia (HAP) including ventilator associated pneumonia (VAP) with susceptible gramnegative microorganisms. Treatment of patients with bacteremia that occurs in association with, or is suspected to be associated with, any of the infections listed above. 	12.02.2021
6.	Each uncoated tablet c Azelnidipine IP + Chl 6.25mg & 8mg+12.5m	orthalidone IP (8mg +	For the treatment of essential hypertension.	19.02.2021
7.	Composition of Amino acid Solution 8% solution for intravenous infusion (Pack size 500ml in Glass bottle) Per 1000ml solution for infusion contains:		For supply of amino acids as part of a parenteral nutrition regimen in serve forms of hepatic insufficiency with and without hepatic encephalopathy when oral or enteral nutrition is impossible or insufficient or	19.02.2021
	Active Ingredients	Quality	contraindicated.	
	L-isoleucine Ph. Eur L-leucine Ph. Eur. L-lysine monoacetate	10.40 g 13.09 g 9.71gcorresponding to		
	corresponding to L- lysine USP	6.88 g		

	L-methionine Ph. Eur.	1.10 g		
	N-acetyl-L-cysteine	0.70 g		
	Corresponding to	corresponding to		
	L-Cysteine Ph. Eur.	0.52 g		
	L-phenylalanine	0.88 g		
	Ph. Eur.	0.00 g		
	L-threonine Ph. Eur.	4.40 g		
	L-tryptophan Ph. Eur.	0.70 g		
	L-valine Ph. Eur.	10.08 g		
	L-arginine Ph. Eur.	10.72 g		
	L-histidine Ph. Eur.	2.80 g		
	Glycine (Amino	5.82 g		
	acetic acid) Ph. Eur.			
	L-alanine Ph. Eur.	4.64 g		
	L-proline Ph. Eur.	5.73 g		
	L-serine Ph. Eur.	2.24 g		
	Glacial acetic acid Ph. Eur.	4.42 g		
	Other Excipients:			
	Water for injections			
	Ph. Eurq.s.			
8.	Each tablet contains:		For the treatment of hypertension	26.02.2021
0.	Each tablet contains.		To the deathlest of hypertension	20.02.2021
	Benidipine Hydrochlo	ride JP + Telmisartan		
	IP (4mg + 40mg & 4m			
9.		no acid Solution for	Balanced supply of protein elements in acute	15.03.2021
	intravenous infusion	/D 1 ' 100 1	1 1	
			and chronic renal insufficiently as well as	
	250ml, 500ml in Glass		during peritoneal and hemodialysis	
		bottle)	during peritoneal and hemodialysis	
	250ml, 500ml in Glass Per 1000ml solution f	bottle) for infusion contains:	during peritoneal and hemodialysis	
	250ml, 500ml in Glass Per 1000ml solution f Active Ingredients	or infusion contains:	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph.	bottle) for infusion contains:	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur	or infusion contains: Quality 5.10 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur L-leucine Ph. Eur.	Ouality 5.10 g 10.30 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur	or infusion contains: Quality 5.10 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur L-leucine Ph. Eur. L-lysine monoacetate corresponding to L-	Ouality 5.10 g 10.30 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur L-leucine Ph. Eur. L-lysine monoacetate corresponding to L- lysine USP L-methionine Ph.	Ouality 5.10 g 10.30 g 10.01 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur L-leucine Ph. Eur. L-lysine monoacetate corresponding to L- lysine USP	Quality 5.10 g 10.30 g 10.01 g 7.1 g 2.80 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur L-leucine Ph. Eur. L-lysine monoacetate corresponding to L- lysine USP L-methionine Ph. Eur. N-acetyl-L-cysteine	Or infusion contains: Quality 5.10 g 10.30 g 10.01 g 7.1 g 2.80 g 0.50 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur L-leucine Ph. Eur. L-lysine monoacetate corresponding to L- lysine USP L-methionine Ph. Eur. N-acetyl-L-cysteine	Quality 5.10 g 10.30 g 10.01 g 7.1 g 2.80 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur L-leucine Ph. Eur. L-lysine monoacetate corresponding to L- lysine USP L-methionine Ph. Eur. N-acetyl-L-cysteine Corresponding to L-Cysteine Ph. Eur. L-phenylalanine	Or infusion contains: Quality 5.10 g 10.30 g 10.01 g 7.1 g 2.80 g 0.50 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur L-leucine Ph. Eur. L-lysine monoacetate corresponding to L-lysine USP L-methionine Ph. Eur. N-acetyl-L-cysteine Corresponding to L-Cysteine Ph. Eur. L-phenylalanine Ph. Eur. L-threonine Ph.	Or infusion contains: Quality 5.10 g 10.30 g 10.01 g 7.1 g 2.80 g 0.50 g 0.37 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur L-leucine Ph. Eur. L-lysine monoacetate corresponding to L-lysine USP L-methionine Ph. Eur. N-acetyl-L-cysteine Corresponding to L-Cysteine Ph. Eur. L-phenylalanine Ph. Eur. L-threonine Ph. Eur. L-thryptophan Ph.	Or infusion contains: Quality 5.10 g 10.30 g 10.01 g 7.1 g 2.80 g 0.50 g 0.37 g 3.80 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur L-leucine Ph. Eur. L-lysine monoacetate corresponding to L-lysine USP L-methionine Ph. Eur. N-acetyl-L-cysteine Corresponding to L-Cysteine Ph. Eur. L-phenylalanine Ph. Eur. L-threonine Ph. Eur. L-ttryptophan Ph. Eur. L-tryptophan Ph. Eur.	Or infusion contains: Quality 5.10 g 10.30 g 10.01 g 7.1 g 2.80 g 0.50 g 0.37 g 3.80 g 4.80 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur L-leucine Ph. Eur. L-lysine monoacetate corresponding to L-lysine USP L-methionine Ph. Eur. N-acetyl-L-cysteine Corresponding to L-Cysteine Ph. Eur. L-phenylalanine Ph. Eur. L-threonine Ph. Eur. L-tryptophan Ph. Eur. L-valine Ph. Eur.	Ouality 5.10 g 10.30 g 10.01 g 7.1 g 2.80 g 0.50 g 0.37 g 3.80 g 4.80 g 1.90 g	during peritoneal and hemodialysis	
	Per 1000ml solution f Active Ingredients L-isoleucine Ph. Eur L-leucine Ph. Eur. L-lysine monoacetate corresponding to L-lysine USP L-methionine Ph. Eur. N-acetyl-L-cysteine Corresponding to L-Cysteine Ph. Eur. L-phenylalanine Ph. Eur. L-threonine Ph. Eur. L-ttryptophan Ph. Eur. L-tryptophan Ph. Eur.	Or infusion contains: Quality 5.10 g 10.30 g 10.01 g 7.1 g 2.80 g 0.50 g 0.37 g 3.80 g 4.80 g	during peritoneal and hemodialysis	

	Glycine (Amino	3.20 g		
	acetic acid) Ph. Eur.			
	L-alanine Ph. Eur.	6.30 g		
	L-proline Ph. Eur.	4.30 g		
	L-serine Ph. Eur.	4.50 g		
	L-malic acid	1.50 g		
	Glacial acetic acid	1.38 g		
	Ph. Eur.			
	Other Excipients:			
	Water for injections			
	Ph. Eur.			
10.	Composition of Amine	o acid Solution 5% for	For supply of amino acids as part of a	15.03.2021
100		(Pack size 500ml in	parenteral nutrition regimen	
	Glass bottle)	(Tuest Size Coolin in	Parement namenous regimen	
	Glass cottle)			
	Per 1000ml solution f	or infusion contains:		
	Active Ingredients	Quality		
	Isoleucine Ph. Eur	2.50 g		
	Leucine Ph. Eur.	3.70 g		
	Lysine monoacetate	4.655 g		
	corresponding to			
	Lysine USP	3.30 g		
	Methionine Ph. Eur.	2.15 g		
	Phenylalanine Ph.	2.55 g		
	Eur.			
	Threonine Ph. Eur.	2.20 g		
	Tryptophan Ph.	1.00 g		
	Eur.			
	Valine Ph. Eur.	3.10 g		
	Arginine Ph. Eur.	6.00 g		
	Histidine Ph. Eur.	1.50 g		
	Glycine Ph. Eur.	5.50 g		
	Alanine Ph. Eur.	7.00 g		
	Proline Ph. Eur.	5.60 g		
	Serine Ph. Eur.	3.25 g		
	Taurine	0.50 g		
	Tyrosine Ph. Eur.	0.20 g		
	Other Excipients:			
	Glacial acetic acid			
	Ph. Eur.			
	Water for injections			
11	Ph. Eur.	: 1 C-1 (' 100/ C	En analy of college of the	15 02 2021
11.		acid Solution 10% for	For supply of amino acids as part of a	15.03.2021
		(Pack size 500ml in	parenteral nutrition regimen	
	Glass bottle)	· · · · · · · · · · · · · · · · · · ·		
1	Per 1000ml solution f			
	Active Ingredients	Quality		
	L-Isoleucine Ph. Eur	5.00 g		
	L-Leucine Ph. Eur.	7.40 g		
	L-Lysine	9.31 g		
	monoacetate	7.31 g		
	corresponding to L-	6.60 g		
		0.00 g		
	lysine USP	1 20 a		
	L-Methionine Ph.	4.30 g		
	Eur.	5 10 -		
	L-Phenylalanine	5.10 g		
	Ph. Eur.			

	L-Threonine Ph. 4.40 g Eur.		
	L-Tryptophan Ph. 2.00 g		
	Eur. L-Valine Ph. Eur. 6.20 g		
	<u> </u>		
	L-Arginine Ph. Eur. 12.00 g		
	L-Histidine Ph. Eur. 3.00 g		
	Glycine (Amino 11.00 g		
	acetic acid)Ph. Eur.		
	L-Alanine Ph. Eur. 14.00 g		
	L-Proline Ph. Eur. 11.20 g		
	L-Serine Ph. Eur. 6.50 g		
	Taurine 1.00 g		
	L-Tyrosine Ph. Eur. 0.40 g		
	Other Excipients:		
	Glacial acetic acid		
	Ph. Eur.		
	Water for injections		
	Ph. Eur.		
12	Each autonded wileses tablet and the	It is indicated for the unit C of a sure	10.02.2021
12.	Each extended release tablet contains:	It is indicated for the relief of symptoms	19.03.2021
	D4111111	associated with allergic rhinitis in adults and	
	Pseudoephedrine Hydrochloride IP120mg	children 12 years of age and older.	
	Fexofenadine Hydrochloride IP60mg		
	(Additional Dagage form)		
	(Additional Dosage form)		
13.	Each Film coated bilayered tablets contains:	It is indicated for the treatment of overactive	08.04.2021
120	Mirabegron (in extended release) +	bladder (OAB)	00.02021
	Solifenacin Succinate	,	
	(50mg + 5mg & 25mg + 5mg)		
14.	Each 10ml liquid sachet contains:	For the treatment of symptoms of Gastro	09.04.2021
	Sodium Hyaluronate BP1.24%	Esophageal Reflux Disease (GERD)	
	Chondroitin Sulfate Sodium BP3.12%		
	Poloxamer IP (407)2.7%		
	Oral Liquid		
15.	Each pack (200 ml) contains:	For oral rehydration in various etiology	15.04.2021
		, c	
	Zinc Sulphate Monohydrate IP0.0110g		
	Sodium Citrate IP0.5800g		
	Potassium chloride IP0.3000g		
	Sodium Chloride IP0.5200g		
	Dextrose Anhydrous IP2.7000g		
16.	Each Film Coated tablets contains:	Prevention and treatment of damages due to	18.05.2021
10.	Lach I init Coaled tablets collidilis.	faulty of or deficient protein metabolism in	10.03.2021
	L-Tyrosine USP60mg	chronic kidney disease in connection with a	
	Histidine Hydrochloride Monohydrate BP eq.	limited dietary protein intake of 40g/day or	
	to Histidine76mg	less (adult). Usually this applies to patients	
	L-Tryptophan USP46mg	whose glomerular filtration rate (GFR) is	
	L-Tryptophan CS1106mg	less than 25ml/min	
	L-Lysine Acetate USP210mg	1000 than 20 mm mm	
	Calcium-DL-2-hydroxy-4(methylthio)		
	Butyrate (α-Ketoanalogue to Methionine		
	Calcium salt) IH118mg		
	Calcium-3-Methyl-2 Oxo-Butyrate		
	(α-Ketoanalogue to Valine Calcium salt)		
	IH172mg		
l	1111 / ZIIIg		

	Calcium-2-Oxo-3-Phenylpropionate (α-Ketoanalogue to Phenylalanine Calcium salt) IH		
17.	Each 5ml sustained release oral suspension contains: Dextromethorphan Polistirex eq. to Dextromethorphan Hydrobromide IP 30mg ChlorpheniraminePolistirex eq. to Chlorpheniramine Maleate IP4mg Methyl Paraben IP10mg Propyl paraben IP1mg	For the temporary relief of cough, due to throat irritation, sneezing and running nose.	23.06.2021
18.	Each tablet contains: RemogliflozinEtabonate100mg Teneligliptin Hydrobromide Hydrate IP eq. to Teneligliptin	It is indicated in adults aged 18 years and older with type 2 diabetes mellitus: • To improve glycaemic control when Metformin and one of monocomponents of fixed dose combination of RemogliflozinEtabonate& Teneligliptin do not provide adequate glycaemic control, • When already being treated with the free combination of RemogliflozinEtabonate& Teneligliptin.	28.06.2021
19.	Each capsule contains: Tamsulosin Hydrochloride IP (as prolonged release pellets0.4mg Tadalafil IP (as film coated tablet)5mg	Substitution therapy in treatment of benign prostatic hyperplasia and erectile dysfunction in patients who are already taking Tamsulosin and Tadalafil concomitantly.	02.07.2021
20.	Each hard gelatin capsule contains: Rosuvastatin Calcium IP eq. to Rosuvastatin20mg (as film coated immediate release tablet) Choline Fenofibrate IP eq. to Fenofibric acid (as delayed release tablet)135mg	For the treatment of mixed dyslipidemia	06.07.2021
21.	Each 1 g contains: Lincomycin Hydrochloride0.222g Spectinomycinsulphate0.445g	Poultry: For prevention and treatment of Chronic Respiratory Disease(CRD)/airsacculitis caused by Mycoplasma spp. And CCRD (Complicated Chronic Respiratory Disease) associated with Mycoplasma and coliform infections ofpoultry susceptible to the combination of lincomycin and spectinomycin. Swine(pigs): For the treatment of swine dysentery, bacterial enteritis caused by Ecoli or Salmonella spp., porcine proliferative	09.07.2021

22.	Each tablets contains:	enteropathy (Ileitis) caused by Lawsoniaintracellularis and infectious arthritis caused by organismssusceptible to the combination of lincomycin and spectinomycin. [This drug combination will be used for therapeutic purpose (not for the growth promotion purpose) considering the growing concernof Antimicrobial resistance] For the treatment of Hormone replacement	16.07.2021
	Dydrogesterone IP2.5mg Estradiol EP0.5mg	therapy (HRT) in estrogen deficiency in postmenopausal women with a uterus	
23.	Each spray delivers contains: Fluticasone Furoate	Indicated for the treatment of symptoms of allergic rhinitis with nasal congestion	16.07.2021
24.	Each film coated tablet contains: Dextromethorphan Hydrobromide IP10mg Phenylephrine Hydrochloride IP5mg Chlorpheniramine Maleate IP2mg	Indicated for relief from the symptoms of common cold and nasal congestion and associated fever due to allergic reactions.	16.07.2021
25.	Each Combipack contains: One Tablet of Netupitant300mg (each film coated) and One tablet of Palonosetron Hydrochloride USP eq. to Palonosetron0.5mg (each uncoated tablet)	 For the prevention of acute and delayed nausea and vomiting associated with highly emetogenic Cisplatin-based cancer chemotherapy. For the prevention of acute and delayed nausea and vomiting associated with moderate emetogenic cancer chemotherapy in adults. 	
26.	Composition of Hydroxyl Ethyl Starch 6% Solution for infusion (Pack Size-250ml, 500ml) Per 1000ml solution for infusion contains: Poly (O-2-hydroxyethyl) starch60.00g Sodium Chloride Ph. Eur9.00g Other Excipients: Sodium hydroxide Ph. Eur. Hydrochloride acid Ph. Eur., Water for injections Ph. Eur. Electrolytes: Na+, C1-154 mmo1, 154 mmo1	For the treatment and prophylaxis of hypovolaemia in adults and children. It is not a substitute for red blood cells or coagulation factors in plasma.	29.07.2021
27.	Magnesium chloride Hexahydrate 0.3gm + Potassium chloride 0.3gm + Sodium chloride 6.02gm + Sodium acetate Trihydrate 4.63gm	For the treatment and prophylaxis of hypovolaemia in adults and children. It is not	30.07.2021

	+ Poly (O-2-hydroxyethyl) starch 60gm per 1000ml solution for infusion (Pack size 250ml & 500ml)	a substitute for red blood cells or coagulation factors in plasma.	
28.	i. Sodium Alginate IP 250mg + Sodium Bicarbonate IP 106.5mg + Calcium Carbonate IP 187.5mg chewable tablet	Heartburn and Indigestion	05.08.2021
	ii. Sodium Alginate IP 250mg + Sodium Bicarbonate IP 106.5mg + Calcium Carbonate IP 162.5mg per 5ml suspension		
29.	Each ml contains:- Ropivacaine Hydrochloride IP Eq. to anhydrous Ropivacaine Hydrochloride7.5mg Dextrose (Monohydrate) IP80mg Water for Injections IPq.s	For the patients undergoing lower limb orthopedic surgeries under Spinal Anesthesia.	13.08.2021
30.	Each Film Coated Tablet contains:- Lamivudine IP300mg Dolutegravir Sodium eq. to Dolutegravir50mg	Indicated as a complete regimen for the treatment of human immunodeficiency virus type1 (HIV-1) infection in adults with no antiretroviral treatment history or to replace the current antiretroviral regimen in those who are virologically suppressed (HIV-1 RNA less than 50 copies per ml) on a stable antiretroviral regimen with no history of treatment failure and no known substitutions associated with resistance to the individual components.	13.08.2021
31.	Each hard gelatin capsule contains:- Atorvastatin Calcium IP Eq. to Atorvastatin40mg ClopidogrelBisulphate IP Eq. to Clopidogrel75mg (Additional Strength)	For the treatment of dyslipidemia associated with atherosclerotic arterial disease with risk of myocardial infarction, stroke or peripheral vascular disease	13.08.2021
32.	Each Film Coated tablet contains:- Isoniazid IP300mg Rifampentine300mg (Additional Indication)	For the treatment of latent tuberculosis infection caused by Mycobacterium tuberculosis in patients who are at risk of progression to tuberculosis disease (including those in close contact with active tuberculosis patients, recent conversion to a positive tuberculin skin test, HIV-infected patients, or those with pulmonary fibrosis on radiograph)	06.09.2021
33.	Each 10 ml contains:- Sodium Alginate IP500mg Sodium Bicarbonate IP213mg Calcium Carbonate IP325mg Oral Suspension	Heartburn and indigestion	07.09.2021
34.	1. Solution for Infusion 1000ml (NutriflexPeri)Upper Chamber	Supply of the daily requirement of energy, amino acids, electrolytes, and fluids during	13.09.2021

	contains Isoleucine 2.34gm + Leucine 3.13gm + Lysine Hcl 2.84gm as Lysine 2.27gm + Methionine 1.96gm + Phenylanine 3.51gm + Threonine 1.82gm + Tryptophan 0.57gm + Valine 2.60gm + Arginine Monoglutamate 4.98gm as Arginine 2.70gm + Glutamic Acid 2.28gm + Histidine HCI Monohydrate 1.69gm as Histidine 1.25gm + Alanine 4.85gm + Aspartic Acid 1.50gm + Glutamic Acid 1.22gm + Glycine 1.65gm + Proline 3.40gm + Serine 3.00gm + Magnesium Acetate Tetrahydrate 0.86gm + Sodium Acetate Trihydrate 1.56gm + Potassium Dihydrogen Phosphate 0.78gm + Potassium Hydroxide 0.52gm + Sodium Hydroxide 0.50gm Lower Chamber Contains (600mI): Glucose Monohydrate 88.0gm as Anhydrous Glucose 80gm + Sodium Chloride 0.17gm + Calcium Chloride Dihydrate 0.37gm	Parenteral nutrition for patients with mild to moderately severe catabolism when oral or enteral nutrition is impossible, insufficient or contraindicated.	
35. 1.	Solution for Infusion 1000ml (Nutriflex Plus) Upper chamber contains (400ml): Isoleucine 2.82 gram (gm) + Leucine 3.76gm + Lysine Hydrochloride 3.41gm as Lysine 2.73gm + Methionine 2.35gm + Phenylalanine 4.21gm + Threonine 2.18gm + Tryptophan 0.68gm + Valine 3.12gm + Arginine monohydrate 5.98gm as Arginine 3.24gm and Glutamic acid 2.74gm + Histidine hydrochloride monohydrate 2.03gm as Histidine 1.50 gm + Alanine 5.82gm + Aspartic acid 1.8gm + Glutamic acid 1.470gm + Glycine 1.98 gm + Proline 4.08gm + Serine 3.60gm + Magnesium acetate tetrahydrate 1.23gm + Sodium acetate trihydrate 1.56gm + Sodium Dihydrogen Phosphate Dihydrate 3.12gm + Potassium Hydroxide 1.40gm + Sodium Hydroxide 0.23gm Lower chamber contains (600ml): Glucose monohydrate 165.0gm as anhydrous glucose 150gm + Calcium chloride dihydrate 0.53gm 2. Solution for Infusion 2000ml Upper chamber contains (800ml): Isoleucine 5.64 (gram) gm + Leucine 7.52gm + Lysine Hydrochloride 6.82gm as Lysine 5.46gm +	Supply of the daily requirement of energy, amino acids, electrolytes, and fluids during Parenteral nutrition for patients with mild to moderately severe catabolism when oral or enteral nutrition is impossible, insufficient or contraindicated.	13.09.2021

Methionine 4.7gm + Phenylalanine 8.42 gm + Threonine 4.36gm + Tryptophan 1.36gm + Valine	
Tryptophan 1.36gm + Valine	
6.24gm + Arginine Monoglutamate	
11.96gm as Arginine 6.48gm and	
Glutamic acid 5.48gm + Histidine	
hydrochloride monohydrate 4.06gm	
as Histidine 3.00 gm + Alanine	
11.64gm + Aspartic acid 3.60gm +	
Glutamic acid 2.94gm + Glycine	
3.96 gm + Proline 8.16gm + Serine	
7.20gm + Magnesium acetate tetrahydrate 2.46gm + Sodium	
acetate trihydrate 3.12gm + Sodium	
Dihydrogen Phosphate Dihydrate	
6.24gm + Potassium Hydroxide	
2.80gm + Sodium Hydroxide	
0.46gm	
Lower chamber contains	
(1200ml):	
Glucose monohydrate 330.0gm as	
anhydrous glucose 300gm +	
Calcium chloride dihydrate 1.06gm	
36. Each Film Coated Tablets contains: It is indicated as an adjunct	to diet and 21.09.2021
exercise in adults aged 18 years	
RemogliflozinEtabonate + Vildagliptin + with type 2 diabetes mellitus:	ars and order
Metformin Hydrochloride IP (100mg + 50mg • To improve glycaemic c	ontrol when
+ 500mg & 100mg + 50mg + 1000mg) Metformin and one of other	
components	of
RemogliflozinEtabonate&Vilda	
not provide adequate glycaemic	
When already being treated	
combination of	Metformin,
Remogliflozin&Vildagliptin. 37. Each Kit contains: Rivaroxaban in combination w	ith Aspirin is 01.10.2021
A) 14 nos. Rivaroxaban tablets 2.5mg indicated to reduce the ris	1
Each film coated tablet contains: cardiovascular events (Cardiov	
Rivaroxaban2.5mg death, myocardia infarction (M	3 7
B) 07 nos. Aspirin tablets 75mg in patients with chronic cor	
Each gastro resistant tablet contains: disease (CAD) or peripheral a	
Aspirin IP75mg (PAD).	
38. Each hard gelatin capsule contains: For the treatment of Neuropath	ic pain 25.10.2021
Pregabalin IP + Duloxetine Hydrochloride IP	25.10.2021
eq. to Duloxetine (as delayed release pellets)	
(75mg + 20mg, 50mg + 20mg & 75mg +	
30mg)	
39. Each uncoated bilayered tablet contains: - It is indicated for the man	nagement of 26.10.2021
Efonidipine Hydrochloride Ethanolate (as	
immediate release)40mg	
S (-) Metoprolol Succinate eq. to S (-)	
Metoprolol Tartrate (as prolonged	
release)25mg	
40. Each 10 ml contains: To treat the symptoms of gastro	-oesophageal 01.11.2021
Sodium Alginate IP1000mg reflux during concomitant treat	ment with or
Potassium Hydrogen Carbonate Ph. withdrawal of acid suppressing	therapy.
Eur200mg Oral Suspension	

41.	Each 5 gram contains: Sildenafil Citrate IP eq. to Sildenafil100mg Dapoxetine Hydrochloride eq. to Dapoxetine60mg Oral Jelly (In Additional Dosage form) Clindamycin Phosphate USP1.2%	For the treatment of co-existing erectile dysfunction and premature ejaculation in men 18-64 years of age. For the treatment of Acne Vulgaris	09.11.2021
	Benzoyl Peroxide USP5% topical gel		
43.	Each film coated tablet contains:- Sitagliptin Phosphate eq. to Sitagliptin IP + Metformin Hydrochloride IP (as an extended- release form) (100mg +1000mg & 100mg + 500mg)	It is indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus when treatment with both Sitagliptin and Metformin is appropriate.	11.11.2021
44.	Each Capsule contains: Aspirin (eneteric coated pellets form)75mg Atorvastatin (As pellets form)20mg	For the treatment of dyslipidemia associated with atherosclerotic arterial disease with risk of myocardial infarction, stroke or peripheral vascular disease.	23.11.2021
45.	Each film coated tablets contains:- Amlodipine Besylate USP Eq. to Amlodipine	 For the treatment of hypertension alone or with other antihypertensive agents. To use as initial therapy in patients who are likely to need multiple antihypertensive agents to achieve their blood pressure goals. 	25.11.2021
46.	Each ml contains:- Levobupivacaine Hydrochloride eq. to Levobupivacaine	For spinal anesthesia in adults patients	26.11.2021
47.	Each ml contains: Brinzolamide IP	Decrease of intraocular pressure (IOP) in adult patients with open-angle glaucoma or ocular hypertension for whom monotherapy provides insufficient IOP reduction.	09.12.2021

Note 1: It may be stated that the above list of FDC s is prepared as per the records available with the office of DCG (I). In case any inconsistency is observed, same may be brought to the notice of DCG (I) for necessary action.

Note 2: As per DCGI letter dated 23.09.2011, 04.04.2012 & 13.09.2013 regarding limiting of Paracetamol in prescription combination products, lowering of Paracetamol content to 325mg is applicable to the combinations of paracetamol with other analgesic/anti- inflammatory drugs.