

FIXED DOSE COMBINATIONS APPROVED BY DCG (I) SINCE 1961 to 31st December 2019

S.No.	Name of Drug	Indication	Date of approval
1.	Cyanocobalamine + Zinc tannic acid complex		Jan-61
2.	Cobalt glutamate + Copper Glycinate		Aug-61
3.	Fibrinolysin + Desoxyribonuclease		Feb-62
4.	Tablets of Norethisterone acetate + Ethinyl oestradiol		Nov-62
5.	Tablets of Norethynodrel and Ethinyl Estradiol 3-methyl ether		Dec-62
6.	Broxyquinoline + Brobenzoxalidine		May-63
7.	Testosterone decanoate + Isocaproate		Jan-64
8.	Combination of L Oxethazaine + Aluminium hydroxide + Magnesium Hydroxide		Jun-66
9.	Amylobarbitone + Trifluperazine Dihydrochloride Capsule		Feb-67
10.	Lynestronol 2.5mg + Mestranol 0.075mg Tablet		Apr-67
11.	Northynodrel 2.5mg + Mestranol 0.1mg		Jun-67
12.	Norethisterone 2mg and Mestranol 0.1mg		May-67
13.	Mestranol 4mg + Ethinyloestradiol 0.05mg Tablet		May-67
14.	Norethisterane acetate + ethinyl estradiol		May-67
15.	Aluminium sodium silicate + Magnesium hydroxide + Methypolysiloxane Tablet		Jun-67
16.	Ammoidin + Amidine		Jul-67
17.	Fluocortolene + Flucortolene Caproate		Jul-68
18.	Norgestrel + Ethinyloestradiol Tablet		Aug-68
19.	Folic Acid 0.5mg + Ferrous Sulphate 150mg Capsule		Jan-69
20.	Tetracycline HCl 250mg + Broxyquinoline 200mg + Brobenzoxadine 40mg		Jan-69
21.	Methyldopa 250mg + HCTZ 15mg Tablet		Feb-69
22.	dl Norgestrel + 17 alpha hydroxy progesterone caproate + Norethisterone acetate + 17 alpha acetoxy progesterone		Jan-69
23.	Diphenoxylate HCl 2.5mg + Atropine Sulphate 0.025mg tablet		Jul-69
24.	Vitamin A,D & E		Jul-69
25.	Lutin 0.1gm + Vit 0.1gm + Vit K1 2.5mg + Dicalcium Phosphate 0.1gm + Carlozochrome Salicylate 1mg tablet		Jul-69

26.	Vit K 1 5mg + Calcium Lactolionate 100 m g+ Carlozocrome Salicylate 2.5mg + Phenol 0.5% + Lignocaine Hcl 1% injection		Jul-69
27.	Phenylmethamine-amino benzene Sulphate 15mg + Phenylmethamine Hcl 10mg tablet		Jul-69
28.	Phenylmethamine-amino benzene Sulphate 1.5% w/w + Phenylmethamine Hcl 1.5% w/w ointment		Jul-69
29.	Colistin Sulphate (300000 IU) 0.154gm + Pectin 0.196gm + Kaolin 2.625gm per 30ml suspension		Sep-69
30.	Atropine Sulphate 0.06mg + Hyoscyamine sulphate 0.30mg + Scopolamine hydrobromide 0.035mg + Phenobarbatal 64.8mg capsule		Dec-69
31.	Di iodochlorhydroxyquinoline 300mg + Berberine Hcl 40mg + Homatropine methylbromide 0.8mg tablet		Jan-70
32.	Ethinodiol diacetate 1mg + Ethinyloestradiol 0.05mg		Feb-70
33.	Lynestronol 2.5mg + Ethinyloestradiol 50mcg		Sep-70
34.	Methandienone BP 25mg + Benzyl alcohol in sterile solution 9% w/v/ml		Apr-70
35.	Trimethoprin 80mg/20mg + sulphamethoxazole 400mg/100mg tablet		Jul-70
36.	Trimethoprin 40mg + sulphamethoxazole 200mg/5ml suspension		Jul-70
37.	Chlordentoin 1% + Benzyl bromide chloride 0.05% per 100gm cream		Sep-70
38.	Ambodryl 100mg + Aspirin 190mg + Phenacetin 65mg + Caffiene 15mg + Phenylephrine HCl 10mg + Aluminium hydroxide gel 100mg tablet		Nov-70
39.	Ethinodial diacetate 1mg + Mestranal 0.05mg tablet		Jan-71
40.	Dried yeast powder 250mg + Saccharomyces ceribial containig NLT 10 million living cells Capsule		Jan-71
41.	Hydroflumethiazide 25mg/50mg + Rauwalfia 50mg/50mg Tablets		Mar-71
42.	D - norgestrel 0.25mg + Ethinyl estradiol 0.05mg Tablet		Apr-71
43.	Pyridine 3-carboxylic acid hydroxy methylamide 0.125gm + Choline Bitartrate Tablet		Jul-71
44.	Alpha chymotrypsin 60mg + Ethyl nicotinate 200mg per 20gm ointment		Sep-71

45.	Phenyl propalamine HCl 50mg + Isoprapamide 2.5mg + Diphenyl pyralline HCl 5mg capsule		Sep-71
46.	DL - norgestrel 0.25mg + Ethinyl estradiol 0.05mg Tablet		Sep-71
47.	Dihydroxy acetate 15% w/v + Alcohol 95% - 45% w/v lotion		Oct-71
48.	Psoralen 10mg + Copper Sulphate 2mg Tablet		Oct-71
49.	Dexamethasone 0.125mg + Indomethacin 25mg Capsule		Nov-71
50.	Yeast tannic acid compound 250mg + Iodochlorohydroxyquinoline 150mg + Benzalconium chloride 10mg Tablet		Nov-71
51.	Amylase + Cellulose + Protinase + Pencreatic enzyme + Lipase Capsule		Dec-71
52.	Reserpine 0.1mg + Clopamide 5mg + Dihydroergocristine 0.5mg Tablet		Jan-72
53.	Calcium gluconate 50mg + Iso thipendyl HCl 4mg + Acetylsalicylic acid 200mg + Caffine 30mg per dosage		Jun-72
54.	Chlorphenoxamine HCl 12mg + Caffeine 30mg Tablet		Jul-72
55.	Flumethasone Pivalate 0.02% + Iodochlorohydroxyquinoline 1% ear drops		Oct-72
56.	Cape aloes 16mg + Podophyllin resin 4.2mg + Licorice powder 5.462 mg per Tabler		Oct-72
57.	N - butanol 0.52gm + Citric Acid 0.0025gm + Physiological sodium chloride add to 5ml per 5 ml		Nov-72
58.	Paracetamol 300mg + D-propoxyphene HCl 25mg per tablet		Dec-72
59.	Theophylline anhydrous 100mg + Ephedrine HCl 10mg + Diazepam 1mg + Prednisolone 1.5mg tablet		Mar-73
60.	Dybendal 0.5% w/w + Allantoin 0.2% w/w + Boric Acid 1% w/w + Menthol 0.08% v/w		May-73
61.	Sod. Chloride 558mg + Pot. Chloride 14.9 mg + Mag. Chloride 10.16mg + Cal. Chloride dihydrate 21.9mg + 20/6 Molar Sod. Lactate 1.34 ml + Dextrase Anhydrous 1.5gm per 100ml		May-73
62.	Parbendazole 4% w/w + Ethixygin 0.125% w/w + Extracted soya flour added to 100% suspension		Jun-73
63.	Hydrocarticosone acetate 1% w/w + Nitrofurazone 0.2% w/w cream		Jun-73

64.	Activated Methylpolysiloxane 125mg + Magnesium Hydroxide 100mg + Aluminium Hydroxide 5gm per 5ml solution		Jun-73
65.	Chlordiazepoxide 5mg + Clidimium bromide 2.5mg per tablet		Jul-73
66.	Nitrofurazane 0.06gm + urea 6.21gm bolus		Aug-73
67.	Lynestrenal 1mg + Ethinylestradiol 50mcg tablet		Sep-73
68.	Trimethoprim & Sulphadoxine		Sep-73
69.	Dried ferrous sulphate eq. to 50mg of elemental iron + Ascorbic acid 300mg + Sod. Bicarbomate 84mg + Talcum 12mg capsule		Dec-73
70.	Erythromycin Propionate eq. to 50mg of Erythromycin + Benzyl alcohol 0.02ml + Lidocaine 0.02gm per ml Inj.		Mar-74
71.	Beclomethasone Dipropionate 0.025% + Neomycin Sulphate 0.5% Ointment & Cream		Apr-74
72.	Beclomethasone Dipropionate 0.025% + Chinoform 3% Ointment & Cream		Apr-74
73.	Trimethoprim 4% w/v + Sulphadoxime 20% w/v		Jul-74
74.	Dl - Norgestrel 0.5mg + Ethinyl estradiol 0.03mg Tablet		Aug-74
75.	Mixture of sodium Salt + Methyl glucamine salt of 35 diacetamido- 2,4,6-triodobenzoic acid		May-75
76.	Autolysate of β -subtilis+ β - megatherium		Jul-75
77.	Trimethoprim+sulfamoxole		Sep-75
78.	Zoalene 25% + Ethoxygim 0.125% premix		Jan-75
79.	Clonidine HCl 100mcg + HCTZ 20mg Tablet/Capsule		Jul-75
80.	Benzoyl peroxide 10%w/w + Precipitated Sulphur 5%w/w per 20gm cream		Aug-75
81.	Triamterene 50mg + HCTZ 25mg tablet		Oct-75
82.	Combipack of 21 active tablet contains Noretihsterone acetate 1mg + Ethinyl oestradiol 30mcg & 7 Haematinic tablets contain Ferrous Fumarate 60mg		Oct-75
83.	Caffein 100mg + Ergotamine tartrate 1mg + Analgin 250mg + Trifluperazine HCl 1mg Capsule		Mar-76
84.	Paracetamol 120mg + Diphenylpyralime HCl 1.5mg + Phenylpropanolamine HCl 10mg per 5ml expectorant		May-76
85.	Trimethoprim 80mg + Sulphamethoxazole 400mg per 5ml infusion		Oct-76

86.	DL- Norgestrel 300mcg + Ethinyl oestradiol 30mcg Tablet		Oct-76
87.	Tolnaytate 10mg + Nystatin 100,000 Units per gm cream		Feb-77
88.	40mg of elemental iron in a complex of iron polymaltose + Vit. B6- 2mg + Vit. B12 40mcg tablet		Feb-77
89.	50mg of elemental iron in a complex of iron polymaltose aq. solution + Vit. B6 2mg + Vit. B12 5mcg Syrup		Feb-77
90.	Neomycin Sulohate 910mg + Polymyxin B Sulphate 300000 units + Zinc bacitracin 25000units + Propellent to maba 210gm aerosol pouch of 210gm		Mar-77
91.	Norethisterone 1mg + Ethinyl estradiol 30mcg Tablet		Jun-77
92.	Sodium salt of loxitalamic acid 5.13gm + Meglumine salt of loxitalamic acid 10.26gm per 20ml Inj.		Sep-77
93.	PVP/VA resin 5% + Benzalkonium chloride 0.10% + Lignocaine HCl 0.25% + D-panthanol DAB-7DDR 2% aerosol pack of 85gm		Sep-77
94.	Metronodazole 40mg + Furazolidone 30mg + Kaolin 1gm + Pectin 20mg per 5ml suspension		Oct-77
95.	Diazepam 5mg + Paracetamol 500mg tablet		Oct-77
96.	Orphenadrine citrate 35mg + Paracetamol 450mg tablet		Nov-77
97.	Neomycin + Bacitracin+ Polymix B Sulphate ointment		Nov-77
98.	Clonidine HCl 0.1mg/0.2mg + Chlorthalidone 15mg/15mg Tablet		Dec-77
99.	Sulfametopyrazine 500mg + Pyrimethamine 25mg tablet		May-78
100.	Fluocortolone caproate 0.25gm + Flucortolone Trimethylacetate 0.25gm per 100gm cream		Jun-78
101.	Dimethyl polysiloxone 100mg + Enzyme concentrate Aspergillus oryzae 120mg + Protease 126 units + Cellulase 185 units + Hemicellulose 64 units + Amylase 1.3 units + papaverine HCl 25mg Capsule		Aug-78
102.	Lignocaine 50mg + Aluminium Hydroxide 300mg + Magnesium hydroxide 100mg + Activated dimethicone 20NF 50mg Tablet & 5 ml suspension		Sep-78
103.	Fluprednylidene acetate 0.1% + Gentamicin Sulphate 0.1% + 5-Chloro-8-hydroxygluconate 0.5% Cream		Oct-78

104.	Fluocortolone trimethylacetae 0.92mg + Flucartolone caproate 0.95mg + Clemizole undecyclate 10mg + Cinclocamic HCl per gm ointment		Oct-78
105.	Fluocortolone trimethylacetae 0.612mg + Flucartolone caproate 0.630mg + Clemizole undecyclate 5mg + Cinclocamic HCl 1mg Suppositories		Oct-78
106.	Propoxyphene Napasylate 100mg + Paracetamol 650mg Capsule		Nov-78
107.	Sod. Chloride 20.047mg + Pot. Chloride 0.522gm + Mag. Chloride 0.366gm + Cal. Chloride 0.859gm + Sod. Acetate 19.047gm per 100ml Dialysis fluid		Nov-78
108.	Sod. Chloride 20.475mg + Pot. Chloride 0.783gm + Mag. Chloride 0.534gm + Cal. Chloride 0.972gm + Sod. Acetate 19.054gm per 100ml Dialysis fluid		Nov-78
109.	Fluocortolone 2.5mg + Fluocartalone caproate 2.5mg + Neomycin Sulphate 5mg per gm ointment		Nov-78
110.	Trimethoprim 160mg + Sulphamethoxazole 800mg per 3 ml Inj.		Jan-79
111.	Metronodazole 100mg + Furazolidone 30mg + Kaolin & Pectin per 5ml suspension		Mar-79
112.	Lynestrenal 0.75mg + Ethinylestradiol 37.5mcg tablet		Apr-79
113.	Chlorpromazine 50mg + Trifluoperazine 5mg + Trihexyphenidyl 2mg tablet		May-79
114.	Halcinonide 1mg + Neomycin sulphate eq. to 2.5mg of neomycin base ointment/cream		Jul-79
115.	Clidinium bromide 2.5mg + Diazepam 2.5mg + Analgin 500mg tablet		Sep-79
116.	Amiloride 5mg + HCTZ 50mg Tablet		Sep-79
117.	Diazepam 2.5mg + Sorbide Dihitrate 10mg Tablet		Dec-79
118.	Propranolol 40mg + Hydrallazime 25mg tablet		Feb-80
119.	Fluprednidene acetate 0.1% + Gentamicin as Sulphate 0.1% Cream		Feb-80
120.	Sterile powder of colistin sulphomethate sodium eq. to 1000000 Units + Dilucame HCl 2mg per vial Inj.		Feb-80
121.	Phenylbutazone 125mg + Propyphenazone 125 mg tablets		Feb-80

122.	combipack of 22 tablets of Lynestrenol 1mg + Ethinyloestradiol 50mcg & 6 placebo tablets of Ferrous Fumerate 60mg		Jun-80
123.	Diethylamine Salicylate 10mg + Nopoxamine 1gm per 100gm ointment		Mar-80
124.	Phenyl dimethyl isopropyl pyrazolone 150mg + Diethyl dioxotetrahydro pyridine 50mg + Paracetamol 250mg + Caffeine (Anhydrous) 46.75mg		Nov-80
125.	Hydroxyethyltheophylline 231mg + Theophylline monohydrate 69mg SR Tablet		Jun-81
126.	Calender pack containing 21 days1. Levonorgestrel 0.05mg + Ethinyloestradiol 0.03mg Tablet 2. Levonorgestrel 0.075mg + Ethinyloestradiol 0.04mg Tablet 3. Levonorgestrel 0.125mg + Ethinyloestradiol 0.03mg Tablet and 7 inactive tablets extra		Jun-81
127.	Acetylsalicylic acid 350mg + Al. Hydroxide 90mg + Mg. Hydroxide 90mg tablet		Nov-81
128.	Terbutaline sulphate 1.5mg+Guaphenesine 66.5 mg per 5ml syrup		Oct-82
129.	Propranolol HCl 40 mg+HCTZ 25 mg tablets		Oct-82
130.	Metoprolol tartarate 100 mg+Hydrochlorothiazide 12.5 mg		Oct-82
131.	Propranolol Hcl 80 mg+Bendrafluazide 2.5 mg capsule		Oct-82
132.	Paracetamol 450 mg+Chlormezanone 100 mg tablet		Oct-82
133.	Megaldrate 400 mg+Simethicone 60 mg chewable tablet		Nov-82
134.	Megaldrate 400 mg+Simethicone 60 mg per 5ml Suspension		Nov-82
135.	Bumetanide 0.5mg+Potassium Chloride 523 mg tablet		Feb-83
136.	Ampicillin 3.5gm+ Probenecid 1.0gm single vial		Feb-83
137.	Rifampicin300mg/450mg/600mg+INH 200mg/300mg/300mg		Jun-83
138.	Desogestrel 0.15 mg+Ethinylestradiol 0.03 mg each tablets		Nov-83
139.	Levodopa+Carbidopa		Dec-83
140.	Betamethasone Dipropionate 6.43 mg + Betamethasone Sodium Phosphate 2.63 mg each vial		Jul-84

141.	Frusemide 20mg/20mg + Spironolactone 50mg/100mg each capsule/tablet		Sep-84
142.	Levamisole 50 mg+Mebendazole 200mg tablet		Sep-84
143.	Tinidazole 150mg+Dimoxonide Furoate 250mg tablet		Sep-84
144.	Ibuprofen 400mg+ Paracetamol 325mg tablet		Oct-84
145.	Clestabol 500mg+Neomycin Sulphate 500mg per 100gm cream		Jun-85
146.	Levodopa 100mg/200mg+Benserazide 25mg/50mg each capsule		Nov-85
147.	Hydrotalcite 500mg + Smithicone (activated) 125mg Tablet & Hydrotalcite 500mg + Smithicone (activated) 125mg per 5ml Suspension		Jun-86
148.	Acebutolol HCl 200mg + HCTZ 12.5mg		Aug-86
149.	Biclotymol 0.198gm+Glyceryl Galacolate 0.200gm+Pholcodine 0.133gm+Chlorphenaramine maleate 0.0133gm per 100ml Syrup (for adult)		May-86
150.	Biclotymol 0.150gm+Glyceryl Galacolate 0.200gm+Pholcodine 0.100gm+Chlorphenaramine maleate 0.01gm per 100ml (for children)		May-86
151.	Metoclopramide 5 mg+Dimethyl polysiloxane 250 mg tablet		Aug-85
152.	Sulphadiazine 400mg+Trimethoprim 80mg tablet		Jan-87
153.	Sulphadiazine 200mg+Trimethoprim 40mg suspension		Jan-87
154.	Carenecaine 2% with Adrenaline & Careneccaine 4% with Adrenaline Injectio		Feb-87
155.	Amoxycillin trihydrate 250mg+Potassium Clavulanic eq. to Clavulanic acid 125mg each tablet		Feb-87
156.	Framycetin Sulphate 1% + Hydrocortisone Acetate 1% + Miconazole nitrate 2%		Apr-87
157.	Amoxycillin 500mg/1gm+Clavulanic acid 100mg/200mg each vial Injection		May-87
158.	7 pills of 0.5mg Norethindrone & 35 mcg ethinylestradiol Tablets, 7 pills of 0.75mg Norethindrone & 35 mcg ethinylestradiol Tablets and 7 pills of 1mg Norethindrone & 35 mcg ethinylestradiol Tablets		Jan-88
159.	Fresemide 20mg+Potassium chloride 750mg each tablet		Mar-89

160.	Neutral insulin and Insulin Zinc suspension		Sep-87
161.	Gestodene 75mcg + Ethinylestradiol 30mcg tablet		Jul-88
162.	Levodopa 100mg/250mg + Carbidopa 10mg/25mg Tablet/Capsules	For the symptomatic symptoms of idiopathic Parkinson's Disease	02.09.1988
163.	Licomycin 50mg + Spectinomycin 100mg for veterinary use		Oct-88
164.	Frusemide 20mg + Potassium Chloride IP 750mg tablet		07.03.1989
165.	Lincomycin 300mg + Neomycin 200mg + Methyl Prednisolone 5mg per 10ml Infusion Solution		Mar-89
166.	Amiloride 5mg / 5mg + Frusemide 20mg/40mg tablet		Jun-89
167.	Metoprolol 50mg + HCTZ 12.5mg Tablet		Jun-89
168.	Captopril 25/50mg + HCTZ 15/25mg		Jul-89
169.	Eicosapentaenoic acid (EPA) 180mg + Docoshexaenoic acid (DHA) 120mg		Sep-89
170.	Atenolol BP 50mg+Nifedipine SR 20mg capsule		Jan-90
171.	Alpha chloropyridazine sodium 10gm + trimethoprim 2gm per 100gm powder for veterinary use		May-90
172.	Each 5 ml reconstituted syrup contains: Amoxicillin as trihydrate 125mg + Clavulanic Acid 31.25mg as potassium salt suspension		07.08.1990
173.	Potassium Clavulanic Eq. to Clavulanic Acid 125mg + Amoxicillin Trihydrate Eq. to Amoxicillin 250mg tablet	For the treatment of bacterial infections such as sinusitis otitis media tonsillitis, acute and chronic bronchitis, skin and post operative pain.	05.04.1990
174.	Clavulanic acid (As potassium salt) 200mg + Amoxicillin (As sodium salt) 1gm injection	For the treatment of bacterial infection such as sinusitis otitis media tonsillitis, acute and chronic bronchitis, skin and soft tissue infections pelvic infections osteomyelitis post operative pain.	07.08.1990
175.	Amoxicillin 250/500mg + Carbocistine 150mg/150mg capsule	for respiratory infections characterised by excessive or viscous mucous Contraindication in pregnancy	Apr-91
176.	Amoxicillin 125mg + Carbocistine 75mg per 5ml syrup	for respiratory infections characterised by excessive or viscous mucous Contraindication in pregnancy	Apr-91

177.	Acetyl salicylic acid 100mg + Cal. Carbonate 30mg + Anhydrous citric acid 10mg Tablet		Sep-91
178.	Ampicillin Sodium 0.5gm + Sulbactam Sodium 1gm per vial Injection		Sep-91
179.	Pinene 17mg+camphene 5mg+Cineol 2mg+Menthone 6mg+Menthol 32mg +Borneol 5mg+Olive oil 33mg capsule		Sep-91
180.	Ampicillin Sodium 0.25/0.5gm + Sulbactam Sodium 1gm/2gm per vial Injection		06.05.1992
181.	Cinnarazine 20mg + Domperidone 15mg tablet	prevention of symptoms caused by vestibular disorders and vertigo/motion sickness, nausea, dizziness, headache, vomiting, sensation of fullness when there is a delay in gastric emptying.	01/02/1992
182.	Triclabendazole 5gm/12gm + Levamisole 3.75gm/7.5gm per 100ml Suspension for Veterinary use	treatment and control of mature and developing immature infections of ostertragia, trichostrongylus, cooperis, nematodirus, oesophagastomum and dictyocaulus and all forms of liver fluke infection in sheep/cattle.	01/07/1992
183.	Pseudoephedrine HCl 30mg + Ibuprofen 200mg tablet	for the relief of nasal congestion, headache, fever, bodyache and pain associated with sinusitis, flu and common cold.	28.09.1992
184.	Enalapril 10mg/20mg + HCTZ 12.5mg/25mg tablet	hypertension in patients for whom combination therapy is appropriate	08.10.1992
185.	Ferrous glycine Sulphate CR 100mg (eq. to elemental iron)+Folic acid 0.5mg tablet	For the prophylaxis of iron and folic acid deficiencies during pregnancy	03.11.1992
186.	Frusamide 40mg/20mg+Potassium Chloride 600mg/300mg tablet	NM	26.02.1993
187.	Cisapride + M.P.S. Chewable tablet	Management of dyspepsia due to functional causes, peptic ulcer, and oesophagitis, prevention and therapy of reflux oesophagitis, gastroparesis, due to diabetic neuropathic, anorexia, nausea, vagotomy, post operative causes, radiation therapy, gastritis intestinal pseudo-obstructive uremia ulcerative and non-ulcerative dyspepsia, restoration of intestinal motility in chronic constipation	03.05.1993
188.	Etofylline-300mg, Salbutamol (as sulphate)-4mg SR Capsules	NM	14.06.1993

189.	Norgestimate 180µgm/215µgm/250µgm + Ethinyl oestradiol 35µgm/35µgm/35µgm Tablets (Triphasic oral contraceptive tablets)	oral contraceptives	29.06.1993
190.	Oxytetracycline HCL-500mg+Furazolidone-500mg+Clioquinol-500mg per 100 gm syringe	Intrauterine infusion for veterinary	5.07.1993
191.	Levamisole-1.5%+Oxyclozanide-3.0% Suspension	for veterinary use	29.09.1993
192.	Framycetin sulphate 1%+Dexamethasone 0.1%+Clotrimazole 1% Cream	In the treatment of dermatologic disorders caused or complicated by infections by bacteria and/or fungi along with inflammation	28.10.1993
193.	(I) Rice based ORS citrate containing each sachet: Nacl 3.5g+KCl 1.5g+Sodium Citrate 2.9gm+Extruded Rice 50.0gm. (II) Rice based ORS electrolytes containing each sachet: Nacl 1.25gm+ KCl 1.50gm+Sodium Citrate 2.90gm+ Extruded Rice 50.0gm	Oral Rehydration Salts	9.12.1993
194.	EryThropoietin 2000 IU/4000 IU + Mannitol 40mg/40MG + NaCl 7mg/7MG + Monobasic Sod. Phosphate 2.8mg/2.8mg + Dibasic Sod. Phosphate 8mg/8mg + Human Albumin 5mg/5mg Lyophilised 2 ml Inj.	In the treatment of anemia due to chronic renal failure and stage renal disease	15/06/1905
195.	Spiramycin 0.75MIU/1.50MIU+Metronidazole 1.25mg/250mg film coated Tablets	NM	15.03.1994
196.	Sultamicillin(as Tosylate) 375mg eq. Sulbactam 147.0 mg + Ampicillin 220 mg Film coated tablets.		06.05.1994
197.	Cephalexin-250mg/500mg+ Bromhexine (as HCl) 4MG/8MG Capsules	RTI characterized by excessive or viscid mucous	16.09.1994
198.	Cephalexin monohydrate eq. to cephalaxin 125mg/250mg+ Bromhexine Hcl eq. to Bromhexine 2mg/4mg per 5ml of reconstituted suspension.	RTI characterized by excessive or viscid mucous	27.01.1995
199.	Carbidopa (Anhydrous) 50mg + Levodopa-200mg C.R.tablet		12.10.1994
200.	Cephalaxin monohydrate eq. to cephalaxin 500mg/250mg+Carbocisteine 150mg/150mg Capsules		30.10.1994
201.	Cephalaxin anhydrous 250mg+Carbocisteine 150mg per 5 ml suspension		30.10.1994

202.	ZnSO ₄ 0.660mg (heptahydrate eq. to elemental Zinc 0.15mg)+CuSO ₄ 0.236mg (Pentahydrate eq. to elemental copper 0.06mg)+Chromic chloride 1.83mg (anhydrous eq. to elemental chromium 0.6mg)+MnSO ₄ 0.047mg(monohydrate eq. to elemental manganese 0.025mg)+Benzyl alcohol 1% (preservative)Trace metal additive infusion (TMA Infusion)		08.10.1994
203.	Clostridium botulinum toxin type A - Hemagglutinin complex 100 units Human Serum Albumin 0.5mg+ NaCl 0.9 mg	For the treatment of blepharospasm hemifacial spasm & associated focal dystonia	13.01.1994
204.	Taurolidine 2g + Povidone 5g per 100ml		13.01.1994
205.	Taurolidine 2.5g + Povidone 6.25g per 500ml		13.01.1994
206.	Amoxicillin 500mg + Potassium Clavulanate 100mg injection		03.10.1994
207.	Amoxicillin (Present as amoxicillin trihydrate IP) 500mg + Clavulanic Acid (Present as potassium clavulanate USP) 125mg film coated tablets	For the treatment of bacterial infections such as sinusitis otitis media, tonsillitis, acute and chronic bronchitis, skin and soft tissue infections, pelvic infections, osteomyelitis, post operative pain.	06.01.1995
208.	Terfenadine 60mg+Pseudoephedrine HCL 120mg as E.R. tablets		24.03.1995
209.	Tinidazole 600mg+Norfloxacin 400mg tablets		09.05.1995
210.	Policresulen 50mg+Cinchocaine 10mg per gram ointment		07.07.1995
211.	Nonoxynol 2% w/v+Chlorometoxylenol 0.5% w/v		26.07.1995
212.	Ergometrine 500mcg+Oxytocin 5 units per ml injection		28.07.1995
213.	Nitrendipine 10mg/20mg+Atenolol 30mg/30mg tablets	Mild to moderate hypertension not responding to monotherapy with either of the drug	19.09.1995
214.	Lactic acid 1.0% w/v+ Lactoserum 0.9% w/v (for topical use)		06.11.1995
215.	Amlodipine 5mg/2.5mg+Enalapril Maleate 5mg/2.5mg tablets	For the treatment of hypertension only	16.11.1995
216.	Lisinopril 10mg/20mg/5mg+Hydrochlorothiazide 12.5mg/25mg/12.5mg uncoated tablet	For the treatment of patients with hypertension who are not adequately controlled on monotherapy	23.11.1995

217.	Glibenclamide 2.5mg+Metformin 400mg Film coated Tablets	non insulin dependent diabetes mellitus patients poorly controlled with sulphonylurea or biguanide alone	30.11.1995
218.	Zinc Gluconate 87.1% mg (eq. to elemental Zinc 12.5mg) Ascorbic acid 100mg+ Sodium Ascorbate 170mg (eq. to 150 mg of Ascorbic acid) chewable tablet		12.12.1995
219.	Mono ammonium glycyrrhizinate 4mg (as Glycyrrhizin) + Amino acetic acid 40mg + L-Cysteine HCl 2mg per 2 ml Inj.	for the management of sub acute hepatic failure	14.12.1995
220.	Polyvinyl Alcohol 14mg+Povidone 6mg+Chlorbutanol 5mg per ml eye drops	for relief from burning, irritation and discomfort due to dryness of the eye	11.01.1996
221.	Glibenclamide IP 2.5mg + Metformin IP 400mg film coated tablets	For the management of type II diabetes mellitus when single drug therapy, diet and exercise do not result in adequate glycemic control	06.02.1996
222.	NaCl-0.125gm+KCl 0.150gm+NaHCO ₃ -0.250gm+Citric acid (anhydrous)-0.577gm+ Dextrose (anhydrous) 2.650gm ORS Tablets	ORS Tablets	22.04.1996
223.	Polyvinyl Alcohol 14mg/30mg+Benzalkonium chloride-8.05mg per ml Ophthalmic solution		16.05.1996
224.	Amlodipine besylate eq. to Amlodipine 5mg+ Atenolol 50mg Besylate uncoated tablets	Mild to moderate hypertension	16.05.1996
225.	Lignocaine(base) 2%+ Silver Sulphadiazine 1%+ Chlorhexidine Gluconate 0.2% cream	Temporary pain relief & to prevent infection in cuts & burn, wounds, nicks, scrapes, scratches abrasion herpes zoster, bed sores	18.06.1996
226.	Sterile Amoxicillin Sodium eq. to Amoxicillin 500mg/1gm+Sterile Sulbactam Sodium eq. to Sulbactam 250mg/500mg (each vial) inj. (IM/IV)	Antibiotic	21.06.1996
227.	Clobetasol Propionate 0.05 % w/w+Ammonium lactate 12 % w/w gel	dry hyper keratotic steroid responsive dermatoses inflammatory manifestation of psoriasis (excluding widespread plaque psoriasis)	07.08.1996
228.	Ramipril 2.5mg/5mg+Hydrochlorothiazide 12.5mg/25mg tablet	Mild to moderate hypertension in patients (in when combination therapy is appropriate) who have been established on the individual components given in the same proportion	26.08.1996
229.	Loratidine 5mg+Pseudoephedrine 120mg (ER) tablets	for the relief of symptoms of seasonal allergic rhinitis	21.08.1996

230.	Fluorometholone 1mg+ Neomycin sulphate 3.5mg (as base)+Benzalkonium chloride 0.04mg per ml Ophthalmic suspension	In the treatment of infected inflammatory ocular condition	04.09.1996
231.	Clindamycin 1%+Tretinoin 0.025% Topical gel	Mild to moderate acne vulgaris only	18.11.1996
232.	Glibenclamide 5mg+ Metfermin 500mg Tablets	non insulin dependent diabetes mellitus patients poorly controlled with sulphonylurea or biguanide alone	26.11.1996
233.	Ticarcilin 3gm+ Clavulanic Acid 100mg (per vial) injection	For the treatment of Bacterial infections caused by susceptible organisms in pediatric patients (age > 3 months) subject to all other conditions stipulated in initial permission of the drug remaining same.	30.10.1996
234.	Amlodipine besylate Eq. to Amlodipine 5mg + Lisinoril eq. to Lisinopril anhydrous 5mg tablet	mild to moderate hypertension	27.03.1997
235.	Fluorometholone 10 mg+Gentamicin 3 mg (as sulphate) per ml Eye Drops	The infection of the anterior segment of the eye due to bacteria susceptible to gentamicin.	28.04.1997
236.	Methyl valerate 100mg+ Quinine Anhydrous 15mg+ Camphor 10mg+ Oil of eucalyptus 10mg capsule	used as an anti smoking agent	06.06.1997
237.	Cetirizine Dihydrochloride 5mg (Immediate release)+Pseudoephedrine HCl 120mg (SR) tablet	for the treatment of seasonal allergic rhinitis.	09.09.1997
238.	Combipack containing : I capsule of Omeprazole 20mg cap, 1 tablet of Clarithromycin 250mg tab & 1 tablet of Tinidazole 500mg tab II. Omeprazole 20mg cap+Amoxicillin 750mg tab+Tinidazole 500 mg	for indication of H. Pylori associated with peptic ulcer	09.09.1997
239.	Combipack containing : 1 capsule of Omeprazole 20mg cap, 1 tablet of Amoxicillin 750mg & 1 tablet of Tinidazole 500 mg	for indication of H. Pylori associated with peptic ulcer	09.09.1997
240.	Propoxur 1gm + Flomethrion 0.225 gm per 10mg of collar for veterinary use	for protection and control of ticks and flea on dogs	03.02.1997
241.	Levovist 4gm & 2.5gm granules per 20 ml vial(1gm granules contains Galactose 999mg + Palmetic acid 1 mg)	one and two dimensional Doppler sonography blood flow imaging in (Contrast Media) patients where there is an insufficient Doppler signal intensity and for bB mode control echo cardiography.	28.11.1997
242.	Cloxacillin sodium 200mg+Colistine sulphate 50000 units per 10 ml Intramammary infusion (vet)		04.03.1998
243.	Ambroxol+Pseudoephedrine+Chlorpheniramine maleate tabs/suspension/syrup	For the symptomatic relief of bronchospasm in bronchial asthma & chronic bronchitis	26.02.1998

244.	Glipizide 2.5mg/5mg +Metformin 250mg/500mg tablet	for non insulin dependent diabetes mellitus	20/03/1998
245.	Perindopril 2mg/4mg+Indepamide 0.625mg/1.25mg tablet	mild to moderate essential hypertension	24.03.1998
246.	Benazapril Hcl 5mg/10mg/20mg/20mg+Hydrochlorothiazide 6.25mg/12.5mg/12.5mg/25mg tablet	mild to moderate hypertension only	21.05.1998
247.	Flupenthixol dihydrochloride eq. to flupenthixol 0.5mg + Melitracen Hcl eq. to Melitracen 10mg sugar coated Tablet	In the treatment of psychogenic depression depressive neuroses marked depression and psychotic affections accompanied by anxiety and apathy.	28.10.1998
248.	Butafostane 10gm + Cyanocobalamine 0.005gm per 100ml Solution	for veterinary	04.03.1998
249.	Amoxicillin 875mg + Clavulanic Acid 125mg tablets	For the treatment of mild to moderate bacterial lower respiratory tract infections in adult patients	27.01.1999
250.	Lidocaine 2%+Prilocaine 2.5% w/w cream	As a topical an aesthetic for use on normal intact skin for local anaesthesia	May, 1999
251.	Bisoprolol Fumarate (2:1) 2.5mg/5mg+Hydrochlorthiazide-6.25mg/6.25 mg Tablet	mild to moderate hypertension	13.05.1999
252.	Combipack of 1 tablet of Fluconazole 150mg , 1 film coated tablet of Azithormycin dihydrate eq. to Azithromycin 1gm & 2 fillm caoted tablet of Secnidazole 1gm		07.06.1999
253.	Losartan Potassium 50mg+Hydrochlorothiazide 12.5mg film coated Tablet	for treatment of mild to moderate hypertension.	08.06.1999
254.	Ambroxol HCl 15mg+ Salbulamol 1mg + Guaiphenesin 50mg+ Methol 1mg per 5 ml syrup	For the symptomatic relief of bronchospasm in bronchial asthma & chronic bronchitis	16.06.1999
255.	Combipack of 1 vial of Ifosfamide 1gm & Mesna 100mg/ml		30.07.1999
256.	Glutaraldehyde 15% +cocobenzyl dimethyl ammonium chloride10% + dye <0.1% + perfume 6% + soften water-0.5% per litre	for the control of diseases in animal premises	24.08.1999
257.	Alkyl dimethyl benzoyl ammonium chloride 5%+ Nonyl phenoethoxide 6%+Inert ingredient 89%	Disinfectant for cleaner for vet use	23.08.1999
258.	Fexofenadine 120mg+Psendoephedrine sulphate USP in ER form 180mg tablet	Allergic and seasonal rhinitis only	17.09.1999
259.	Loratadine 10mg+Psendoephedrine sulphate in ER form 180mg film coated Tablet	Allergic and seasonal rhinitis only	17.09.1999

260.	Ciprofloxacin 0.3%w/v+ Dexomethasone 0.1% w/v eye drops	For post operative steroid responsive inflammatory ocular conditions when bacterial ocular infections or a risk of bacterial ocular infections exists.	29.09.1999
261.	Fenbandazole(vet) 2.5%(w/w)/1.5%(w/w) +Oxyclonazide (vet) 7.5%w/w/4.5%(w/w) per ml	in treatment of roundworms , lungworms, flukes in cattles & sheep only	04.10.1999
262.	Fenbandazole 175mg+Oxycloganide 525mg bolus	in treatment of roundworms , lungworms, flukes in cattles & sheep only	04.10.1999
263.	Combikit of 2 enteric coated tablet of Pantoprazole 40mg ,2 film coated tablet of Amoxicillin 750mg & 2 film coated tablet of Tinidazole 500mg.		15.10.1999
264.	Ambroxol 30mg+Gnaiphenesin 100mg+Menthol 1mg+Psendoephedrine 60mg per 5ml syrup	cough congestion	29.10.1999
265.	Lamivudine 150mg+Zidovudine 300 tablets	for the treatment of HIV Infection	26.11.1999
266.	Amoxycillin 250mg+Clavulanic acid 150mg dispersible tablet	Antibiotic	23.12.1999
267.	Combipack of Desogestral and Ethinyl Estradiol	for oral contraceptive in women only	29.05.2000
268.	Ciprofloxacin (0.3%)+Dexomethasone (0.1%) eye drops	For post operative steroid responsive inflammatory ocular conditions when bacterial ocular infections or a risk of bacterial ocular infections exists.	17.07.1999
269.	Medronic acid 10 mg + Stannous chloride. 2H ₂ O-1mg per vial injection	Diagnosis and study of priamary cancer metastatic bone lesion and other bone diseases. Paget's disease osteomyelitis fractures	23.02.1999
270.	Diclofenac Sodium 1mg + Gentamicin Sodium 3mg per ml	Inflammation of the interior sagment of the eye when there is a risk of bacterial ocular infection	26.03.1999
271.	Piperacillin sodium eq. to piperacillin 4gm/2gm + Tazobactum sodium 500mg/250mg per vial injection	In the treatment of lower RTI/UTI/intra abdominal infections, skin and skin structure infections, bacterial septicemia polymicrobial infection	13.08.1999
272.	Sodium valproate 333mg/133.5mg + Valproic acid 145mg/58.0mg corresponding to Sodium Valproate 500mg/200mg Film coated CR Tablets	Indicated in the management of simple and complex absence seizures, myoclonic and generalised tonic-clonic (grand-mal) seizures	23.08.99

273.	Conjugated Estrogens 0.625mg/0.625mg + MPA 2.5mg/5mg sugar coated tablet	Indicated in women with an intact uterus to reduce the risk of endometrial and prevention an management of osteoporosis and vasomotor symptoms associated with estrogen deficiency	13.09.1999
274.	Diphtheria+Tetanus Toxoid + Pertussis vaccine adsorbed and Haemophilus b CRM 197 Conjugate vaccine	for active immunisation of children (2months -5 years) against Diphtheria, tetanus Pertussis and haemophilus b diseases	12.10.1999
275.	Isoniazid 300mg+Ethambutol 800mg+Vitamin B6 10mg tablet	anti TB drugs	20.01.2000
276.	Timolol maleate 5mg (as based)+Pilocarpine Hcl 20mg per ml ophthalmic solution	for reduction of intra ocular pressure in patients & ocular hypertension or open angle glaucoma	25.01.2000
277.	Combipack of 1 tab of Estradiol 2mg & 1 tab of Estradiol 2mg+ Dydrogesterone 10mg	for treatment of women intact uterus for the symptoms of estrogen deficiency as consequence of the menopause or after ovariectomy and for the prevention of post menopausal osteoporosis	01.02.2000
278.	Sulbactam Sod. Eq. Sulbactam 500mg+ Cefoperazone sodium Eq. Cefoperazone 500mg each vial injection (IV/IM)	for treatment of RTI, UTI (lower & upper), Septicemia, Meningitis, Skin & Soft tissue infection, Endometritis, Other infection of genital tract, Intra abdominal infection bone & joint infection.	16.03.2000
279.	Fluticasone Propionate 500mcg/250mcg/100mcg + Salmeterol (as the xinofoate) 50mcg Accuhaler	For Regular treatment of Bronchial Asthma where use of a Bronchodilator and an inhaled corticosteroids are appropriate	29.03.2000
280.	Sodium Hyaluronate 30mg + Chondroitin Sulfate 40mg each ml ophthalmic solution	as a surgical aid in anterior segment procedure including cataract extraction and intraocular lens implantation	04.04.2000
281.	Sulbactam Sod. Eq. Sulbactam 1000mg + Cefoperazone sodium Eq. Cefoperazone 1000mg each vial injection (IV/IM) (Additional Strength)	for treatment of RTI, UTI (lower & upper), Septicemia, Meningitis, Skin & Soft tissue infection, Endometritis Other infection of genital tract, Intra abdominal infection bone & joint infection	04.04.2000
282.	Combipack of 7 blue tab of Desogestrel 0.025mg+ethinyl estradiol 0.04mg & 15 white tab of Desogestrel 0.125mg+ethinyl estradiol 0.03mg	for oral contraceptive in women only	29.05.2000

283.	Combipack of 1 tablet of Gestodene 60mcg+Ethinyl estradiol 15mcg & 24 tablets + 4 dummy tablets per pack	Oral contraceptive for women.	17.02.2000
284.	Aminomix -2 Infusion Solution Solution A 500ml & 7 Solution B 500ml	For complete parenteral nutrition.	04.07.2000
285.	Fluorometholone USP 1mg+Gentamicin 3mg (as sulphate) per ml eye drops	The infection of the anterior segment of the eye due to bacteria susceptible to gentamicin.	28.07.2000
286.	Ambroxol HCl 15mg+ Guaiphenesin 100mg+ Ethanol 95% eq to Ethanol 5% v/v per 5 ml oral liquid	for treatment of cough.	18.08.2000
287.	Combipack of one bottle of (1000ml) contains: Amino acid 7% w/v+glucose 10% with electrolytes injectable filled upto 750ml & one bottle fat emulsion 20% w/v in 250ml	short term parenteral nutrition via peripheral route pre & post operative nutrition; nutrition in cancer patients, short bowel syndrome, inflammatory Bowel disease, Transition period between IV, nutrition and normal food.	28.08.2000
288.	Soyabean oil USP 10.0gm+ Egg Lecithin 0.60gm+ Glycerol IP 2.5gm per 100ml Intravenous solution	Parenteral nutrition in critical care condition.	28.08.2000
289.	Mono basic Sodium Phosphate Monohydrate 276mg+Dibasic sodium Phosphate Heptahydrate 268mg per ml injection	Patient on parenteral nutrition, increased excretion and decreased absorption of phosphorus, 'X' linked familial hypophosphalaemia, decreased respiratory alkalosis, chronic alcoholism and patients of phosphate binding agents	31.08.2000
290.	Salmeterol Xinafoate eq. to Salmeterol 25mcg+Fluticasone propionate 50mcg/125mcg/250mcg per actuation	for regular treatment of bronchial asthma where the use of a bronchodilator and an inhaled corticosteroid are appropriate.	09.11.2000
291.	Salbutamol sulphate eq. to Salbutamol 100mg + Ipratropium Bromide BP 200mcg inhaler	In the treatment of chronic obstructive pulmonary disease	06.03.2000
292.	Sulperazone (Sulbactam Sodium) + Cefoperazone Sodium		06.03.2000
293.	Fluticasone Propionate 500mcg/250mcg/100mcg + Salmeterol (as the xinafoate) 50mcg/50mcg/50mcg inhalation powder	For regular treatment of bronchial asthma where the use of a bronchodilator and an inhaled corticosteroid are appropriate	29.03.2000
294.	Clottable protein 75-115mg + Trace of Fibrinogen 70-110mg + Plasma Fibronectin 2-9mg + Factor XIII 10-50 U2 + Plasminogen 40-120mcg + Aprotinin solution 300 KIU/ml ³ per ml of reconstituted tissueol solution	For achieving hemostasis to seal or glue tissues and to support wound healing	30.05.2000
295.	Combipack of FDC Gestodene 60mg + Ethinyl Estradiol 0.15mg & 4 Dummy Tablets	Oral contraceptive for women	18.07.2000

296.	DTP + Hepatitis b Vaccine (Multidose vial of 5 ml containing 10 doses.		27.07.2000
297.	Lopinavir 80mg + Ritonavir 20mg per 5 ml oral solution, Lopinavir 133.3mg + Ritonavir 33.3 mg Capsule	For the treatment of HIV infection in combination with other anti-retroviral agents	18.01.2001
298.	Multi Organ Preservative Solution Component A: (1000ml/2000ml/4000ml) Each 100ml contains : Glucose anhydrous 3.57gms component B: (20ml/40ml/80ml) Supplementary Electrolyte Solution : Potassium. Dihydrogen Phosphate 10.76gm+ Pot. Mono Hydrogen Phosphate 37.74gm + KCL-5.7 gm + Sodium Bicarbonate IP 4.3 g + Hydrochloric acid (to adjust pH)		31.01.2001
299.	Irbesartan 150mg/300mg+ Hydrochlorothiazide-12.5mg/ 12.5mg tablet	for mild to moderate hypertension	31.01.2001
300.	Amino acid 5% w/v IV Infusion with & without electrolytes	for perenteral nutrition in patients with protein depletion condition	07.02.2001
301.	Ipratropium Bromide 500mcg+Salbutamol sulphate eq. to Salbutamol 2.5mg per 2.5 ml respiratory solution	for Bronchospasm in patients suffering from chronic pulmonary disorders	03.04.2001
302.	Levonorgestrel 0.25mg+Ethinyl Estradiol 0.05mg tablets	for emergency contraception in women only till such time the never option like Levonorgestrel (0.75mg) is available in market.	07.06.2001
303.	Cefoperazone sod. Eq. to Cefoperazone 1g/2g+ Sulbactam Sod. Eq. to Sulbactam 0.5g/1g each vial Injection	for specific subset of patients (immuno compromised febrile neutropenic cancer patients)	12.06.2001
304.	Salmeterol (as Xinafoate) 25mcg/25mcg/25mcg+Fluticasone Propionate BP 50mcg/125mcg/250mcg per actuation Inhaler	Bronchial asthma where use of bronchodilator & an inhaled corticosteroids are appropriate.	05.07.2001
305.	Intravenous Fat Emulsion with Medium chain triglyceride Solution (10%) : Soyabean Oil USP 5gm+ Medium chain triglycerides BP 5gm+ Egg lecithin 1.20g+Glycerol IP 2.50gm+ water for injection q.s. per 100ml solution	for patients requiring parental nutrition in energy depletion as well as essential fatty acid deficiency states	11.07.2001
306.	Intravenous Fat Emulsion with Medium chain triglyceride Solution (20%) : Soyabean Oil USP 10gm+ Medium chain triglycerides BP 10gm+Egg lecithin 1.20gm+Glycerol IP 2.50gm+ water for injection q.s. per 100ml solution	for patients requiring parental nutrition in energy depletion as well as essential fatty acid deficiency states	11.07.2001

307.	Stavudine 30mg/40mg + Lamivudine 150 mg /150mg+ Neviramine 200mg/200mg tablet	HIV infection in adult patients . Once patients have been stabilised on the maintenance regimen of Neviramine 200 mg BD and have demonstrated adequate tolerability to Neviramine.	26.07.2001
308.	Formoterol Fumarate 6mcg/6mcg + Budesonide B.P. 100/200mg Capsule Inhaler	Asthma where use of combination of inhaled regular corticosteroid & long acting β -agonist is appropriate	17.08.2001
309.	Ambroxol (as Hcl) S.R. 7.5mg+ Doxycycline Hcl 100mg tablet	acute and chronic illness of RT with pathological inspiration of mucous (In case of acute attacks of chronic bronchitis, inflammation of the paranasal sinuses). Caused by doxycycline sensitive aetiological agents	23.08.2001
310.	Ambroxol Hcl 30mg+ Guaiphenesin 200mg tablet	for cough & congestion	10.09.2001
311.	Triple Chamber bags for peritoneal dialysis solution :Compartment A)[61 ml] Dextrose IP eq. to dextrose anhydrous 453.0gm+Nacl IP 5.67gm water for injection q.s. each 1000ml Compartment B) [104 ml]Dextrose IP eq. to dextrose anhydrous 453.0gm+Nacl IP 5.67gm water for injection q.s. Compartment C) [1969ml] Nacl IP 5.67gm+CaCl 2 IP 0.279gm+MgCl2 IP 0.165gm+Sodium lactate solution BP eq. to sodium lactate 4.259 gm water for injection, each 1000 ml water for injection q.s.	for peritoneal dialysis	25.09.2001
312.	Rosiglitazone maleate eq. to Rosiglitazone 2 mg+Metformin IP 500mg tablet	Patients with type 2 diabetes mellitus when dist exercise and the single agent do not result Rosiglitazone 2mg in adequate glycemic control	11.10.2001
313.	β -Carotene (30% dispersion) 15mg (eq. to vit. A 7500 I.U)+ Vit. E acetate-25mg+Vit. C-100mg+Pyridoxine HCL (Vit. B6) 1.5mg+ Cyanocobalamin (vit. B12) 5mcg+ Folic acid-400mcg+Zinc as ZnO-15mg+Selenium as SeO ₂ 100mg+copper (element) as CuSO ₄ 1mg Capsule		10.10.2001
314.	Loperamide Hcl 2mg+Simethicone 125mg tablet	for control of acute diarrhoea in adults only	16.10.2001
315.	Combikit of 10 ml of Oxymetazoline 0.05% & 15 ml of NaCl solution 2%	symptomatic relief of nasal mucosal congestion & adjuvant therapy of middle ear infection associated with acute/chronic rhinitis, common cold, sinusitis.	12.10.2001

316.	Sodium Picosulphate 5mg+liquid Paraffin 4.8ml liquid paraffin per 15ml solution	for constipation in adults.	09.11.2001
317.	Formoterol fumarate-6mcg/6mcg+Budesonide 100mcg/200mcg per actuation	persistent asthma where use of a combination of inhaled corticosteroids therapy long acting β -agonist has been found to be appropriate.	19.11.2001
318.	Ritonavir 33.3mg + Loponavir 133.3mg soft gelatin capsule	In the treatment of HIV infection in combination with other retroviral agents	18.01.2001
319.	Ritonavir 20mg + Loponavir 80 per ml oral solution	In the treatment of HIV infection in combination with other retroviral agents	18.01.2001
320.	Pyrantel embonate 14.4mg + Febental 15mg per ml suspension for Veterinary use	for the treatment of infestation caused by round worms, ascarids, hook worms, whip worm in puppies young dogs	23.04.2001
321.	Meglunine Ioxaglate sodium + Sodium Ioxaglate injection	Urography, angiography, anthrography, G.I. examinaiton, hystosalpingography, sialography	16.08.2001
322.	Candesartan Cilexetil-16mg+Hydrochlorothiazide-12.5mg tablet	Essential hypertension (not for intial therapy)	03.01.2002
323.	Mosapride Citrate dihydrate eq. to Mosapride cotrate-5mg+MPS (Methyl Polysiloxane 125mg chewable tablets	Gastro esophageal reflux disorders GI sysmtoms (hurt burn voimating) associated with chronic gastritis	30.01.2002
324.	Mometasone furoate 0.1% w/w+Terbinafine Hcl 1% w/w Cream	Topical fungal infection associated with inflammation & Pruritus.	16.01.2002
325.	Combikit of 1 tablet of Pioglitazone HCl eq. to Pioglitazone-15mg & 2 Tablet of Metformin HCl 500mg	Patients with type II diabetes mallitus when diet, exercise & the single agent do not result in adequate glyceanic control	18.02.2002
326.	Rosiglitazone 4mg+Metformin 500mg tablet	Patients with type 2 diabeties mellitus when dist exercise and the single agent do not result Rosiglitazone 2mg in adequate glyceamic control	21.02.2002
327.	Formoterol fumarate 6mcg+Budesonide-400mcg capsule	Asthma where use of combination of inhaled regular conticestiroid & long acting β -agonist is appropriate	07.03.2002
328.	Butenafine HCl 10mg+ Betamethasone Dipropionate eq. to Betamethasone 0.5mg cream	Superficial fungal infections dermatophytis infections	15.03.2002
329.	Amlodipine (as besylate)-2.5mg/5mg+Benazepril-10mg/20mg capsule	hypertension	22.03.2002
330.	Heparin Sodium 2 units + Sodium Chloride 9mg per ml	As an aid in the maintenance of catheter cannule potency.	26.03.2002

331.	Nitroglycerine-10/20/40mg+Dextrose Hydrous 5gm Injection	for treatment of perioperative hypertension for control of congestive heart failure in setting of acute MI, angina Bectoris in patients who have not responded to sublingual nitroglycerine and β -blockers for intra operative hypertension	02.04.2002
332.	Dopamine HCl-80/160/320mg+Dextrose hydrous-5gm each 100ml contains injection	for the correction of hemodynamic imbalances present in the shock syndrome due to myocardial infarctions trauma. Endotoxic septicemia open heart surgery, renal failure & chronic cardiac decompensation as in congestive failure.	02.04.2002
333.	Linezolid 2mg+Dextrose-5% per ml injection	complicated/uncomplicated skin & skin structure infections/community acquired pneumonia.	01.04.2002
334.	Sodium Pyrrolidone Carboxylic acid 2.5% w/w+ Sodium Lactate solu. Eq. to Sodium Lactate 2.5% w/w+Vit. E 1% w/w+ Olive Oil 3% w/w cream	drug scaly condition associated with atopy, hyperkeratosis & other Eczemas	15.04.2002
335.	Formotnol fumarate 6mcg+ Budesonide BP 400mcg per actuation inhaler MDI/DPI	asthma where use of combination of inhaled regular cortico stteroid is long acting β -agonist is appropriate	23.04.2002
336.	Coumaphos 3% + Propoxur 2% + Sulphanilamide 5% powder for vet	for use as a larvicidal bacterostatic wound dressing in cattle, sheep, pigs and horses	23.04.2002
337.	L- Isoleucine 0.335gm+ L-Lencine 0.500gm+L-Valine 0.380gm+L- Lysine 0.550gm+ L-Methionine 0.120gm+ L-Pnylalanine 0.210gm+ L-Threomine 0.185gm+ L-Tryptophan 0.100 + L-Ariginine 0.420gm+ L-Histidine 0.190gm+L-Alanine 0.400gm+L-aspartic acid 0.300gm+L-Lystine 0.095gm+L-Glutanic acid 0.500gm+Amino acetic acid IP 0.200gm+L-proline 0.150gm+L-serine 0.200gm+L-Tyrosine 0.45gm+L-ornithine Hcl 0.144gm+Taurine 0.030gm per 100 ml injection	for prophylaxis and therapeutic treatment of protein depletion in children where oral/enteral nutrition is impossible/impracticable	23.04.2002
338.	Sucralfate 0.07gm+Metronidazole 0.01gm cream	Bedsore, Haemorrhoids, fistulac & fissures.	29.04.2002
339.	Glycopyrrolate-500mcg+ Neostigmine Methyl sulfate-2500mcg per 5 ml injection	reversal of residual non-depolarising competitive nemomuscula block	11.04.2002
340.	Betamethasone Diprop 0.064%+ Salicylic acid-3% each ml lotion	for treatment of Keratosis, ichthylsis lichen planus & dru scaly conditions of skin.	14.05.2002
341.	Isosorbid-mononitrate (SR pellets) 60mg+Aspirin 75mg Capsule	For prophylaxis of angina and prevention of Myocardial infarction.	16.07.2002

342.	Mefenamic acid 500mg+Tizanidine 2mg		12.07.2002
343.	Latanoprost 50mcg+ Timolol maleate eq. to Timolol 50mg each ml eye drops	reduction of intra ocular pressure in patients with open angle glaucoma & ocular hypertension.	02.08.2002
344.	Sodium Ferric Gluconate complex with sucrose eq. to elemental iron 6.25mg (12.5mg/ml)	treatment of iron deficiency anemia in patients under-going chronic hemodialysis who are receiving supplemental crythropoitin therapy.	05.09.2002
345.	Tobramycin sulphate eq. to Tobramycin 3mg+ Fluometholone 1mg per ml Ophthalmic suspension	STEROID RESPONSIVE INFLAMMATORY OCULAR CONDITIONS FOR WHICH A CORTICISTUOID IS INDICATED & WHERE SUPERFICIAL OCULAR BACTERIAL INFECTION EXISTS.	12.09.2002
346.	Rosiglitazone maleate eq.to Rosiglitazone-2mg/4mg+ Metformin HCl (SR) 500mg /500mg Tablet	treatment of patients with type-II diabetes where diets exercise and the single agent do not result in adequate glycemic control.	11.09.2002
347.	Betamethasone Diprop. 0.064mg + Gentamicin Sulphate Eq to Gentamicin 1mg per ml suspension Lotion	treatment of infectent dermatoses infection eczema & contact dermatitis topical.	25.09.2002
348.	Combipack of 2 capsule of Omeprazole 20mg , 2 Tablets of Clarithromycin 500mg & 4 capsule of Amoxicillin 500mg.	for eradication of H.Pylori in patients with active chronic gastritis, gastric ulcer & duodenal ulcer.	01.10.2002
349.	S(-) Amlodipine-2.5mg/2.5mg +Atenolol 25/50mg tablet	mild to moderate hypertension	17.10.2002
350.	S(-) Amlodipine-2.5mg/2.5mg +Losartan Potasium 25mg/50mg tablet	mild to moderate hypertension	17.10.2002
351.	S(-) Amlodipine 5.0mg +Losartan Potasium 50mg tablet	mild to moderate hypertension	17.04.2003
352.	Gadoteric acid 27.932gm+ Meglunine 9.76gm each 100ml for I.V. Inj.	magnetic imaging diagnostics investigation including MR angiograply.	23.10.2002
353.	Pioglitazone HCl eq. to Pioglitazone 15mg/15mg+ Glimepiride 1mg/2mg tablet	treatment of type-II diabetes as 2nd line therapy when diet, exercise & initial therapy with glitazone or urea donot results in adequate glycemic control.	25.10.2002
354.	Pioglitazone 15mg+Metformin 500mg (O.D.) tablets	For second line therapy in type-II diabetes	18.10.2002
355.	Glimepiride1mg/2mg + Metformin Hcl I.P.500mg/500mg in SR form tablet	for patients with type diabetes mellitus when diet exercise & the agent do not result in adequate glycemic control.	13.11.2002

356.	Bioceramic composite materials: a) Each glass vial contains; Hydroxyapatite 100% granules b) each glass contains: hydroxyapatite 90% granules + β tri calcium phosphate 10% granules c) Each vial contains: Hydroxyapatite paste as 30% and 18% suspension	for acute cases of bone deformities only as bone grafting material.	22.11.2002
357.	Rosiglitazone maleate eq. to Rosiglitazone 2mg+Glimepiride 1mg tablet	Type II diabetes Mellitus where diet, exercise and single agent do not result in adequate glycemec control.	14.11.2002
358.	Each gm contains:- Capae Extract 0.1 gm+ Heparin Sodium I.P 50 IU + Allantoin B.P 0.01gm Gel	Hypertropic keloidal scars, movement restricting and cosmetically disfiguring scars after operations amputatruos, burns and accidents and framatic tedon contractum cicatricial strictures	15.03.2002
359.	Combikit of 1 capsule of Glucosamine Sulphate 500mg & Chondroitin Sulphate capsule 400mg	for supportive treatment of osteoarthritis in adults	30.09.2002
360.	Aremther 20mg + Lumefantrine 120mg tablet	For the treatment of P. Falcipharum malaria cases resistant to both chloroquine and sulphadoxine pyrimethamine combination	26.12.2002
361.	Glycopyrrolate 500mcg + Neostigmine 2500 mcg per 5 ml injection		04.11.2002
362.	Aspirin 150mg + ISMN 60mg SR Tablets	For prophylaxis of angina and prevention of Myocardial infarction.	07.11.2002
363.	Glimepiride 1mg/2mg + Metformin 500mg SR Tablet	For the treatment of patients with Type II diabetes mellitus, when diet, exercise and single agent do not result in adequate glycemec contrl.	13.11.2002
364.	Aspirin 75mg/75mg 75mg/150mg + Clopidogrel 150mg/150mg 75mg/75mg Tablet	For the treatment of angina, myocardial infarction and stroke	26.11.2002
365.	Clopedogrel bisulphate eq. to Clopidogrel 75mg + Aspirin IP (as enteric coated tablets) 75mg/150mg capsules	For the treatment of angina, myocardial infarction and stroke.	27.11.2002
366.	Each 5ml contains Codeine Phosphate 10mg + Triprolidine HCl 1.25mg syrup	For symptomatic treatment of dry cough	18.02.2003
367.	Cefpodoxime 100mg + Ofloxacin 100mg Dispersible Tablet (Additional Dosage form)	For the Treatment of Lower and upper respiratory tract infection and Typhoid fever in adults only	29.11.2012
368.	Each gm of ointment contains Mometasone Furoate 0.1% + Salicylic Acid 5 % ointment	In treatment of plaque Psoriasis	24.12.02

369.	S(-)Amlodipine 2.5mg + Ramipril 2.5mg Tablet	for treatment of essential hypertension	02.10.2003
370.	S(-) Amlodipine 2.5mg/5mg + Atenolol 8mg/8mg Tablet		09.7.2003
371.	Nadifloxacin 10mg + Miconazole 20mg cream	For mixed infection of skin	09.3.2003
372.	Formoterol 4.5mcg/4.5mcg + Budesonide 80/160 mcg Inhaler	Asthma where use of combination of inhaled regular corticosteroid & long acting β -agonist is appropriate	16.10.2003
373.	Lercanidipine 10mg + Atenolol 50mg Tablet		17.10.2003
374.	Metronidazole 10mg + Benzocaine 200mg Gel		09.11.2003
375.	Fexofenadine 60mg + Pseudoephedrine 120mg CR Capsule	Allergic and seasonal rhinitis only	17.12.2003
376.	Metformin 500mg CR + Glipizide 5mg CR Tablet		17.12.2003
377.	Tramadol HCl 37.5mg+Paracetamol 325mg tablet	for short term (five days or less) management of acute pain in adults.	09.01.2003
378.	Ramipril 2.5mg+S(-) Amlodipine Besylate eq. to S(-) Amlodipine 2.5mg tablet and capsule	for treatment of essential hypertension	11.02.2003
379.	Olanzapine 5mg/10mg+ Fluoxetine HCl eq. to Fluoxetine 20mg/20mg tablet	for treatment of resistant depression only.	18.02.2003
380.	Ciprofloxacin HCl eq. to Ciprofloxacin 500mg+ Ornidazole 500mg film coated tablet	for treatment of diarrhoea of mixed infection in adults patients only.	03.02.2003
381.	Quinapril HCl eq. to Quinapril 10mg/20mg, Hydrochlorothiazide 12.5mg/12.5mg film coated tablet	for treatment of mild to moderate hypertension	10.02.2003
382.	Aspirin 25mg+ Dipyridamole BP 200mg (ER) capsule	For reduction of the risk of stroke in patients who had transient ischemia of the brain of completed ischemic stroke due to thrombosis.	27.02.2003
383.	combipack of 28 Tablets of Cyproteron acetate 2mg & 7 Tablets of Ethinyl Estradiol 0.035mg.	Androgen dependent disease in women such as acne, alopecia & mild of hirsutism	20.02.2003
384.	Pioglitazone HCl eq. to Pioglitazone 30mg/30mg+ Glimepiride 1mg/2mg uncoated tablet (additional strength)	treatment of type-II diabetes as 2nd line therapy when diet, exercise & initial therapy with glitazone or urea do not results in adequate glycemic control.	13.03.2003
385.	S(-) Amlodipine 2.5mg+Lisinopril 5mg tablet	for treatment of mild to moderate hypertension.	10.03.2003
386.	Valsartan 80mg/160mg/160mg+HCTZ 12.5mg/12.5mg/25mg tablet	for treatment of mild to moderate hypertension.	18.03.2003
387.	S (-) Amlodipine 2.5mg/5mg+Atenolol 50mg/50mg tablet	for treatment of essential hypertension & angina Pectoris.	25.03.2003
388.	Montelukast Sod. Eq. to Montelukast 10mg/10mg+ Bambuterol HCl BP 10mg/20mg film coated tablet	for treatment of chronic asthma	10.04.2003

389.	Montelukast Sod. Eq. to Montelukast 5mg/5mg+ Bambuterol HCl BP 5mg/10mg film coated tablet	for treatment of chronic asthma	04.06.2003
390.	Adapalene 1mg +Clindamycin Phosphate eq. to Clindamycin 10mg per gram Gel	for treatment of acne vulgaris.	01.05.2003
391.	Rosiglitazone 2mg/4mg+Metformin SR 1000mg/1000mg tablet	for the treatment of patients with type-2 Diabetes Mellitus single agent do not result inadequate glycaemic control	20.05.2003
392.	S(-) Amlodipine 5mg+Atenolol 50mg tablet	For the treatment of essential hypertension & Angina Pectoris	09.07.2003
393.	Telmisartan 40mg/80mg+ Hydrochlorthiazide 12.5mg/12.5mg tablet	for treatment of hypertension as 2nd line therapy.	29.08.2003
394.	Ramipril BP 2.5mg/5mg+Candesartan cilexatil eq. to candesartan 8mg/8mg bilayer tablet	for mild to moderate essential hypertension and congestive Heart failure (CHF)	01.08.2003
395.	Prednisolone 10mg + Ofloxacin 3mg per ml eye drop		04.07.2003
396.	Metromidazole (as benzoate) 10mg+Benzocaine 200mg per gram topical gel	for treatment of gingivitis.	1.09.2003
397.	Losartan 50mg/50mg + Ramipril 2.5mg/5.0mg tabs	mild to moderate hypertension	10.09.2003
398.	Lamivudine 150mg+ Zidovudine 300mg+Abacavir as sulphate 300mg tablet	Alone or in combination with other antiretroviral agents for treatment for HIV-1 infection.	03.10.2003
399.	Nadifloxacin 10mg+Clobetasol propionate 500mcg each gram gel & cream	for treatment of skin associated with bacterial infection including contact dermatitis, seborrheic dermatitis and infective eczema.	06.10.2003
400.	Formoterol fumarate 4mcg/6mcg+Budesonide- 80mcg/160mcg	Asthma where use of combination of inhaled regular corticosteroid & long acting β -agonist is appropriate	16.10.2003
401.	Valsartan 80mg + S(-) Amlodipine (as besylate) 2.5mg capsule	for treatment of hypertension	01.11.2003
402.	Combipack (Triple chambered bag) of amino acid+electrolytes; Dextrose 15% / 30% IV fat emulsion		01.11.2003
403.	Glimeperide 1mg+Rosiglitazone 4mg	For the treatment of type-II NIDDM	12.12.2003
404.	Sterile Cefotaxime sodium USP eq. to Cefotaxime 500mg/1000mg+Sterile Sulbactam 250mg/500mg per vial injection	for the treatment of lower respiratory tract infection and genito urinary tract infection.	26.12.2003
405.	Imipenem (as anhydrous) 250mg /500mg + Cilastatin Sodium eq. Cilastatin 250mg/500mg per vial	for the treatment of Serious lower respiratory /UTI, Intraabdominal, bone and joint infections, endocarditis and bacterial septicemia	25.07.2003

406.	Raubasine 10mg+ Almitrine 30mg film coated tablet	For the corrective treatment of systems due to abnormal mental deficiency and age related hypoxia in elderly patients	11.08.2003
407.	Ramipril 2.5mg/5mg + Losartan Potassium 50mg/50mg tablet	Mild to moderate hypertension	12.09.2003
408.	Gemcitabine in combine with cisplatin	for additional indication	
409.	Natiglinide 60mg/120mg + Metformin HCl 500mg/500mg (SR) tablet	In patients with type-II diabetes in adequately controlled by diet, exercise and maximally tolerated dose of Metformin alone	08.01.2004
410.	Lopinavir+Ritonavir		16.01.2004
411.	S(-) Alenolol 25mg+Hydrochlorthiazide 12.5mg tablets	For the treatment of hypertension only	16.01.2004
412.	Desloratadine 2.5mg/5mg+ Pseudoephodrine (SR) 120mg/180mg tablet	For the treatment of seasonal allergic rhinitis in adults.	01.01.2004
413.	Levocetirizine HCl 2.5mg/5mg+ Pseudoephodrine HCl SR 120mg/120mg tablet	for the treatment of seasonal allergic rhinitis.	29.01.2004
414.	Amlodipine Besylate eq.to Amlodipine 5mg + Atorvastatin calcium eq. to Atorvastatin 10mg each tablets	For the treatment of co-existing essential hypertension and hyperlipidacmia	11.02.2004
415.	S(-) Amlodipine Besylate eq. to S(-) Amlodipine-2.5mg+Atorvastatin cal eq. to Atorvastatin 10mg tablet	For the treatment of co-existing essential hypertension and hyper lipidaemia in adults.	10.02.2004
416.	Zidovudine 600mg ER + Lamivudine 300mg ER	for the treatment of HIV.	01.03.2004
417.	Elemental iron (as carbonyl modified release) 45mg+Folic acid 1.5mg+ vitamin B12-15mcg film coated tablet	For the treatment of nutritromal of deficiency anemia in adults only.	19.04.2004
418.	Esomeprazole Magnesium eq. to Esomeprazole 20mg/40mg (as enteric coated pellets)+Domperidone maleate BP Eq. to Domperidone 30mg/30mg SR Capsules	for the treatment of adult patients with gastro esophlgal reflux disease (GERD) not responding to esomeprazole alone.	01.06.2004
419.	Aceclofenac 100mg+Paracetamol 500mg tablets	for acute painful, conditions in adults only	08.07.2004
420.	Rabeprazole 20mg+Mosapride 15mg SR tablet	For the treatment of GERD not responding adequately to rabeprazole alone	27.07.2004
421.	Atorvastin 10mg/20mg+ Ezatimib 10mg/10mg tablet	For the treatment of patients with primary hypercholesterolemia	13.08.2004
422.	Buprenorphine HCl eq. to Buprenorphine 2mg+Naloxone Hcl eq.to Naloxone 0.5mg sublingnal tablets	For opioid dependence	01.08.2004
423.	Sucalfate 0.07gm+ Metronidazole 0.01gm+ Lignocaine 0.04gm per gram cream	for the treatment of Bedsore, laemorohoids, fistutae and oral fischers.	23.08.2004

424.	Combi kit of 5 tablets each I) Pseudoephedrine HCl 120mg ER+Cetirizine HCl 5.0mg (orange tablet) & II) Pseudoephedrine Hcl ER 120mg +Triprolidine2.5mg (Blue tablets)	for the treatment of symptomatic relief of allergic rhinitis in adults only.	01.08.2004
425.	Glibenclamide 2.5mg/5mg+Metformin 500mg/500mg SR tablet	non insulin dependent diabetes mellitus patients poorly controlled with sulphonylurea or biguanide alone	20.08.2004
426.	Escitalopram (as oxalate) 10mg + Clonazepam 0.5mg Tablet	for treatment of patients with comorbid depression and anxiety disorders	31.08.2004
427.	Dorzolamide 2% + Timolol 0.5% eye drops	For reduction of elevated intra ocular pressure in patients with open angle glaucoma or ocular hypertension who are insufficiently responsive to beta blockers	28.08.2004
428.	S(-)Amlodipine 2.5mg + Nebivolol 5mg Tablets	For the treatment of essential hypertension	13.09.2004
429.	Combikit of 1 tablet of Efavirenz 600mg , 1 tablet of Lamivudine 300mg & 1 capsule of Didavosine (250 mg/400mg) (delayed Release)	for the treatment of HIV infection.	20.09.2004
430.	Peracetic Acid (NLT 4.5%) + Hydrogen Peroxide (NLT 24%) Disinfectant liquid for livestock species.	Disinfectant for the livestock species.	01.09.2004
431.	FDC of Amlodipine (5mg/10 mg) + Atorvastatin (10/20/40 mg) Tablet	For co-existing hypertension & hyperlipidemia	20-10-2004
432.	Conjugated Estrogens 0.3/0.45mg + Medroxy Progesterone Acetate 1.5/1.5mg Tablets		26.10.2004
433.	Amlodipine 5 mg + Ramipril 2.5mg capsule	for treatment of essential hypertension	04.10.2004
434.	Atorvastatin 10mg/20mg + Ezetimibe10mg/10mg tablet	For the treatment of patients with primary hypercholesterolemia	08.11.2004
435.	Combikit of 2 tablets of Stavudine 30mg/40mg + Lamivudine 150mg/150mg & 1 tablets of Nevirapine 200mg.	for HIV infection in adults who have been stabilised on the maintenance regimen of Nevirapine 200mg BD and have demonstrated adequate tolerability to Nevirapine	22.11.2004
436.	Gatifloxacin sesquihydrate eq. Gatifloxacin 400mg + Ambroxol HCl SR 75mg film coated bilayered Tablet	for the treatment of respiratory tract infection by susceptible organism in adults.	24.12.2004
437.	Nabivolol Hcl eq. Nabivolol 5 mg + HCTZ 12.5mg Tablets	for the treatment of essential hypertension	23.12.2004
438.	Atorvastatin Calcium eq. Atorvastatin 10 mg + Fenofibrate (micronised) 160mg film coated tablets	for the treatment of combined hyperlipidaemia in patients with normal hepatic and renal function	24.12.2004

439.	Tranexamic Acid 250mg + Ethamsylate 250mg film coated Tablet	for the treatment of abnormal blood loss due to menorrhagia, local fibronolysis and intraoperative /post operative hemorrhage	29.12.2004
440.	Lovastatin 20mg + Niacin 500mg ER form film coated Tablets	for the treatment of primary hyperlipidmia anad mixed dyslipidimia in patients treated with i) lovastatin who require furtherlowering or HDL raising or ii) with niacin who require further LDL lowering. It is not indicated for initial therapy.	24.12.2004
441.	Pantoprazole Sodium sesquihydrate eq. Pantoprazole 40 mg/40mg + Domperidone 20mg/20mg(10 mg IR+ 10mg SR) Capsule	for the tretment of GERD not responding to pentoprazole	24.12.2004
442.	S (-) Amlodipine besilate Eq. to S (-) Amlodipine 2.5mg/5mg + HCTZ 12.5mg/12.5mg tablet	Mild to moferate hypertension	15.04.2004
443.	Valdecoxib 20mg + Paracetamol 500mg Tablet	For the treatment of acute pain in adults only	20.09.2004
444.	Nateglinide 60/120 mg + Metformin500mg/500mg SR Tablet		01.8.2004
445.	Tamsulosin 0.4mg + Finastride 5mg MR Capsule	For the treatment of signs and symptoms of Benign Prostatic Hyperplasia (BPH)	17.03.2004
446.	Clindamycin 1% + Benzoyl peroxide 5% cream	For topical treatment of inflammatory acne vulgaris	10.9.2004
447.	Tiotropium Br 18mcg + Formoterol 12mcg Rotacap	For treatment of COPD	22.04.2004
448.	Tiotropium Br 9mcg + Femoterol 12mcg Inhaler	For treatment of COPD	26.04.2004
449.	Pioglotazone 15mg/30mg + Metformin500mg/500mg ER Tablet	For second line therapy in type-II diabetes	26.04.2004
450.	Gatifloxacin 3mg+ Dexamethasone 1mg Eye Drop	For post operative steroid responsive inflammatory ocular conditions when bacterial ocular infections or a risk of bacterial ocular infections exists.	18.06.2004
451.	Rabeprazole 20mg + Domperidone 30mg SR Capsule	For the treatment of GERD not responding adequately to rabeprazole alone	10.08.2004
452.	Tiotropium Bromide Monohydrate Eq. to Tiotropium 18mcg+Formoterol Fumarate 12mcg dry powder inhaler	For the treatment of Chronic Obstructive Pulmonary Disease (COPD).	22.11.2004
453.	Nebivolol 5mg + HCTZ 12.5mg tablets	for the treatment of essential hypertension	23.12.2004
454.	Tiotropium Bromide monohydrate Eq. to Tiotropium 9mcg + Formoterol Fumarate	For the treatment of Chronic Obstructive Pulmonary Disease (COPD).	24.12.2004

	dehydrate eq. to Formoterol Fumarate 6mcg meter dose inhaler		
455.	Tranexamic Acid 25mg/50mg + Ethamsylate 12.5mg/12.5mg Tablet	For the treatment of hypertension only	13.01.2005
456.	Ezetimibe 10mg/10mg + Simvastatin 10mg/20mg FC Tablet	For the treatment of patients with primary hypercholesterolemia	05.11.2005
457.	Omeprazole 20mg (EC) + Domperidone 10mg Capsule	For the treatment of GERD not responding to omeprazole alone	07.05.2005
458.	Lamivudine 300mg + Abacavir 600mg Tablets	For the treatment of HIV infection in adults	06.07.2005
459.	Lamivudine 150mg + Stavudine 40mg + Efavirenz 600mg Combikit Tablet	For the treatment of HIV infection in adults	06.08.2005
460.	Lamivudine 150mg + Zidovudine 300mg + Efavirenz 600mg Combipack	For the treatment of HIV infection in adults	06.08.2005
461.	Losartan 50mg + Atenolol 50mg	For the treatment of systemic essential hypertension in adults only	27.06.2005
462.	Ceftriaxone 0.125/0.25/0.5/1g + Tazobactam 15.625/31.25/62.5/125mg injection	For the treatment of patients with community acquired pneumonia and lower respiratory tract+E408 infections	21.07.2005
463.	Atorvastatin 10mg + Nicotinic Acid 375mg/500mg (ER) Tablets	For the treatment of patients with primary hypercholesterolemia and mixed dyslipidemia when response to single drug is inadequate	28.07.2005
464.	Stavudine 6mg/12mg + Lamivudine 30mg/60mg Dispersible Tablet	For the treatment of HIV infection in children	08.05.2005
465.	Calcipotriol 50mcg + Betamethasone 0.5mg Ointment	For the treatment of psoriasis vulgaris	16.08.2005
466.	Methylcobalamin 1500mcg (ER) + Pyridoxine 20mg IR + Folic Acid 5mg tablets	For the management of hyperhomocysteinemia	19.09.2005
467.	S(-)Metoprolol 25/50mg (ER) + HCTZ 12.5mg/12.5mg (IR) Tablets	For the treatment of mild to moderate hypertension in adults	11.11.2005
468.	Stavudine 10mg + Lamivudine 40mg + Nevirapine 70mg Dispersible Tablet	For the treatment of HIV Infection	11.11.2005
469.	Centbucriidine (0.5%) + Feracrylem (3%) Gel Each gm contains: Feracrylum.....3%w/w Centbucriidine.....0.5%w/w Topical Gel	For hemorrhoid & anal fissure For the treatment of hemorrhoid & anal fissure associated with bleeding etc.	01/11/2005 11.01.2005

470.	Atenolol (25mg, 50mg) + HCTZ (12.5mg, 12.5 mg) Tablet	Anti-Hypertensive	13-01-2005
471.	Ofloxacin (200mg) + Ornidazole (500mg) Tablets	For diarrhea of mixed infection	20-01-2005
472.	Lamivudine (40mg) +Nevirapine (70mg +Stavudine (10mg) per 5ml powder for suspension	Anti-HIV.	28-01-2005
473.	Etonogestrel (11.7mg) + Ethinylestradiol (2.7mg) Contraceptive rings	For Contraceptive in women	15-02-2005
474.	Metaxalone (400mg) + Diclofenac Potassium (50mg) tablet	For acute painful musculoskeletal condition in adult	22-02-2005
475.	Tranexamic Acid (500mg) + Mefenamic acid (250mg) tablet	For primary dysmenorrhoea and pain associated with menorrhagia in women	22-02-2005
476.	Fluconazole (2%) + Zinc Pyrethione (1%) suspension	For seborrhoic dermatitis	22-02-2005
477.	Desloratadine (2.5mg) + Ambroxol (30mg) +Guiphenasine (50mg) + Menthol 1mg/5ml Syrup	For productive cough	03/02/2005
478.	Omeprazole (20mg) Enteric coated + Domperidone (30mg) (S.R.) capsule	For GERD not responding to Omeprazole.	03/10/2005
479.	Tazarotene (1mg) +Mometasone Furoate (1mg) per gram cream	For plaque psoriasis	04/01/2005
480.	Pioglitazone Hydrochloride Eq. to Pioglitazone 15mg/30mg + Metformin HCl IP 500mg (ER) tablets	Second line therapy on type-II diabetes.	25.02.2005
481.	Buprenorphine (0.4mg) + Naloxone (0.1mg) sublingual tablet	For opioid dependence	04/06/2005
482.	Lamivudine (40mg) +Stavudine (10mg) per 5ml reconstituted solution	For HIV infection	04/08/2005
483.	S(-) Metoprolol Succinate S.R. tablets (equivalent to S(-) Metoprolol Tartrate 12.5mg/25mg/50mg)	For Hypertension	15-04-2005
484.	Gliclazide M.R. (30mg/60mg/80mg)+Metformin HCl (500mg/500mg/500mg) ER Tablet	For type-II diabetes	27-04-2005
485.	Drospirinone (3mg) + Ethinylestradiol (0.035mg tablet)	Oral Contraceptive	05/11/2005
486.	Simvastatin (10/20mg) + Ezetimibe (10mg/10mg) Tablets	For primary Hypercholesterolemia	05/11/2005
487.	Ramipril (5mg) + Telmisartan (40mg) tablet	For Hypertension	05/11/2005
488.	Tazarotene (0.05%) + Mometasone Furoate (0.1%) Cream (addl.strength)	For Plaque psoriasis	24.05.2005
489.	Gatifloxacin (200mg) +Ornidazole (500mg) tablet	For diarrhoea of mixed infection in adults	06/06/2005

490.	Combikit of 2 tablet of Stavudine (40mg) + Lamivudine (150mg) each & 1 tablet of Efavirenz (600mg)	For HIV infection in adults	06/07/2005
491.	Combikit of 2 tablet of Lamivudine (150mg) + Zidovudine (300mg) each and 1 tablet of Egavirenz (600mg)	For HIV infection in adults	06/07/2005
492.	Aceclofenac gel 1.5% alongwith linseed oil, menthol, Salicylate, Capsaicin gel	For pain, swelling etc	06/08/2005
493.	Lamivudine 30/60mg + Stavudine 6mg/12mg + Nevirapine 50mg/100mg dispersible tablet	For pediatric patients with HIV infection	14-06-2005
494.	Nitazoxanide (500mg) + Ofloxacin (200mg) Tablet	For urogenital infection in adults.	30-06-2005
495.	FDC of Papain + Urea Ointment	For debriment of necrotic tissues.	07/11/2005
496.	FDC of Amlodipine (5mg/5mg) + Bisoprolol (2.5mg/5mg) tablet	Anti-hypertension	21-07-2005
497.	FDC of Ceftriaxone (500mg/1000mg) + Tazobactam (62.5mg/125mg) Injection	Anti-bacterial	21-07-2005
498.	Levodopa (50mg/100mg/150mg) + Carbidopa (12.5mg/25mg/37.5mg + Entacapone (200mg) tablet	For Parkinson's disease	25-07-2005
499.	FDC of Atorvastatin (10mg) + Niacin (375mg/500mg E.R) Capsule	For Hypercholesterolemia	26-07-2005
500.	FDC of Levocetirizine (5mg) + Ambroxol (75mg S.R) Capsule	Anti-histaminic & mucolytic	29-07-2005
501.	FDC of Gabapentin (300mg) + Methylcobalamin (500mcg) Tablet	For neuropathic pain in adults.	08/05/2005
502.	FDC of Calciptriol (50mcg) + Betamethasone Dipro (0.5mg) per gm Ointment	For psoriasis vulgaris.	08/12/2005
503.	FDC of Glimpiride (1mg/2mg) + Pioglitazone (15mg)+ Metformin (500mg E.R) uncoated Tablet	As 3rd line treatment of type-II diabetes mellitus when diet, exercise and the single agents and second line therapy with two drugs do nto result in adequate glycemic control	16.08.2005
504.	Sucralfate (7%) + Povidone Iodine (5%) Ointment	Anti-infective	18-08-2005
505.	Nimesulide 1% + Methyl Salicylate 5%. Aerosol	Aerosol For local application in acute pain.	16-09-2005
506.	Feracrylum (1%) + Metronidazole 1%) Gel	Antiseptic gel.	16-09-2005
507.	FDC of Methylcobalamin (1500mcg E.R) + Pyridoxine (20mg) + Folic Acid (5mg) Tablet	For hyper-homocysteinemia	16-09-2005
508.	Enalapril (2.5mg/5mg) + HCTZ (12.5) Tablet (Addl. Strength)	For Hypertension	17-10-2005
509.	Ambroxol HCl 75mg (S.R) + Desloratadine 5mg Capsule.	For relief of productive cough.	11/10/2005

510.	FDC of S-Metoprolol Succinate Tartrate equivalent to Metoprolol Tartrate (E.R) 25/50mg + HCTZ (12.5mg) Tablet.	For essential hypertension	11/11/2005
511.	Stavudine 10mg+Lamivudine 40mg+ Nevirapine 70mg dispersible tablet	For HIV infection	11/11/2005
512.	Domperidone (10mg) + Activaed dimethicone (125mg) chewable tablet	For dyspepsia, colicy pain & GERD.	22-11-2005
513.	Moxifloxacin (0.5%) + Dexamethasone Phosphate (0.1%) Eye drops	For Ophthalmic use.	24-11-2005
514.	Brimonidine Tartrate (2mg/1.5mg) + Timolol (as HCl) (5mg/5mg per) ml.	Ophthalmic	25-11-2005
515.	Amlodipine (as besylate) 5mg + Bisoprolol 5mg Tablet (Addl. Strength)	For hypertension	30-11-2005
516.	FDC of Olmesartan Medoxomil (20mg/40mg/40mg) + HCTZ(12.5mg/12.5mg/25mg)	For essential hypertension	12/02/2005
517.	Entecavir Tablet (0.5mg/1.0mg) & oral solution (0.05mg/0.05mg) per ml.	For chronic Hepatitis-B infection.	12/05/2005
518.	Ketorolac Tromethamine 5mg + Ofloxacin 3mg per ml Eye drops	Ophthalmic	12/07/2005
519.	Hyoscine-N-Butylbromide (10mg) + Paracetamol 500mg Tablet	For spasmodic pain	12/08/2005
520.	Amlodipine (as besylate) 5mg + Losartan Pot. 50mg tablet.	For hypertension	12/08/2005
521.	Ceftriaxone (as sodium) (500mg/1000mg) + Sulbactam (as sodium) (250mg/500mg) powder for injection.	For LRTI	12/08/2005
522.	Nebivolol (as HCl) 5mg + Valsartan 80mg	For hypertension	17/01/2006
523.	Combikit of Tamsulosin HCl 0.4mg M.R capsule (10 no.) & Dutasteride Soft Gelatin Capsule 0.5mg (10no.)	For BPH	19/01/2006
524.	Alendronate Sodium (equiv. to Alendronic acid 70mg) + Cholecalciferol 70mcg (equiv. to 2800 I.U Vit.D) Tablet	For osteoporosis	02/01/2006
525.	Aspirin 150mg+ Clopidogrel 300mg Tablet (additional strength)	For the treatment of angina, myocardial infarction and stroke	26.11.2002
526.	Atenolol 50mg + HCTZ 25mg (addl. Strength)	For hypertension	02/03/2006
527.	Tamsulosin HCl (MR) 0.4mg + Dutasteride 0.5mg tablet	For BPH	06.02.2006
528.	Metoprolol Succinate equiv. to Metoprolol Tartrate 50mg + Amlodipine (as besylate) 5mg	For hypertension	02/07/2006

529.	Tenofovir Disoproxil Fumarate (300mg) + Emtricitabine (200mg) tablet	For HIV-1 infection	23/02/2006
530.	Diclofenac Sodium (75/50mg) as (E.C) + Misoprostol 200mcg.	For OA & RA	28/02/2006
531.	Pantoprazole (as Sodium) (E.C) 40mg + Itopride (150mg) S.R	For GERD	04/08/2006
532.	Amlodipine (as besylate) 5mg/2.5mg + HCTZ 12.5mg/12.5mg Tablet	For hypertension	24/04/2006
533.	Formoterol Fumarate (6mcg/6mcg/6mcg) + Fluticasone Propionate (100/250/500mcg) dry powder inhaler & MDI	For Asthma & COPD	05/10/2006
534.	Nevibolol (as HCl) 5mg + Amlodipine (as besylate) 5mg/10mg film coated tablets	For hypertension	24/05/2006
535.	Levocetirizine 5mg + Ambroxol Hydrochloride SR (75mg) tablet Each tablet contains: Levocetirizine Dihydrochloride IP (IR)...5mg Ambroxol Hydrochloride (SR)75mg	For production cough For the symptomatic relief of productive cough associated with allergic rhinitis, when both anti-histamine and mucolytic agents are desired.	13.03.2018 29.05.2006
536.	Gatifloxacin (0.3%) + Prednisolone Acetate (1%) eye drops	For Ophthalmic use	06/02/2006
537.	Amlodipine (as besylate) 5mg + Metoprolol Succinate equivalent to Metoprolol Tartrate 50mg.	For hypertension	06/05/2006
538.	Nadifloxacin (1%) + Miconazole Nitrate (2%) + Mometasone Furoate (0.1%) Cream	For dermatoses	06/06/2006
539.	Lamotrigin 200mg tablet (addl. Strength) dispersible tablet (5mg/50mg/100mg/200mg)	Anti-epileptic	06/08/2006
540.	Amoxicillin 1000mg + Clavulanate Potassium 62.5mg E.R tablet	Anti-biotic	06/08/2006
541.	Lopinavir 200mg + Ritonavir 50mg Tablet (addl. Strength)	For the treatment of patients with HIV infection	06/08/2006
542.	Ferrous ascorbate (equivalent to 50mg Iron) + Folic acid 1.5mg. Film coated tablet	For iron deficiency anemia	06/08/2006
543.	Aspirin 150mg + Clopidogrel (as bisulphate) 300mg tablet (addl. Indication)	As loading dose for prevention of in-stent restenosis in PCI	22/06/2006
544.	Olmesartan 40mg + HCTZ 25mg tablet (addl. Strength)	Anti-hypertensive	28.05.2006

545.	Ceftriaxone (as sodium) 250mg + Tazobactam 31.25 mg for injection (addl. Strength)	Anti-bacterial	07/05/2006
546.	Bimatoprost 300mg + Timolol (as maleate) 5mg/ml eye drops	For reduction of IOP	07/05/2006
547.	Mebeverine HCl 135mg + Isabgula husk 3.5gm sachet.	Irritable bowel syndrome	07/06/2006
548.	Vitamin C 500mcg + Zinc Citrate 2.2mg + Selenium 60mcg tablet.	For vitamin C deficiency	07/12/2006
549.	Lamivudine 40mg + Stavudine 10mg dispersible tablet.	For HIV infection	07/12/2006
550.	Levocetirizine 2.5/5mg + Ambroxol 30mg/30mg per 5ml of syrup	For productive cough	20/07/2006
551.	Cefixime 200mg + Pot. Clavulanate (125mg) tablet	Anti-biotic	20/07/2006
552.	ISMN SR 30mg/30mg + Aspirin75/150mg film coated tablet(addl. Strength)	For prophylaxis of angina and prevention of Myocardial infarction.	20/07/2006
553.	Clobetasol Propionate (0.05%) + Calcipotriol Ointment (0.005%) Ointment.	For plaque psoriasis	20/07/2006
554.	Tenofovir Disoproxil Fumarate300mg + Emtricitabin 200mg + Efavirenz 600mg tablet	For HIV-1 infection	08/01/2006
555.	Erdosteine 150mg + Guaiphenesin 50mg + Terbutaline 1.25mg per 5ml syrup	Mucolytic	08/08/2006
556.	Rosiglitazone (as maleate)2mg + Glibenclamide 5mg + MetFormin 500mg tablet	Anti Diabetic	08/08/2006
557.	Levocitirizine 2 Hcl 5mg+ Ambroxol Hcl SR 75mg + Pseudoephedrine Hcl 120mg SR Capsules	For SAR, PAR & Chronic idiopathic urticatia	08/09/2006
558.	Alprazolam SR 0.25mg 0.5mg + Sertraline (As Hcl) 25mg/50mg tablet	For Panic disorder with or without agoraphobia	08/09/2006 07.08.2006
559.	Dexibuprofen 200mg/300mg +Paracetamol 500mg tablet	For RA, OA & ankylosing spondylosis	08/10/2006
560.	ISMN SR 60mg/60mg + Metoprolol Succinate ER 25/50mg film coated tablet	For angina & Hypertension	08/10/2006
561.	Aspirin 75mg / 150mg + Glycine 37.5mg/75mg tablet	For prevention of acute coronary syndrome in patients with CAD prophylaxis against stroke	08/10/2006
562.	Combipack of 21 tablet of Quinine sulphate 600mg each & 8 capsule of Doxycycline (as Hcl) 100mg each	For P. Falciparum malaria	08/10/2006
563.	Cefepem (as Hcl) 0.5/1gm + Amikacin (as sulphate) 0.125/0.250gm Injection	Antibiotic	08/11/2006

564.	Lamivudine 20mg + Nevirapine 35mg + Stavudine 5mg tablet	Anti HIV	08/11/2006
565.	Nadifloxacin (10mg/gm) + Mometasone Furoate (1mg/gm) cream	For mixed infection of skin	17/08/06
566.	Gliclazide 40mg/80mg + MetFormin Hcl 500mg + Rosiglitazone 2mg tablet	Ant- diabetic	22/08/06
567.	Amoxycillin 250mg + Dicloxacillin 250mg cap.	Anti biotic	28/08/06
568.	Bimatoprost 0.3mg + Timolol Maleate IP Eq. to Timolol 5.0mg eye drops	For the reduction of IOP in patients with open angle glaucoma, who are insufficiently responsive to topical beta blockers or prostaglandin analogues	28.08.2006
569.	Cefixime (50mg/100mg) + Clavulanic acid 31.125mg 31.25mg/62.5mg per ml dry syrup & tablet	Antibiotic	29/08/06
570.	Ciclsonide 80mcg/160mcg + Formotorol 4.5mg/4.5mg inhaler (rotacap)	Anti asthtratic	29/08/06
571.	Ciclsonide 100mcg/ 200mcg/400mcg + Formotorol Fumarate 6mg rotacaps	Anti asthmatic	29/08/06
572.	S(-) pantoprazole (as sodium) 20mg (E.C.) + Domperidome SR 30mg tablet	for the tretment of GERD not responding to pentoprazole	30/08/06
573.	Cefadroxil 500mg + Clavulanic acid 125mg film coated tablets	For the treatment of adult patients with infections caused by susceptible microorganismsincluding S. aureus , viz. Urinary ract Infection, Lower Respiratory Tract Infections, and gonococcal urethritis	30/08/06
574.	Cefadroxil 250mg + Clavulanic acid 62.5mg dispersible tablet	For the treatment of adult patients with infections caused by susceptible microorganismsincluding S. aureus , viz. Urinary ract Infection, Lower Respiratory Tract Infections, and gonococcal urethritis	30/08/06
575.	Cefadroxil 250mg + Clavulanic acid 62.5mg per 5ml syrup	For the treatment of adult patients with infections caused by susceptible microorganismsincluding S. aureus , viz. Urinary ract Infection, Lower Respiratory Tract Infections, and gonococcal urethritis	30/08/06
576.	Telmisartan 40mg + Amlodipine (as Besylate) 5mg tablet	For essential hypertension	30/08/06
577.	Ceftazidime 500mg /1000mg + Tazobactum (as sodium) 62.5mg/125mg per vial for injection	Antibiotic	30/08/06

578.	Cefepime (As Hcl) 500mg/1000mg + Tazobactam (as Sodium) 62.5mg/125mg per injection	For the treatment of uncomplicated and complicated UTI, uncomplicated skin and skin structure infections, and complicated intra-abdominal infections; Additional indication LRTI including pneumonia & Bronchitis; septicaemia; empiric treatment in febrile neutropenic patients	30/08/06
579.	Cefixime 100mg/200mg + Cloxacillin (as Sodium) 500mg/500mg + Lactobacillus (45 /90 Million spore)tablet	Antibiotic	31/08/06
580.	Levofloxacin tablet (250mg /500mg) & Infusion 5mg/ml (For additional indication)	For prostatitis	26/09/06
581.	combipack of one cap. Of aprepitant .125mg & two cap. Of aprepitant 80mg each (combipack)	As Approved	10/10/2006
582.	Formoterol fumarate 6mcg + Fluticasone propionate 50mcg/125mcg/250mcg MDI	For Asthma & COPD	14/10/06
583.	Amlodipine 25mg + Metoprolol 25mg (additional lower strength) tablet	For hypertension	11/01/2006
584.	Esomeprazole 40mg (E.C.) + Itopride 150mg SR Capsules	For GERD	13/11/06
585.	Cefixime 200mg + Cloxacillin 500mg (ER) + Lactobacillus 90 million Spore tab. (additional strength) tablet	Antibiotic	14/11/06
586.	Trandolopril 1mg/2mg/4mg/2mg + Verapamil (ER) 240mg/240mg/240mg/180mg tablet	Anti hypertensive	23/11/06
587.	Rabeprazole 20mg (EC) + Itopride SR 150mg capsule	For GERD	28/11/06
588.	Metoprolol succinate 25mg /50mg ER + HCTZ 12.5mg tablets	Anti hypertensive	30/11/06
589.	Atorvastatin 5mg + Fenofibrate 160mg (additional strength)tablets	For the treatment of combined hyperlipidemia in patients with normal hepatic and renal functions.	12/01/2006
590.	Atazanavir 150mg + Ritonavir 50mg capsules	Anti HIV	12/12/2006
591.	Mebeverine Hcl 135mg + Chlordiazepoxide 5mg tablet	For IBS	12/12/2006
592.	Ampicillin 250mg + Dicloxacillin 250mg tablet	Antibiotic	13/12/06
593.	Etoricoxib 10mg + Methyl Salicylate 100mg + Mentol 50mg + Linseedoil 30mg per gm. of Gel	For acute Musculoskeletal pain	14/12/06
594.	Nebivolol 5mg + Amlodipine 10mg FC Tablet	For the management of essential hypertension in adults only	06.09.2006

595.	Artesunate 150mg/200mg + Sulphadoxine 500mg/750mg + Pyrimethamine 25/37.5mg Combipack	For the treatment of P. falciparum resistant malaria patients (age 9-14 yrs and above)	25.07.2006
596.	Ciclosonide 80mcg/160mcg/200mcg/400mcg + Formoterol 4.5mcg/4.5mcg/6mcg/6mcg Inhaler & Rotacaps	For the treatment of patients with bronchial asthma where use of said combination is found appropriate	29.08.2006
597.	Combipack of Estradiol + Dydrogesterone : 1. Each pack contains 28 tablets of Estradiol 1 mg + Dydrogesterone 5 mg. 2. Each combipack contains 28 tablet: each of 14 tablets contains estradiol 1mg & other each of 14 tablets contain estradiol 1 mg + Dydrogesterone 10 mg.	For the treatment of Hormone Replacement Therapy (HRT) in estrogen deficiency in postmenopausal women with a uterus and prevention of osteoporosis in postmenopausal women who are intolerant of other products approved for prevention of osteoporosis	14.11.2006
598.	Combikit of one film coated tablet of Risendronate Sodium 35mg & six film coated tablet of Calcium Carbonate 1250 mg (Eq. to 500mg Cl)	For the treatment of osteoporosis in postmenopausal women	05.07.2007
599.	Ceftazidime 250mg + Tazobactam 31.25mg Injection	(Additional Strength) For the treatment of hospital acquired infections like nosocomial pneumonia, uncomplicated skin and skin structure infections	31.07.2007
600.	NaCl 0.52g + KCl 0.3g + Sod. Citrate 0.58g + Dextrose Anh. 2.7g per 200ml ORS in Liquid form	For oral rehydration in various etiology	23.07.2007
601.	Methylcobalamin 500mcg + Alpha Lipoic Acid 100mg + Pyridoxine 1.5mg + Folic Acid 3mg Soft Gelatin Capsule	For the treatment of diabetic neuropathy	31.07.2007
602.	Cefpodoxime 200/100mg + Clavulanate Potassium 125/62.5mg Tablets	For the treatment of lower and upper respiratory tract infection, uncomplicated skin infection and urinary tract infection	30.07.2007
603.	Methylcobalamin 500/750/1500mcg + Alpha Lipoic Acid 100/200 + Pyridoxine 1.0/1.5/3mg + Folic Acid 0.5/0.75/1.5mg Soft Gelatin Capsules	For the treatment of diabetic neuropathy	26.09.2007
604.	Pantoprazole 40mg EC + Domperidone 30mg SR Capsules	for the tretment of GERD not responding to pantoprazole	18.05.2005
605.	Pantoprazole 20mg EC + Domperidone 10mg Capsules	for the tretment of GERD not responding to pantoprazole	14.07.2007
606.	Cefuroxime 250mg + Clavulanic Acid 125mg FC tablet/Dry syrup	For the treatment of adult patients with infections caused by susceptible microorganisms including S. aureus, viz., urinary tract infections, upper and lower respiratory tract infections and gonococcal urethritis.	10.05.2007

607.	Methylcobalamin 500mcg + Folic acid 1.5mg + B5 - 5gm + Zinc Sulphate 25mg + Chromium Polynicotinate 200mcg + selenium 65mcg + B6 1.5mg + inositol 100mg + Alpha lipoic acid 50mcg Capsules(Each inner capsule contains - Streptococcus Faccalis T-110 JPC 30 Million;Clostridium butyricum TO-A 2 Million;Bacillusmesentericus TO-A JPC 1 Million;Lactic acid bacillus 50 Million)	For vitamin & mineral deficiency states and for restoration of intestinal microflora	31.10.2007
608.	Mecobalamin 500mcg + Alpha Lipoic Acid 100mg + Folic acid 1.5mg + Benfotiamine 50mg Soft gelatin Capsules	For the treatment of diabetic neuropathy in adults	13.11.2007
609.	Mecobalamin 500mcg + Zinc Sulphate 61.8mg + Calcium Patothenate 10mg + Pyridoxine 3mg + Folic Acid 1.5mg + Niacinamide 50mg + Chromium 50mcg Tablets	For vitamin & mineral deficiency states	29.11.2007
610.	Mecobalamine 1500mcg + Alphalipoic Acid 100mg + Thiamine mononitrate 10mg + Pyridoxine 3mg + Folic Acid 1.5mg Capsule	For the treatment of diabetic neuropathy	29.11.2007
611.	Mecobalamine 1500mcg + Alpha Lipoic Acid 200mg + Inositol 100mg + Folic Acid 1.5mg + Chromium Polynicotinate 200mcg + Seleno Methionine 55mcg + Zinc Monomethionine 25mg Capsule	For Vitamins and Mineral deficiency states in adult patients	12.07.2007
612.	Mecobalamine 500mcg+ Alpha Lipoic Acid 100mg + Inositol 100mg + Folic Acid 0.5mg + Chromium Polynicotinate 65mcg + Selenium Dioxide 18mcg Capsules	For Vitamins and Mineral deficiency states in adult patients	12.07.2007
613.	Methylcobalamin 500mcg + Pyridoxine 3mg + Folic acid 1.5mg + Eicosahexanoic acid 90mg + Docosahexanoic acid 60mg + Vit E 25 IU + Vit C 100mg + Zinc 15mg + Selenium 60mcg Capsule	For vitamin and mineral deficiency states in adult patients	28.12.2007
614.	Methylcobalamin 500mcg + Calcium 250mg + Calcitriol 0.25mcg + Folic Acid 1.5mg + Pyridoxine 3mg + Zinc 7.5mg Capsules	For vitamin and mineral deficiency states in adult patients	28.12.2007
615.	Torse mide 10mg + Amiloride 5mg tablets	Edema Associated with congestive heart failure & hypertension	17.01.07
616.	Pioglitazone 15mg/30mg + MetFormin ER 1000mg tablet (additional strength)	For second line therapy in type-II diabetes	23.01.07
617.	Pantaprazole sodium 20mg/40mg Tablet (with sodium bicarbonate As buffer)	For gAstric ulcer, duodenal ulcer, Z. E Syndrome, GERD	07.02.07
618.	levofloxacin (250mg/500mg) + ambroxol SR 75mg tablet	For lower respiratory tract infection in adult	08.02.07

619.	Testosterone cypionate (100mg/200mg) + Cotton seed oil 736/566mg per ml injection	For testosterone deficiency (i) primary hypogonadism (ii) Hypogonadotropic hypogonadism	08.02.07
620.	Rosiglitazone 1mg + Metformin Hcl 500mg tablet (additional strength)	Patients with type 2 diabetes mellitus when dist exercise and the single agent do not result Rosiglitazone 2mg in adequate glycemic control	08.02.07
621.	Loteprednol Etabonate 5mg + Tobramycine 3mg per ml ophthalmic solution	For steroid responsive inflammatory ocular condition	14.02.07
622.	Amlodipine (As besylate) 5mg + Metoprolol (As succinate) ER 25mg (additional strength)tablets	For hypertension	14.02.07
623.	Glibeneclamide 5mg + Metformin SR 850mg tablet (additional strength)	non insulin dependent diabetes mellitus patients poorly controlled with sulphonyluren or biguanide alone	15.02.07
624.	Metoprolol (As succinate) 50mg/25mg ER) + Amlodipine 5mg/2.5mg tablet (For additional indication)	Angina pectoris in adults	20.02.07
625.	Ramipril 10mg + HCTZ 12.5mg tablet (additional strength)	Mild to moderate hypertension in patients (in when combination therapy is appropriate) who have been established on the individual components given in the same proportion	20.02.07
626.	Amlodipine (As besylate) 5mg/5mg/10mg + valsartan 80mg/160mg/160mg tablet	Essential hypertension	21.02.07
627.	Amlodipine (As besylate)5mg/10mg + Perindopril 4mg tablet	For hypertension	23.02.07
628.	Rosuvastatin calcium eq. to Rosuvastatin 10mg + Ezetimibe 10mg tablets	For the treatment of patients with primary hypercholesterolemia.	23.02.2007
629.	Metoprolol (As succinate) ER 25mg/50mg + Ramipril 2.5mg/5mg tablets	Essential hypertension	26.02.07
630.	Rabeprazole Sodium 20mg/10mg with sodium bicarbonate As buffer	For Duodenal ulcer, G.U, Z.E.S. & GERD	26.02.07
631.	Ciclesonide 160mcg/320mcg + Formoterol Fumarate 12mcg/12mcg (Dry powder inhaler additional strength) rotacap	As approved	27.02.07
632.	Ceftriaxone (As sodium) 125mg/250mg + Sulbactam (As sodium) 62.5mg/125mg For injection (additional strength) injection	For LRTI	01.03.07
633.	Clindamycin 1% + Isotretinoin 0.05% gel	For acne	08.03.07
634.	Cifixime 200mg + Erdosteine 300mg Capsules	Acute Exacerbation of chronic bronchitis	21.03.07

635.	Etoricoxib 10mg + Methyl salicylate 20mg per gm. of cream	Acute Musenlosleteal pain	21.03.07
636.	ISMN 60mg / 60mg SR + Atenolol 50mg/100mg film coated tablet	For angina pectoris	23.03.07
637.	Comb kit of two capsule of Azaranari 150mg each + 1 tablet of Ritonavir 100mg)	For HIV infection	02.04.07
638.	Mecobalamine 500mcg + Alpha Lipoic acid 100mg soft gelatin capsule	For diabetic neuropathy	02.04.07
639.	Propofol 10mg + Lignocaem 1mg per ml injection	For induction of anesthesia	04.04.07
640.	Ezetimibe 10mg + Fenofibrate 160mg tablet	For combined hypertipidemia	04.04.07
641.	Metoprolol (As succinate) 25mg + Amlodipine (As besylate) 5mg (additional strength) tablet	For hypertension	10.04.07
642.	Combipack of 1 bottle of ciprofloxacin Injection (200mg/100ml) & 1 bottle of Ornidazole injection 500mg/100ml)	Antibiotic	20.04.07
643.	Combi pack of 1 tablet of Residronate sodium (35mg) + 6 tablet of calcium carbonate equivalent to 500mg calcium each	For osteoporosis in postmenopausal women	01.05.07
644.	Amlodipine (As besylate) 10mg + Perindopril 8mg tablets (additional strength) tablet	For hypertension	07.05.07
645.	S(-) Metoprolol (As succinate) 25mg + S(-) Amlodipine (As besylate 2.5/5mg	For essential hypertension	16.05.07
646.	Cefotaxim (As sodium) 0.5mg/1gm + Sulbactam (As sodium) 250mg/500mg injection (for additional indication)	For surgical prophylaxis (additional indication)	18.05.07
647.	Atenolol 25mg/50mg + Indapamide SR 1.5mg tablet	For essential hypertension	21.05.07
648.	Ceftazidime 500mg/1000mg + Sulbactam (As Sodium) 250mg/500mg For injection	Antibiotic	08.06.07
649.	Isotretinoin 0.05% + Erythromycin 2% gel	For acne	08.06.07
650.	Glimepiride 1mg/2mg. + Metformin SR 1000mg tablet (additional strength) tablet	for patients with type diabetes mellitus when diet exercise & the agent do not result in adequate glycemic control.	08.06.07
651.	Alfuzocin Hcl. ER (10mg) + Dutasteride 0.5mg tablet	For BPH in men with enlarged prostate	14.06.07
652.	Tolterodine tartrate ER 4mg + Tamsulocin Hcl. ER 0.4mg tablet	For BPH with overactive bladder	15.06.07
653.	Omeprazole 20mg/40mg + Sodium Bicarbonate 1100mg capsules	For duodenal ulcer, gastric ulcer & GERD	15.06.07
654.	Tolterodine Tartrate 4mg (ER) + Tamsulosin HCL 0.4mg Capsule.	For BPH with overaction bladder in Adults only.	15-06-2007.

655.	Omeprazole (E.coated) 40mg + Sodium Bicarbonate 1100mg capsule.	For gastric ulcer, duodenal ulcer and GERD.	18-6-2007.
656.	Azithromycin 500mg + Ambroxol S.R (75mg) Tablet.	For RTI caused by susceptible organisms in adults.	05-07-2007.
657.	Moxifloxacin HCL (0.5%) + Ketorolac Tromethamine 0.5% Ophthalmic Solution.	For reduction of post-operative inflammatory conditions of the eyes.	11-07-2007.
658.	Levofloxacin (15mg) + Prednisolone Acetate 10mg per ml eye drops.	For post-operative steroid responsive inflammatory ocular conditions when ocular bacterial infections or a risk of bacterial infection exists.	11-07-2007.
659.	Mecobalamine 500/1500mcg + Alpha Lipoic Acid 100mg + Inositol 100mg + Folic Acid 0.5/1.5mg + Chromium Polynicotinate 65mcg/200mcg+ Selenium Dioxide18/55mcg + Benfotiamine 50/150mg capsule	For Vitamins and Mineral deficiency states in adult patients	12/07/2007
660.	Loteprednol Etabonate (0.5%) + Levofloxacin (1.5%) Eye drops.	For post-operative steroid responsive inflammatory ocular conditions when ocular bacterial infections or a risk of bacterial infection exists.	12-07-2007.
661.	Clotrimazole (10mg) + Methyl-prednisolone aceponate 1mg/gm of cream.	For fungal infection of skin associated with inflammation.	12-7-2007.
662.	Cefpodoxime (as Proxetil) (100mg/200mg) + Clavulanic acid (62.5/125mg) tablet.	For LRTI, URTI and UTI.	30-07-2007.
663.	Atorvastatin (40mg) + Ezetimibe (10mg) Tablet (addl. Strength).	For the treatment of patients with primary hypercholesterolemia	30-07-2007.
664.	Cefepime (250mg) + Tazobactam (31.25mg) Injection (addl. Strength).	For the treatment of uncomplicated and complicated UTI, uncomplicated skin and skin structure infections, and complicated intra-abdominal infections; Additional indication LRTI including pneumonia & Bronchitis; septicaemia;empiric treatment in febrile neutropenic patients	30-07-2007.
665.	Methylcobalamin (500mcg) + Alpha Lipoic Acid (100mg) + Pyridoxine (3mg) + Folic acid (1.5mg) Soft Gelatin Capsule.	For diabetic neuropathy.	31-07-2007.
666.	Halobetasol Propionate (0.5mg) + Salicylic Acid 30mg per gm of ointment.	For plaque psoriasis.	01-08-2007.
667.	Combipack of 12 tablet of Artesunate (50mg) each + 3 tablet of each containing Sulfadoxine (500mg) + Pyrimethamine (25mg) Tablet. (Addl. Strength)	For the treatment of P. falciparum resistant malaria patients	01-08-2007.
668.	Omeprazole (20mg/40mg)+Sod. Bicarbonate-600mg+ Mg.Hydroxide-700mg .chew tab.	For duodenal, gastric ulcer, GERD, and erosive esophagitis,	08/01/2007

669.	Tegafur (100mg) + Uracil (224mg) capsule.	For first line treatment of metastatic colorectal cancer in combination with calcium folinate.	22-08-2007.
670.	Amlodipine (5mg) + Nebivolol (5mg) tablet (addl. Strength).	For the treatment of essential hypertension	06-09-2007.
671.	Ceftazidime (2gm) + Sulbactam (1gm) Injection (addl. strength for additional indication).	For serious abdominal infection.	06-09-2007.
672.	Polyethylin Glycol 400 (0.4%) + Propylene Glycol (0.3%).	For temprory relief of dryness, irritation burning, stinging, grittiness or foreign body sensation caused due to environmental factors.	18-9-2007.
673.	Cefuroxime Axetil (250mg) + Clavulanic Acid (125mg) Tablet.	For adult patients with infection caused susceptible micro-organisms including S.aureus viz UTI, upper and lower RTI and gonococcal urethritis.	27-09-2007.
674.	Cefuroxime Axetil (250mg) + Clavulanic acid (125mg) tablet.	For UTI, URTI and LRTI and gonococcal urethritis.	05-10-2007.
675.	Cefuroxime-125/250/500mg +Clavulanic Acid-31.25/62.5/125mg film coated tablet	For adult patients with infection caused by susceptible microbes,including s.aureus.(e.g-UTI,Upper&lower RTI & gonococcal urethrities)	10/05/2007
676.	Sucralfate (70mg) + Metronidazole (10mg) + Povidone Iodine (50mg) per gram of Ointment.	For infected wounds and ulcers.	09-10-2007.
677.	Combipack of two tablet of chloroquine phosphate (250mg) each + 14 tablet of Proguanil HCl (100mg) each	For drug resistant malaria.	10-10-2007.
678.	Paclitaxel (protein bound particle) for injectable suspension (paclitaxel (100mg) + Albumin Human 900mg per 20ml injection	For breast cancer after failure of combination chemotherapy for metastatic disease or relapse within 6 months of adjuvant chemotherapy.	11-10-2007.
679.	Olmесartan Medoxomil (20mg) + Amlodipine Besylate (5mg) Tablet.	For mild to moderate hypertension.	15-10-2007.
680.	Atorvastatin Calcium (10mg) + Ramipril (2.5mg/5mg) tablet	For treatment of patients with both hypertension and hypercholesterolemia.	15-10-2007.
681.	Omeprazole(20mg) + Sodium bicarbonate (1100mg) tablet (addl. strength).	For duodenal ulcer, gastric ulcer & GERD	15-10-2007.
682.	Moxifloxacin HCl (5mg) + Prednisolone Acetate (10mg)per ml. (eye drops)	For inflammation after ocular surgery and where a risk of bacterial ocular infection exists.	16-10-2007.

683.	Methylcobalamine (500mcg) + Alpha Lipoic acid (100mg) + Pyridoxine HCl (1.5mg) + Thiamine (2mg) + Calcium Picolinate (200mg) tablet.	For diabetic neuropathy.	16-10-2007.
684.	Satranidazole (300mg) + Ofloxacin (200mg) Tablet.	For diarrhoea of mixed infection in adults.	18-10-2007.
685.	Methylcobalamin 500mcg+beta carotene-10.33mg+alpha lipoic acid 100mg+B6 1.5mg+B1 2mg & Chromium Polynicotinate soft gelatin capsule	For adult patients with diabetic neuropathy.	18-10-2007.
686.	Calcium Pidolate equivalent to Calcium 500mg + Vit-D ₃ 250 IU powder for oral use	For osteoporosis and calcium deficiency state.	23-10-2007.
687.	Atorvastatin Calcium (10mg) + Fenofibrate (145mg) (addl. strength) tablet	For the treatment of combined hyperlipidemia in patients with normal hepatic and renal functions.	30-10-2007.
688.	Miglitol (50mg) + Metformin HCl SR (500mg) tablet.	For adult with Type-II diabetes mellitus where simple drug therapy, diet and exercise do not result in adequate glycemic control.	31-10-2007.
689.	Mupirocin (2%) + Methylprednisolone Aceponate (0.1%) Cream.	For atopic dermatitis.	31-10-2007.
690.	Methyl cobalamine 500mcg+folic acid 1.5mg+B5-5mg,+Zn.sulphate 25mg+Cr.Polynicotinate 200mcg+selenium-65mcg+inositol-1.5mg + alpha lipoic acid - 100mg capsule	For Vitamins and mineral deficiency states.	31.10.07
691.	Methylcobalamine 500mcg+folic acid 1.5mg+ alpha lipoic acid -300mg +Benfothiamine-50mg. capsule	For diabetic neuropathy	13.11.07
692.	Methyl prednisolone aceponate-1mg + salicylic acid-50mg ointment	For treatment of psoriasis	19.11.07
693.	Propanol 50gm+povidone iodine-1gm in 100ml solution	For surgical & hygenic hand disinfection.	19.11.07
694.	Propanol-18 gm+Ethenol(100%)-45gm in 100ml solution	For surgical & hygenic hand disinfection.	19.11.07
695.	Ceftriaxone -2gm+ Tazobactam 250mg for injection	Anti-bacterial	21.11.07
696.	Methylprednisolone aceponate-1mg + Mupirocin-20mg. cream	For the treatment of atopic dermatitis	21.11.07
697.	Methyl cobalamine 500mcg+folic acid 1.5mg+B6-3mg,+Zn.sulphate 61.8mg+Ca.Pantothenate 10mg+ Niacinamide-50mg +chromium-50mcg capsule	For Vitamins and mineral deficiency patients.	29.11.07
698.	Mecobalamin 0.5mg + Pyridoxine 50mg + Benfotiamine 100mg capsule	For the treatment of diabetic Neuropathy	29.11.07

699.	Methylcobalamine 500mcg+folic acid 1.5mg+ alpha lipoic acid –100mg +B6-3mg+Thiamine 10mg capsule	For diabetic neuropathy	29.11.07
700.	Doxophylline-400mg+Salbutamol(as sulphate)- 2mg/4mg Tablets	For treatment of Bronchial asthma in adults	29.11.07
701.	Gatifloxacin (as sequihydrate)-3mg + Flurbiprofen sod.-0.3mg/ml eye drops.	For reduction of post-operative inflammatory conditions of eye ,when bacterial infection exists.	29.11.07
702.	Sertanidazole-300mg+ Ofloxacin-200mg tablet	For treatment of diarrhoea of mixed infection in adults patients.	29.11.07
703.	Olmesartan medoximil-20mg + Ramipril-5mg. Tablet	For treatment of essential hypertention.	12.6.07
704.	Combipack of 12 Artesunate –50mg tablets & 6 Mefloquin-250mg tablets	For drug resistant P.falciparum malaria infection.	12.6.07
705.	Pregabalin-75mg/150mg +Methylcobalamine 500mcg cap	For the treatment of adult patients with peripheral neuropathy.	12.10.07
706.	Doxycycline-100mg +L.bacillus spores-5 billion capsule pellets	For adult patients prone to intradominal bacterial infection & Antibiotic associated diarrhoea	12.11.07
707.	Cefprozil 250mg/500mg+Clav. Acid-62.5mg /125mg. tab	For the treatment of adult patients with upper&lower RTI, Skin & Skin structure infection	12.11.07
708.	Dextrometharpahan HBr- 10mg+Chlorphenaramine maleate-2mg /5ml syrup.	For the temporary relief of cough due to throat irritation, sneezing & running nose.	12.11.07
709.	Ramipril BP 2.5mg/5mg + Telmisartan 40mg uncoated tablet	For the treatment of mild to moderate hypertension in adults	11.12.2007
710.	Escitlopram (as oxalate)10mg + Clonazepam- 0.5mg tablet (addl. Strength).	For comobid depression and anxiety disorder.	12.12.07
711.	Me-salicylate 30% + Menthol 10% + camphor 4% Cream	For temporary relief from pain, swelling & inflammation due to musculoskeletal disorder	29.11.07
712.	Streptococcus thermophilus 45% + Bifidobacteria (B.longum, B.infantis,B.breve) 45% + Lactobacillus acidophillus 3% + Lactobacillus casei 2% + Lactobacillus delbruecki susp. 3% Bulgaris 2% + Lactobacillus plantarum	For management of rotavirus diarrhoea in children	01.08.2007
713.	Drospirenone 3mg/3mg + Ethinyl Estradiol 0.02mg/0.03mg Tablets	For the use as oral contraceptive for women	28.03.2008
714.	Amlodipine 2.5/5/5mg + Metoprolol 25/50/25mg Capsules	Additional Indication :- For the Treatment of Ischemic Heart Disease/Coronary Heart Disease	16.07.2008

715.	Mecobalamin 1000mcg + Vit B1 10mg + Vit B6 3mg + Folic Acid 1mg + Calcium Pantothenate 50mg + Niacinamide 45mg tablets	For vitamin and mineral deficiency states in adult patients	01.03.2008
716.	Methylcobalamin 500mcg + Vit A 5000IU + Vit E25IU + Ascorbic Acid 100mg + Vit B1 10mg + Riboflavin 10mg + Pyridoxine 3mg + Niacinamide 500mcg + Folic Acid 50mg + Calcium Pantothenate 1mg + Zinc Oxide 12.5mg + Cupric Oxide 15mg + Sodium Selenate 2.5mg + Manganese Chloride 60mg+ Manganese 1.4mg + Chromium 65mcg tablets	For vitamin and mineral deficiency states in adult patients	01.03.2008
717.	Methylcobalamin 500mcg + Beta Carotene 20.66mg + Vit A 5000IU + Alpha Lipoic Acid 50mg + Folic Acid 1.5mg + Selenium 163.6mcg + Calcium Pantothenate 10mg + Vit B1 1.5mg + Vit B6 + Vit E 25IU tablets	For vitamin and mineral deficiency states in adult patients	01.03.2008
718.	Diclofenac 10mg + Serratiopeptidase 10/15mg tab & Cap. On 20/8/08	For the treatment of acute pain in adults	24.01.2008
719.	Amoxicillin 250mg + Dicloxacillin 250mg + Lactobacillus 2.5 million spores capsules	For the treatment of lower RTI, skin and soft tissue, bone and joint infections and ENT infections in adult patients prone to antibiotic induced diarrhoea	29.01.2008
720.	Beclomethasone Dipropionate 0.25mg + Econazole 10mg + Neomycin 5mg cream	For the topical treatment of bacterial and fungal infections	30.01.2008
721.	Methylcobalamin 750mcg + Alpha Lipoic Acid 100mg + Folic Acid 300mcg capsules	For the treatment of diabetic neuropathy	30.01.2008
722.	Methylcobalamine 750mcg + Adenosylcobalamin 500mcg + Folic Acid 1.5mg + Elemental Iron 100mg capsules	For Mineral & Vitamins deficiency states in adult patients	30.01.2008
723.	Methylcobalamin 500mcg + Ascorbic acid 100mg + Niacinamide 50mg + Vit E 25mg + Calcium Pantothenate 12.5mg+ Vit B1 10mg + Riboflavin 10mg + Vit B6 3mg + Vit A 5000IU + Folic Acid 1mg + Zinc Oxide 15mg + Copper Gluconate 2.5mg + Manganese 1.4mg + Chromium 65mcg + Selenium 60mcg tablets	For Mineral & Vitamins deficiency states in adult patients	30.01.2008
724.	Ciclesonide 100mg/200mg + Formoterol 6mcg/6mcg + Tiotropium 9mcg/9mcg Rotacaps	As third line treatment of severe cases of COPD, when monotherapy and second line therapy with two drugs do not respond adequately.	31.01.2008
725.	Phenylephrine 5mg + Chlorpheniramine maleate 0.5mg + Paracetamol 125mg + Sodium Citrate 60mg + Menthol 1mg syrup	For the treatment of common cold and cough associated with fever	31.01.2008

726.	Streptococcus thermophilus 45% w/w + Bifidobacteria (B.longum, B.infantis,B.breve) 45% w/w + Lactobacillus acidophilus 3% w/w + Lactobacillus casei 2% w/w + Lactobacillus delbruecki susp. Bulgaris 3% w/w + Lactobacillus plantarum 2% w/w capsules	For the treatment of irritable bowel syndrome	31.01.2008
727.	Methylcobalamin 500mcg + Alpha Lipoic Acid 50mg + Folic Acid 1.5mg + Selenium Dioxide 163.6mcg + Calcium Pantothenate 10mg + Vit B1 10mg + Vit B6 1.5mg + Vit E 25IU + Beta Carotene 20.66mg tablet	For vitamins & minerals deficiency states in adult patients	31.01.2008
728.	Atenolol 25/50mg + Chlorthalidone 6.25 mg tablets	For the treatment of essential hypertension	31.01.2008
729.	Cefpodoxime 100mg + Clavulanate Potassium 62.5 mg Dispersible Tablet/Dry Syrup	For LRTI, URTI and UTI.	31.01.2008
730.	Methylcobalamin 500mcg + VitA 5000IU + Vit E 25mg + Vit C 75mg + Vit D3 400IU + Folic Acid 1.5mg + Biotin 150mcg + Vit B1 5mg + Riboflavin 5mg + Vit B6 1.5mg + Niacinamide 50mg + Calcium Pantothenate 10mg + L-Glutamic acid 50mg + Chromium Picolinate 250mcg + Selenium 70mcg + Zinc Sulphate 55mg + Copper Sulphate 2mg + Manganese sulphate 5mg + Sodium Molybdate 25mcg + Manganese Oxide 10mg sugar coated tablets	For Vitamins and Minerals deficiency states in adult patients	19.02.2008
731.	Mecobalamin 1500mcg + Alpha lipoic acid 100mg + Inositol 100mg + Vit.A 5000IU + Vit B1 10mg + Pyridoxine 1.5mg + Vit E 25IU + Calcium Pantothenate 10mg + Folic Acid 1500mcg + Chromium 200mcg + Selenium 163.6mcg tablet	For Vitamins and Minerals deficiency states in adult patients	25.02.2008
732.	Methylcobalamin 1500mcg + Alpha lipoic acid 200mcg + Folic acid 1.5mg + Biotin 30mcg + Pyridoxine 3mg capsules	For Vitamins and Minerals deficiency states in adult patients	03.07.2008
733.	Mecobalamin 0.5mg + Alpha Lipoic Acid 100mg + Benfotiamin 100mg + Pyridoxine 50mg fim coated tablet	For the treatment of diabetic Neuropathy	10.03.2008
734.	Methylcobalamin 1500mcg + Pyridoxine 1.5mg + Folic acid 5mg capsules	For the treatment of hyperhomocysteinemia	03.07.2008
735.	Mecobalamin 500mcg + Vit A 5000IU + Vit D3 400IU + Vit E 25IU + Vit B1 10mg +Riboflavin 10mg + B6 3mg + Niacinamide 50mg+ Calcium Pantothenate 12.5mg + Vit C 100mg + Folic acid 1500mcg+ Biotin 60mcg + L-Glutamic acid 100mg + DL-Methionine 25mg +Magnesium oxide 30mg + Manganese 2.5mg + Copper 2.5mg + Zinc 22.5mg + Chromium 100mcg + Selenium 60mcg tablets	For Vitamins and Minerals deficiency states in adult patients	03.07.2008

736.	Methylcobalamin 1500mcg + Alpha Lipoic Acid 100mg + Folic Acid 1.5mg + Selenium Dioxide 163.6mg + Calcium Pantothenate 10mg + Vit B1 10mg + Vit B6 1.5mg + Vit E 25IU + Vit A 5000IU + Inositol 100mg + Chromium polynicotinate 200mcg soft gelatin capsules	For Vitamins and Minerals deficiency states in adult patients	03.07.2008
737.	Mecobalamin 1500mcg + Alpha Lipoic Acid 100mg + B1 10mg + B6 3mg + Folic Acid 1.5mg capsules	For Vitamins and Minerals deficiency states in adult patients	03.07.2008
738.	Methylcobalamin 500mcg + Vit C 75mg + Vit B6 10mg + Folic Acid 5mg + Carbonyl Iron 100mg capsules	For the treatment of iron deficiency anemia	28.03.2008
739.	Methylcobalamin 500mcg + Alpha lipoic acid 100mg + Beta Carotene 5.17mcg + Vit B1 2mg + Vit B2 2mg + Vit B6 1.5mg + Vit C 50mg + Vit D3 200IU + Vit E 10IU + Niacinamide 25mg + Folic Acid 50mg + Calcium Patothenate 5mg + Chromium Picolinate 2.5mg + Selenium Di oxide 1.4mg + Zinc Oxide 65mcg + Copper Sulphate 15mg + Manganese Sulphate 60mcg + Lutein 1mg tablet	For Vitamins and Minerals deficiency states in adult patients	04.07.2008
740.	Rabeprazole Sodium (with Sodium bicarbonate as buffer)	For the treatment of gastric ulcer, duodenal ulcer,Zollinger Ellison Syndrome and Gastro-Esophageal reflux disease	28.04.2008
741.	Olmесartan 40mg + Ramipril 5mg Tablet	For the treatment of Essential hypertension	19.08.2008
742.	Pantoprazole Sodium (with Sodium Bicarbonate as Buffer)	For the treatment of gastric ulcer, duodenal ulcer,Zollinger Ellison Syndrome and Gastro-Esophageal reflux disease	28.4.2008
743.	Methylcobalamin 150mg + Pyridoxine 12.5mg + Alpha Lipoic Acid + Inositol + Folic Acid	For the treatment of diabetic Neuropathy	05.09.2008
744.	Amlodipine Besylate BP Eq. to Amlodpine 5mg + Losartan Potassium USP 25mg/50mg film coated tablets	For the treatment of mild to moderate hypertension in adults.	14.05.2008
745.	Esomeprazole (with Sodium bicarbonate as Buffer)	For the treatment of GERD, gastric and duodenal ulcer, Zollinger-Ellison syndrome	14.05.2008
746.	Methylcobalamin 500mcg + VitA 5000IU + Vit D3 400IU + Vit E 25mg + Calcium Pantothenate 50mg + L- Glutamic Acid 50mg +Vit B1 10mg + Riboflavin 10mg + Vit B6 3mg+ Niacinamide 50mg + Vit C 75mg+ Biotin 260mcg + Folic Acid 1mg + Zinc Sulphate 60mg + Chromium Picolinate 150mcg + Selenium 100mcg + Manganese Sulphate 200mcg + Magnesium Hydroxide 10mg + Copper Sulphate 200mcg Tablet	For vitamins & minerals deficiency states	14.05.2008

747.	Atorvastatin 5/10/5mg + Telmisartan 20/20/40 mg	For the treatment of co-existing essential hypertension and hyperlipidemia in adult patients	22.05.2008
748.	Chlorpheniramine Maleate IP 2mg + Dextromethorphan Hydrobromide IP 10mg + Phenylephrine Hydrochloride IP 5mg Softgel Capsule		Approved for more than 4 years
749.	Nimesulide 100mg + Paracetamol 500mg Tablets		Approved for more than 4 years
750.	Mecobalamin 1500mcg+ Alpha lipoic acid 100mg+ Vit B6 3mg + Folic acid 1.5mg + Zinc 15mg + Chromium 60mcg + Selenium 65mcg+ Biotin 100mcg + Inositol 2mg Tablet	For vitamin and mineral deficiency states	06.09.2008
751.	Thiocolchicoside 4/8mg + Ketoprofen 50/100mg FC Tablet	For the treatment of acute low back pain and other musculoskeletal painful & inflammatory conditions in adult patients	06.11.2008
752.	Vildagliptin 50/50/50mg + Metformin 500/850/1000mg Tablet	For the treatment of Type II diabetes mellitus when single drug therapy along with diet, exercise do not result in adequate glycemc control	21.07.2008
753.	Tenofovir Fumarate 300mg + Lamivudine 300mg + Efavirenz 600mg FC Tablet	For the treatment of HIV infection in adults	23.07.2008
754.	Metolazone 2.5/5mg + Spironolactone 50mg/50mg FC Tablet	For the treatment of oedema associated with congestive heart failure, cirrhosis and nephritic syndrome	25.08.2008
755.	Diacerin 50mg + Glucosamine 1500mg Tablets	As initial therapy in adult patients with osteoarthritis of knee and hip joints	09.04.2008
756.	Tamsulosin Hydrochloride 0.4mg + Tolterodine tartrate 2mg ER capsule		08.10.2008
757.	Drotaverine 80mg + Aceclofenac 100mg Tablet	For the treatment of adult patients with muscular pain associated with spasm	15.09.2008
758.	Losartan 25/25/50/50mg + Chlorthalidone 6.25/12.5/6.25/12.5mg FC Tablet	For the treatment of mild to moderate hypertension in adult patients whose blood pressure is not adequately controlled by monotherapy	15.09.2008
759.	Methylcobalamin 1500mcg + Alpha Lipoic Acid 300mg Capsule	For adult patients with diabetic neuropathy.	14.10.2008

760.	Methylcobalamin 500mcg + L- Arginine 13.28mg + L- Histidine 3.71mg + L- Isoleucine 5.9mg + L- Leucine 18.3mg + L- Lysine 25mg + DL Methionine 18.4mg + L- Phenylalanine 5mg + L- Threonine 4.2mg + L- Tryptophan 5mg + L- Valine 6.7mg + 5-Hydroxy Anthranilic acid 0.2mg + Vit A 2500IU + Cholecalciferol 200IU + Tocopherol Acetate 7.5IU + Vit B1 5mg + Riboflavin 1.5mg + Nicotinamide 40mg + Calcium Pantothenate 30mcg + Vit b6 0.75mg + Vit C 4mg + Biotin 20.5mg + Folic Acid 7.43mg + Copper sulphate 1.4mg + Ferrous sulphate 0.1mg + Magnesium sulphate 10mcg + Potassium iodide 15mg + Sodium selenite 200mcg + Zinc sulphate + Chromium polynicotinate	For the treatment of vitamin deficiency states in adults	14.10.2008
761.	Calcitriol 0.25mcg + Calcium 200mg + Zinc 7.5mg Capsules	For the treatment of hypocalcaemia and/or osteoporosis	11.04.2008
762.	Ferrous bisglycinate 60mg + Folic acid 1mg + Zinc Bis glycinate 15mg + Methylcobalamin 500mcg FC Tablet	For the treatment of vitamin deficiency states in adults	14.10.2008
763.	doxyphylline 2mg + Terbutaline 120mg per 5 ml Syrup	For symptomatic treatment of cough	24.12.2008
764.	ISMN 30mg SR + Metoprolol Succinate equivalent to metoprolol tartrate 25mg/50mg tablets (Additional Strength)	For angina & Hypertension	02.01.08
765.	Halobetasol 0.05% + Clotrimazole 1.0% cream	For the treatment of steroid responsive fungal infections including eczema and psoriasis	04.01.08
766.	Levodopa 200mg + Carbidopa 50mg C.R. tablet	For Parkinson's Disease	08.01.2008
767.	Ceftazidime 500mg + Tobramycin 60mg per injection	For the treatment of lower respiratory tract infection caused by pseudomonas aeruginosa.	08.01.2008
768.	Tenofovir disoproxil fumarate 300mg + Lamivudine 300mg tablet	For the treatment of adult patients with HIV infection	07.01.08
769.	Cefixime 200mg/100mg + Lactic acid bacillus 2.5 billion spores tablet & dispersible tablet	For the treatment of Urinary tract infections, respiratory tract infections, biliary tract infections in adult patients prone to antibiotic associated diarrhoea	07.01.08
770.	Ceftazidime 500mg + Tobramycin 60mg per vial (Injection)	For the treatment of lower respiratory tract infection caused by pseudomonas aeruginosa	08.01.08

771.	Atorvastatin 10mg + Aspirin 75/150mg Capsules	For the treatment of dyslipidemia associated with atherosclerotic arterial disease with risk of myocardial infarction, stroke or peripheral vascular disease	18.01.08
772.	Smatriptan (as succinate) 50mg + Naproxen sodium 550mg tablets	For the treatment of acute migraine	22.01.08
773.	Sodium Valproate 666mg + valproic acid 290mg equivalent as sodium valproate 1000mg C.R. tablet (Additional Strength)	Same as Approved	24.01.08
774.	Cefepime (as hydrochloride) 2000/1000/500mg + Sulbactam (as sodium) 1000/500/250mg per vial of injection	For serious CRTI, uncomplicated and complicated UTI, Uncomplicated skin & skin structure, infection acute exacerbation of chronic bronchitis & intraabdominal infection.	24.01.08
775.	Combikit 4 tablets of Alendronate sodium trihydrate equivalent to Alendronic acid 70mg each + 24 tablets of Calcium carbonate 1250mg (equivalent to 500mg Calcium) + cholecalciferol-250IU	For the treatment of osteoporosis in post-menopausal women	23.01.08
776.	Atorvastatin 10mg + Fenofibrate 80mg tablet (Additional Indication)	For the treatment of combined hyperlipidemia in patients with normal hepatic and renal functions.	25.01.08
777.	Sodium Valproate 499.5mg + Valproic acid 217.5mg equivalent as sodium valproate- 750mg CR tablet (Additional Strength)	Same as Approved	24.01.08
778.	Diclofenac 50mg + Serratiopeptidase 10mg enteric coated tablet	For the treatment of acute pain in adults	24.01.08
779.	Gabapentin 100mg + methylcobalamin 500mcg tablets (Additional Strength)	For neuropathic pain in adults.	24.01.08
780.	Cefpirome (as sulphate) 500/1000mg/2000mg + Sulbactam (as sodium) 250mg/500mg/1000mg powder for injection	For the treatment of infection caused by sensitive organisms viz. lower RTI, complicated UTI, Septicemia, bacteremia	24.01.08
781.	Metformin HCl ER 500mg + Fenofibrate 80mg/160mg tablet	For the treatment of Type-II diabetes associated with mixed dyslipidemia	25.01.08
782.	Diclofenac sodium 50mg + Dicyclomine HCl 20mg per ml of injection	For the treatment of acute colicky pain in adults	28.01.08
783.	Travoprost 40mcg + Timolol (as Maleate) 5mg per ml of eye drops	For decrease of intraocular pressure in patients with open angle glaucoma or ocular hypertension, who are insufficiently responsive to topical beta blockers or prostaglandin analogues	28.01.08

784.	Amoxicillin 250mg/125mg + Cloxacillin 250mg/125mg + Lactic Acid Bacillus 1.7 Billion spores	For RTI, SRS of tissue infection, bone & joint infection, ENT infection in adults prone to antibiotic associated diarrhoea	30.01.08
785.	Amoxicillin 250mg + Lacto- Bacillus 1.7 billion Spores capsule	For RTI, SRS of tissue infection, bone & joint infection, ENT infection in adults prone to antibiotic associated diarrhoea	31.01.08
786.	Mecobalamin1500mcg +Alpha Lipoic Acid100mg+Benfotiamine15mg+B63mg+Calcium Pantothenate25mg+Folic Acid 1.5mg+Zinc oxide22.5mg+Chromium picolinate65mcg+Inositol10mcg+Lutein5mg capsule	For Vitamins and Minerals deficiency states in adult patients	30.01.08
787.	Methylcobalamine 750mcg + Alpha lipoic acid 100mg + Benfotiamine 7.5mg + B6 1.5mg + Calcium pantothenate25mg + Nicotinamide 50mg + Folic acid0.75mg capsule	For Vitamins and Minerals deficiency states in adult patients	30.01.08
788.	Mecobalamin500mcg + Alpha Lipoic Acid200mg + Benfotiamin 10mg + Pyridoxine3mg + Biotin5mg + Folic acid 1.5mg capsule	For Vitamins deficiency states in adult patients	30.01.08
789.	Amoxycillin 250mg + Cloxacillin 250mg + Lactobacillus 2 billion spores capsules	For the treatment of lower RTI, skin & soft tissue bone & joint infections, ENT infections in adult patients prone to antibiotic associated diarrhoea	30.01.08
790.	Tiotropium (as Tiotropium Bromide Monohydrate) 18mcg + Formoterol Fumarate Dihydro. 12mcg + Ciclesomide 400mcg per capsules	As 3rd line treatment of severe cases of COPD when monotherapy and second line therapy with two drugs do not respond adequately	31.01.08
791.	Metoprolol Succinate Equivalent to Metoprolol Tartrate [ER 25/50mg] + Atorvastatin (As calcium) 10mg tablets	For the treatment of patient with both essential hypertension and hypercholesterolemia	28.01.08
792.	Hyaluronic Acid Salt 25mg + Cross-Linked Hyaluronic acid 25mg per ml in prefilled syringe	For intradermal implantation and facial soft tissue augmentation	30.01.08
793.	Beclomethasone Dipropionate 0.25mg + Econazole 10mg + Neomycin 5mg per gm of Cream	For the topical treatment of bacterial and fungal infections	30.01.08
794.	Diclofenac Sodium 50mg + Paracetamol 500mg tablets	For the symptomatic treatment of acute pain and inflammation in patients with osteoarthritis, rheumatoid arthritis and ankylosing spondylitis	30.01.08
795.	Memantine 5mg/10mg + Donepezil 5mg Tablets	For moderate to severe Alzheimer's disease	31.01.08

796.	Cefpodoxime 50mg + Clavulanic acid 31.25mg dispersible tablet & dry syrup (Additional strength)	For LRTI, URTI and UTI.	31.01.08
797.	Amoxicillin 125mg/250mg/500mg + Lactobacillus 1.66 billion Spores (Capsules)	For the treatment of respiratory tract infection, skin and soft tissue infections & antibiotics associated diarrhoea in adult patients	31.01.08
798.	Halobetasol 0.5mg + Miconazole 20mg per gram Cream	For steroid responsive dermatoses associated with superficial fungal infection of skin	31.01.08
799.	Montelukast 10mg + Levocetirizine 5mg film coated tablets	For the treatment of allergic rhinitis in adults only	31.01.08
800.	Hydroquinone 2% + Tretinoin 0.025% (w/w) Momentasone 0.10% Gel	For short term intermittent treatment of moderate to severe melasma of the face in the presence of measures for sun avoidance including use of sun screen	31.01.08
801.	Phenylephrine 5mg + Chlorpheniramine maleate 0.5mg + Paracetamol 125mg + sodium citrate 60mg + Menthol 1mg (per 5ml) Syrup	For the treatment of common cold and cough associated with fever	31.01.08
802.	Diclofenac Sodium 100mg (SR Pellets) + Rabepazole Sodium 20mg (E.C Pellets) Capsules	For treatment of painful inflammatory conditions associated with gastroduodenal ulcers	31.01.08
803.	Ciclesonide 160mcg/320mcg/Formoterol 12mcg + Tiotropium 18mcg Dry powder inhaler	As third line treatment of severe cases of COPD, when monotherapy and second line therapy with two drugs do not respond adequately	31.01.08
804.	Ramipril 5mg + HCTZ 12.5mg tablets (Additional Strength)	Mild to moderate hypertension in patients (in when combination therapy is appropriate) who have been established on the individual components given in the same proportion	20.02.08
805.	Betamethasone 0.05% +Miconazole 2% Cream	For the treatment of steroid responsive dermatoses associated with superficial fungal infections of the skin	12.03.08
806.	Omeprazole 20mg/40mg + Sodium bicarbonate 1680mg per sachet powder for oral suspension	For gastric ulcer, duodenal ulcer, and GERD	12.03.08
807.	Mecobalamin 1000mcg+ Alpha Lipoic Acid 200mg+ vitamin B6 3mg + Folic Acid 1.5mg+ Inositol 100mg + Benfotiamine 100mg capsule	For the treatment of diabetic neuropathy	19.03.08
808.	ISMN 30mg SR + Atenolol 50mg tablets (Additional Strength)	For angina pectoris	19.03.08

809.	Ambroxol HCl. 15mg + Guiphenesin 50mg + Terbutalin sulphate 1.25mg + Menthol 2.5mg per 5 ml of syrup	For symptomatic relief of bronchospasm in bronchial asthma and chronic bronchitis	26.03.08
810.	Ambroxol HCl 30mg + Guaiphenesin 100mg + Terbutaline sulphate 2.5mg per 10ml Syrup	For the symptomatic relief of bronchospasm in bronchial asthma & chronic bronchitis	26.03.08
811.	Drospirenone 3mg + Ethinyl estradiol 0.02mg tablets (Additional Strength)	Oral contraceptive in women	28.03.08
812.	Nimesulide 100mg ER + Levocetirizine HCl 5mg Tablets	For symptomatic treatment of acute rhinosinusitis	28.03.08
813.	Methylcobalamin 1000mcg + Pyridoxine Hcl IP 100mg + Nicotinamide IP 100mg + D-Panthenol IP 50mg per 2 ml of injection	For peripheral neuropathy	31.03.08
814.	Lamivudine 20mg + Stavudine 5mg dispersible tablets (Additional Sg strength)	For HIV infection	01.04.08
815.	Diclofenac Potassium 50mg + Serratiopeptidase (as enteric coated pellets) 15mg capsules (Additional Strength)	For the treatment of acute pain in adults	08.04.08
816.	Diacerin 50mg + Aceclofenac 100mg tablets	For the treatment of adult patients with osteoarthritis of knee and or hip joints	11.04.08
817.	Diacerin 50mg + Glucosamine sulphate 500mg tablets.	For the treatment of adult patients with osteoarthritis of knee and hip joints	21.04.08
818.	Sitagliptin (As Phosphate) 50mg + Metformin Hcl. 500mg/1000mg Film coated tablets	As an adjunct to diet & exercise to improve glycemic control in patients with type-two diabetes mellitus	28.04.08
819.	Pregabalin 75mg/150mg + Methylcobalamin 750mcg capsules (Additional Strength)	For the treatment of adult patients with peripheral neuropathy.	05.08.2008
820.	Aliskiren 150/150/300/300mg + HCTZ 12.5/25/12.5/25mg tablets	For the treatment of essential hypertension in adult patients whose blood pressure is not adequately controlled on monotherapy .	08.05.08
821.	Losartan Potassium 25mcg + Amlodipine (as besylate) 5mg tablets. (Additional Strength)	mild to moderate hypertension	14.05.08
822.	Halobetasol 0.05% + Salicylic acid 6% Ointment (additional Strength)	For the treatment of plaque psoriasis	14.05.08
823.	Sodium Chondroitin sulfate 40mg + sodium Hyaluronate 30mg per ml Intraocular Injection (additional strength)	For use as a surgical aid in anterior segments procedure including cataract extraction & intra-ocular lens implantation	14.05.08
824.	Telmisartan 40 mg + Atorvastatin (as calcium) 10 mg Tablets	For coexisting essential hypertension & hyperlipidemia	22.05.08
825.	Metolazone 2.5mg + Losartan Potassium 25mg/50mg tablets	For hypertension in patients whose blood pressure is not adequately controlled in monotherapy	28.05.08

826.	Metolazone 2.5mg + Ramipril 2.5mg/5mg	For essential hypertension in adult patients whose blood pressure is not adequately controlled on monotherapy	28.05.08
827.	L-Isoleucine 9.20mg+L-Leucine HCL 9.45mg+L-Methionine 0.395mg+L-Phenylalanine 0.44mg+ L-Threonine0.30 mg+L-Tryptophen 2.14mg + L-Valine 0.70mg+ L-Alanine 8.90mg+ L-Arginine 8.40mg + L-Aspartic Acid 15.37mg+L histadine 0.20mg+ L-Proline 3.10mg +L-Serine 5.30mg+L- tyrosine 2.60mg+Glycine 0.40mg +WFI per 100ml	infusion	26.06.2008
828.	Doxercalciferol 0.5mcg/2.5mcg Soft Gelatin capsules	For the treatment of secondary hyperthyroidism in patients with chronic kidney disease on dialysis	29.05.08
829.	Diclofenac Sodium 50mg + Codeine Phosphate 50mg tablets	For the treatment of adult patients with signs & symptoms of acute painful conditions	02.06.08
830.	Dexrabeprazole 10mg (EC) + Domperidone 30mg SR Capsules	For the treatment of Gastroesophageal Reflux Disease (GERD) in patients not responding to dexrabeprazole alone	09.06.08
831.	Diclofenac Diethylamine 1.16% w/w eq. to Diclofenac Sodium 1% w/w + (Methysalicylate , Linseed Oil, Menthol)	For the treatment of acute painful condition (Swelling and inflammation due to musculoskeletal disorder)	09.06.2008
832.	Thiocolchicoside 4mg/8mg + Ketoprofen 50mg/100mg tablets	For acute low back pain & other musculoskeletal painful and inflammatory condition in adults	11.06.08
833.	Cefotaxime sodium + Sulbactam sodium for injection (Additional Indication)	For the treatment of lower respiratory tract infection in children	24.06.08
834.	Artemether 40mg/80mg + Lumefantrine 240mg/480mg tablets (additional Strength)	for the treatment of pf. Malaria cases resistant to both chloroquine and Sulphadoxine - Pyremethamine combination.	24.06.08
835.	Mecobalamin 0.5mg+ Alpha Lipoic Acid 100mg+ Benfotiamin100mg + Pyridoxine 50mg tablets	For the treatment of diabetic Neuropathy	03.07.08
836.	Methylcobalamin 1500mcg + Alpha Lipoic Acid 200mg + Benfotiamine 50mg + Vit B6 3mg + Biotin 5mg + Folic Acid 1.5mg capsule	For the treatment of diabetic Neuropathy	04.07.08
837.	Metoprolol ER + Amlodipine tablets (Additional Indication)	For coronary artery disease/ischaemic heart disease	16.07.08
838.	Fenofovir Disoproxil fumarate 300mg + Lamivudine 300mg + Efavirenz 600mg tablets		18.07.08

839.	Vildagliptin 50mg/50mg/50mg + Metformin Hcl 500mg +850mg +1000mg tablets	For the treatment of type_II diabetes mellitus when single drug therapy alongwith diet, exercise do not result in adequate glycemc control	21.07.08
840.	Tenofovir Fumarate 300mg + Lamivudine 300mg + Efavirenz 600mg Tablets	For the treatment of HIV infection in adults	23.07.08
841.	Gatifloxacin 0.3% + Ketorolac Tramthamine 0.4% eye Drop	For reduction of part operative inflammatory condition of eyes	24.07.08
842.	Ketorolac Tromethamine 4mg + Gatifloxacin 3mg Eye Drops	For the reduction of post operative inflammatory conditions of the eye	24.07.08
843.	Cefadroxyl (as monohydrate) 125mg + Clavulanic acid (as potassium) 31.25 per 5ml Syrup (Additional strength)	For the treatment of adult patients with infections caused by susceptible microorganismsincluding S. aureus , viz. Urinary ract Infection, Lower Respiratory Tract Infections, and gonococcal urethritis	25.07.08
844.	Artemether + Lumefantrine Dispersible tablet (40/80mg + 240/480mg) (Additional Strength)	for the treatment of pf. Malaria cases resistanat to both chloroquine and Sulphadoxine - Pyremethamine combination.	05.08.08
845.	Ceftazidime + Tobramycin injection (1gm + 120mg) (Additional Strength)	For the treatment of lower respiratory tract infection caused by pseudomonas aeruginosa.	05.08.08
846.	Ceftriaxone 2gm + Sulbactam 1gm injection (Additional Indication)	for the treatment of acute bacterial otitis media, skin & soft structure infections, UTI, uncomplicated gonorrhoea, pelvic inflammatory disease, bacterial septicemia, bone and joint infections, intra abdominal infections, meningitis, surgical prophylaxis	18.08.08
847.	Ambroxol + loratadine + Guaifenesin Syrup (30mg + 5mg + 50mg per 5ml)	For the treatment of productive cough	18.08.08
848.	Ferrous Ascorbate + Folic Acid + Zinc FC Tablets (100mg + 1.5 mg + 22.5 mg)	For the treatment of iron deficiency anaemia	18.08.08
849.	Sodium Chondroitin Sulphate + Sodium Hyaluronate injection (40mg + not more than 17mg per ml)	For use as a surgical aid in anterior segments procedure including ctract extraction & intra-ocular lens implantation	25.08.08
850.	Metolazone + Spironolactone FC Tablets (2.5/5mg + 50mg)	For the treatment of oedema associated with congestive heart failure, cirrhosis and nephritic syndrome	25.08.08
851.	Ferrous Ascorbate + Folic Acid Suspension (Equiv. to elemental iron 30mg + 550mcg per 5ml) (New Dosage Form)	For iron deficiency anemia	27.08.08

852.	Lopinavir + Ritonavir (100 + 25mg) Tablets (additional strength)	For the treatment of patients with HIV infection	08.09.08
853.	Telmisartan + Ramipril (40mg + 2.5mg) Tablets (Additional Strength)	for the treatment of essential hypertension	15.09.08
854.	Drotaverine + Aceclofenac (80mg + 100mg) Tablets	For the treatment of adult patients with muscular pain associated with spasm	15.09.08
855.	Losartan + Chlorthalidone (25/25/50/50mg + 6.25/12.5/6.25/12.5mg) Tablets	For the treatment of mild to moderate hypertension in adult patients whose blood pressure is not adequately controlled by monotherapy	15.09.08
856.	Olmesartan + Ramipril (40mg + 5mg) tablets (Additional Strength)	for the treatment of essential hypertension	15.09.08
857.	Fluconazole + Zinc Pyrethron (Each 30/60ml bottle contains: 2% + 1%) Lotion	For the treatment of seborrhoeic dermatitis	15.09.08
858.	Etoricoxib + PCM (60mg + 500mg) Tablets	For the short term use in acute painful and inflammatory condition	30.09.08
859.	Paracetamol + Meloxicam + Benzyl Alcohol + Lignocaine (5mg/ml + 150mg/ml + 1% + 1%) Injection	Indicated for the treatment of mastitis, metritis, pneumonia, pleuritis, fever and relieving of acute pain in musculoskeletal disorders in animals	30.09.08
860.	Calcium (as Calcium Citrate Malate) + Colecalciferol (as Colecalciferol Concentrate) + Folic Acid (250mg + 100IU + 50mcg) Tablets	For the treatment of calcium and Vitamin D deficiency states (pregnancy, lactation, growing Children)	30.09.08
861.	Artemether + Lumefantrine (80mg + 480mg/5ml) Dry syrup	for the treatment of pf. Malaria cases resistant to both chloroquine and Sulphadoxine - Pyremethamine combination.	30.09.08
862.	Budesonide + Formoterol (80/160mcg + 4.5mcg) Inhalational Powder (Additional Indication)	Indicated in the regular treatment of patients with moderate to severe COPD with frequent symptoms and a history of exacerbations	17.10.08
863.	Azithromycin + Dexamethasone (10mg + 1mg) Eye Drops	For post operative steroid responsive inflammatory ocular condition when bacterial ocular infections or a risk of bacterial ocular infections exists.	21.10.08
864.	Diclofenac + Thiocolchicoside (50mg (EC) + 8mg) Capsules	For the treatment of acute inflammation conditions associated with spasm in adults only	21.10.08
865.	Adapalene 0.1% + Benzoyl Peroxide 2.5% gel	For the treatment of acne vulgaris	24.10.08
866.	Calcitriol + Calcium + Zinc (0.25mcg + 200mg + 7.5mg) Capsules	For the treatment of hypocalcaemia and/or osteoporosis	04.11.08

867.	Atazanavir + Ritonavir(300mg + 100mg) FC Tablets	For the treatment of patients with HIV infection	04.11.08
868.	Montelukast + Desloratidine(10mg + 5mg) FC Tablets	For the treatment of allergic rhinitis in adults only	10.11.08
869.	Amlodipine + Metoprolol (2.5mg/5 mg + 25mg/50mg (ER) Tablets(additional strength)	For hypertension	10.11.08
870.	Losartan + HCTZ (100 mg + 25 mg) Tablets	for treatment of mild to moderate hypertension.	10.11.08
871.	Salicylic Acid + Coal Tar (3% + 1%) Solution	For scaling of seborrhea, seborrheic dermatitis, psoriasis of scalp	17.11.08
872.	Salicylic Acid + Coal Tar + Precipitated Sulphur (3% + 1% + 3%) Ointment	For the treatment of psoriasis and fungal skin infection	17.11.08
873.	Thiocolchicoside + Etoricoxib(4mg + 60 mg) FC Tablets	For the acute treatment of inflammatory musculoskeletal disorders associated with painful muscle spasm in adults.	17.11.08
874.	Tamsulosin (0.4mg MR Pellets + Tolterodine 2mg/4mg ER Pellets) Capsules	For BPH with overaction bladder in Adults only.	17.11.08
875.	Sumatriptan + Naproxen (50mg + 275mg) Tablets (additional strength)	For the treatment of acute migraine	24.11.08
876.	Amoxicillin + Clavulanic acid(1gm + 62.5mg) FC Tablets	For the treatment and management of patients with community acquired pneumonia or acute bacterial sinusitis due to beta lactamase producing pathogens	25.11.08
877.	Buprenorphine + Naloxone (2 mg/0.4mg + 0.5/0.1 mg) Tablets	For opioid dependence	02.12.08
878.	Atorvastatin + Metformin(10mg + 500mg SR) Tablets	As adjunctive therapy to diet and exercise in patients with diabetic dyslipidemia	04.12.08
879.	Rifampicin + INH + Piperine (200mg + 300mg + 10mg) Capsules	For the treatment of adult patients with pulmonary tuberculosis	11.12.08
880.	Rifampicin + Piperine (200mg + 10mg) Capsules	For the treatment of adult patients with pulmonary tuberculosis	11.12.08
881.	Mifepristone + Misoprostol (1 tab of mifepristone 200mg and 4 tab of misoprostol 200mcg) Combipack	For the medical termination of intrauterine pregnancy (MTP) of up to 63 days gestation based on the first day of the last menstrual period	16.12.08
882.	Salicylic Acid + Cetyl Alcohol + Stearyl Alcohol (2% + 2.65% + 0.26%) Lotion	For the treatment of scaly dermatoses	18.12.08
883.	Gemifloxacin + Ambroxol (320mg + 75mg SR) FC Tablets	Indicated for the treatment of lower respiratory tract infections in adult patients	24.12.08

884.	Ceftazidime + Sulbactam (500/1000mg + 250/500mg) Injection	1. For LRTI infections, 2. for UTI - Complicated and uncomplicated, 3. for bacterial septicemia, 4. for bone and joint infections, 5. for gynaecologic infections including endometritis, pelvic cellulitis, and other infections of female genital tract, 6. for CNS infections including meningitis	24.12.08
885.	Paracetamol + Phenylephrine Hydrochloride (Each 6gm Sachet contains: 500mg + 10mg) Sachet	For the treatment of fever associated with cold, nasal congestion in adults	24.12.08
886.	Carboinoxamine Maleate + Ammonium Chloride + Sodium Citrate (Each 5 ml contains: 2 mg + 120 mg + 120 mg) syrup	For symptomatic treatment of cough	24.12.08
887.	Diclofenac + Thiocolchicoside (50 mg + 4 mg) Capsules (additional strength)	For the treatment of acute inflammation conditions associated with spasm in adults only.	24.12.08
888.	Methylcobalamin1500mcg + Calcium 200mg + Calcitriol 0.25mcg + Folic Acid1.5mg + Pyridoxine3mg Capsules	For the treatment of vitamin deficiency states in adults	14.01.09
889.	Liquid Paraffin1.25ml + Milk of Magnesia 3.75ml + Sodium Picosulphate 3.33mg per 5ml	For symptomatic treatment of constipation in adults	29.01.09
890.	Lornoxicam 4mg + Paracetamol 500mg film coated tablets	For the short term use in acute painful & inflammatory conditions in adults	05.02.09
891.	Cetrimide15% w/v + Chlorhexidine Gluconate 7.5% v/v + Isopropyl Alcohol 7.5% v/v Concentrate Solution	For cleansing of physically contaminated wounds and for pre-operative disinfection	09.02.09
892.	Ketoconazole 2% w/v + Prepared Coal Tar 2% w/v (I.P. 1966) Solution	For the treatment of dandruff	09.02.09
893.	Hydroquinone 2%+ Tretinoin 0.05% + Hydrocortisone1% Cream	For the treatment of patients with skin hyperpigmentation	23.02.09
894.	Doxyphylline 400 mg + Terbutaline 5mg tablets	For the treatment of asthma and chronic obstructive pulmonary disease in adult patients only	23.02.09
895.	Hydroquinone 20mg + Tretinoin 0.25mg + Fluocinolone Acetonide 0.1mg per gm Cream	For the treatment of melasma of face in adults	23.02.09
896.	Ketoconazole 2% + Zinc Pyrithone 1% Lotion	For the treatment of pityriasis and dandruff of the scalp	23.02.09
897.	Lamivudine 30mg + Zidovudine 60mg +Nevirapine 50mg Oral Suspension (Tablets for oral Suspension)	For the treatment of HIV patients	23.02.09

898.	Glibenclamide 5mg + Pioglitazone 15mg + Metformin 500mg film coated tablets	As 3rd line treatment of type II diabetes mellitus when diet, exercise and the single agents and the second line therapy with two drugs do not result in adequate glycemic control	23.02.09
899.	Aceclofenac 100mg + Tizanidine 2mg film coated tablets	For the treatment of acute low back pain in adult patients only	23.02.09
900.	Octinoxate 7.5% + Avobenzone 3% + Oxybenzone 3% + Titanium dioxide 2% lotion	As sunscreen lotion for prevention of sunburn skin	23.02.09
901.	Cetirizine 5/10mg + Ambroxol 30mg per 5ml syrup	For the symptomatic relief of productive cough associated with allergic rhinitis, when both anti-histamine and mucolytic agents are desired	23.02.09
902.	Thiamine Mononitrate IP 10.0mg + Riboflavin IP 10.0mg + Pyridoxine HCl IP 3.0mg + Vit. B12 IP 15.0mcg + Niacinamide IP 100.0mg + Calcium Pantothenate USP 50mg + Folic Acid IP 1.5mg + Biotin USP 100.0mcg + Ascorbic Acid IP 150.0mg capsule	For various vitamins deficiency states	26.02.2009
903.	Thiamine Mononitrate IP 10mg + Riboflavin IP 10mg + Pyridoxine HCl IP 3mg + Vit. B12 IP 15mcg + Niacinamide IP 100mg + Calcium Pantothenate IP 50mg + Folic Acid IP 1.5mg + Biotin USP 100mcg + Ascorbic Acid IP 150mg + Zinc Sulphate monohydrate USP 41.4mg (eq. to 15mg elemental Zinc) capsule	For various vitamins deficiency states	26.02.2009
904.	Calamine 8% + Liquid Paraffin 10% lotion	As antipruritic and soothing agent	26.02.09
905.	Nifedipine 0.3% + Lidocaine 1.5% cream	For the treatment of anal fissures	26.02.09
906.	Quinapril 20mg + HCTZ 25mg film coated tablet	For the treatment of mild to moderate hypertension in adult patients (in whom combination therapy is appropriate) who have been stabilized on the individual components given in the same proportion	26.02.09
907.	Levodopa 100/100/250 + Carbidopa 10/25/25mg mouth dissolving tablet	For the symptomatic symptoms of idiopathic Parkinson's Disease	04.03.09
908.	Losartan 100mg + HCTZ 25 mg tablet	for treatment of mild to moderate hypertension.	16.03.09
909.	Butaphosphan 100g + Methyl Hydroxybenzoate 1gm + Cyanocobalamin 50 gm Oral powder (Veterinary Drug)	As vitamin and phosphorous supplement for livestock, shrimps and fish.	19.03.09
910.	Octinoxate 7.5% + Avobenzone 2% + Oxybenzone 3% + Octocrylene 3% + Zinc Oxide 2% lotion	A sunscreen lotion for prevention of sunburn skin	19.03.09
911.	Omeprazole 20/40mg + Sodium Bicarbonate 600mg + Magnesium Hydroxide 700mg sachet	For duodenal, gastric ulcer, GERD, and erosive esophagitis,	19.03.09

912.	Ambroxol 30mg + Levo salbutamol 1mg+Guiphenesin 50mg /5ml syrup	For the symptomatic relief of bronchospasm in bronchial asthma & chronic bronchitis	19.03.09
913.	Montelukast 4 mg+ Levocetirizine 2.5 mg tablet	For the treatment of allergic rhinitis for paediatric dose	03.03.2009
914.	Theophylline 400mg SR + Montelukast10mg Tablet	For the treatment of patients with bronchial asthma	31.03.09
915.	Hyaluronic Acid Sodium Salt 0.2 gm + Silver Sulfadiazine 1.0 gm/25 gm tube	For the treatment of wound of differentetiology	31.03.09
916.	Hyaluronic Acid Sodium Salt 50 mg + Silver Sulfadiazine 1.0 gm/ 100 gm gauze pads impregnated with cream.	For the treatment of wound of differentetiology	31.03.09
917.	Telmisartan 80mg + Amlodipine 5mg tablet (Additional strength)	For essential hypertension	31.03.09
918.	Cetirizine 10 mg + Ambroxol 75 mg SR Tablet	For symptomatic relief of productive cough associated with allergic rhinitis, when both anti-histamine and mucolytic agents are desired	13.04.2009
919.	Ciclesonide 200mcg + Formoterol 6mcg +Tiotropium 9mcg MDI	Indicated as third line treatment of severe cases of COPD, when monotherapy and second line therapy with two drugs do not respond adequately.	13.04.2009
920.	Metoprolol 25mg/50mg + Chlorthalidone 12.5/12.5 mg film coated bilayered Tablet	For the treatment of patients with mild to moderate essential hypertension	13.04.2009
921.	Metoprolol 25mg/50mg + Chlorthalidone 6.25 mg /12.5mg film coated bilayered tablet (additional strength)	For the treatment of patients with mild to moderate essential hypertension	25.04.2009
922.	Albendazole 400 mg + Ivermectin 6 mg tablet	For the treatment of intestinal helminthes and suppression of microfilaraemia especially with bancrofti infections	25.04.2009
923.	Each ml contains Calamine 15% w/v + Zinc oxide 5% w/v + Bentonite 3% w/v+Glycerin 5%w/v + Sodium citrate 0.05 % w/v lotion	For the treatment of pruritis and prickly heat	08.05.2009
924.	Each 1000 ml of emulsion contains: Medium chain triglycerides 100 gm + Soya oil 80 gm + Omega-3 acid triglycerides 20 gm + egg lecithin 12 gm + Glycerl 25 gm + Sodium oleate 0.30 gm + Alpha -tocopherol 0.20 gm + Ascorbypalmitate0.30 gm + Sodium hydroxide max. 0.06 gm + water for injection 784 gm emulsion for infusion	For the supply of fats, including essential omega-6 fatty acids and omega-3 fatty acids, as part of a parenteral nutrition regimen in adults if oral or enteral nutrition is impossible, inadequate or contraindicated.	14.05.2009
925.	Each 15 gm sachet contains: Lactulose 10 gm + Ispaghula husk 3.50 gm granules	For the treatment of chronic idiopathic constipation in adult patients only	16.05.2009

926.	Dexketoprofen 12.5 mg/25 mg + Paracetamol 500 mg film coated tablets	For the treatment of Acute musculoskeletal pain	18.05.2009
927.	Each gm contains: Halobetasol 0.05% w/w + Mupirocin 2.0 % w/w gel	For the topical treatment of inflammatory dermatitis with secondary bacterial infection	16.05.09
928.	Mometasone 0.1 % + Fusidic acid 2% cream/ointment	For the treatment of dermatoses where secondary bacterial and/or candidial infection is present	25.04.09
929.	Thiocolchicoside 8 mg + Etoricoxib 60 mg tablets (additional strength)	For the acute treatment of inflammatory musculoskeletal disorders associated with painful muscle spasm in adults.	25.04.09
930.	Metoprolol 50/50/25 mg + Atorvastatin 20/10/10 mg + Ramipril 10/5/2.5 mg capsules	As 2nd line treatment of patients with both essential hypertension and hypercholesterolemia who are not adequately controlled by combination of an anti-hypertensive with lipid lowering agent.	1.07.2009
931.	Voglibose 0.2 mg + Metformin 500mg Tablets	As 2nd line treatment of type II Diabetes mellitus when diet, exercise and the single agent do not result in adequate glycemic control.	13.07.2009
932.	Combipack of artesunate tablet and FDC Tablet of sulphadoxine + pyrimethamine Composition: A. combipack of 1 strip of 3 tablets of artesunate 25 mg and 1 strip of 1 tablet of sulphadoxine 125mg+ pyrimethamine 6.25 mg B. combipack of 1 strip of 3 tablets of artesunate 50 mg and 1 strip of 1 tablet of sulphadoxine 500mg+ pyrimethamine 25 mg C. Combipack of 1 strip of 3 tablets of artesunate 100 mg and 1 strip of 2 tablet of sulphadoxine 500mg+ pyrimethamine 25 mg D. combipack of 1 strip of 3 tablets of artesunate 200 mg and 1 strip of 3 tablet of sulphadoxine 500mg+ pyrimethamine 25 mg.	For the treatment of P. falciparum resistant malaria patients	15.7.2009
933.	Simvastatin 20 mg + Ramipril 5mg + Atenolol 50 mg + HCTZ 12.5 mg + Aspirin 100 mg (EC Pellets) Capsules	For secondary prevention of coronary heart disease/stroke in patients where use of such combination is appropriate	21.7.2009
934.	Sumatriptan 85 mg + Naproxen 500 mg Tablets	For the treatment of acute migraine	3.08.2009
935.	Aceclofenac(100mg) + Thiocolchicoside (8 mg) tablets	For the treatment of acute inflammation conditions associated with spasm in adults only	3.08.2009

936.	Aceclofenac(100mg) + Thiocolchicoside (4 mg) tablets (Additional strength)	For the treatment of acute inflammation conditions associated with spasm in adults only	11.08.2009
937.	Ofloxacin 2mg + Ornidazole 5 mg per ml Infusion	for the treatment of diarrhoea of mixed infection in adult patients	17.08.2009
938.	Artesunate (25/50/100mg) + Amodiaquine (67.5 mg/135/270mg) bilayerd Tablets	For the treatment of uncomplicated malaria due to plasmodium falciparum strain in various age groups	01.09.2009
939.	Ezetimibe 10 mg + Fenofibrate 145 mg Film coated tablets	For the treatment of combined hyperlipidemia in patients with normal hepatic and renal function	01.09.2009
940.	Isosorbibe 20 mg + Hydralazine 37.5 mg tablets	For the treatment of heart failure as an adjunct to standard therapy in patients to improve survival, to prolong time to hospitalization for heart failure and to improve patients reported functional status.	18.09.2009
941.	Cefixime 200 mg + Dicloxacillin ER 500 mg Tablets	For the treatment of adult patients with Upper and Lower respiratory tract infections, skin and soft tissue infections	22.09.2009
942.	Etodolac 300mg + Paracetamol 500mg film coated tablet	For the symptomatic treatment of acute pain and inflammation in patients with osteoarthritis, rheumatoid arthritis and ankylosing spondylitis	20.10.2009
943.	Ambroxol 30 mg+ Terbutaline 2.5 mg + Guaiphenesin 100mg + Menthol 2.5 mg per 5 ml syrup (additional strength)	For symptomatic relief of bronchospasm in bronchial asthma and chronic bronchitis	27.10.2009
944.	Propofol 10 mg+ Lignocaine 2.5 mg per ml injection (additional Strength)	For induction of anesthesia	27.10.2009
945.	Mecobalamin 750 mg + Pyridoxine Hydrochloride1.5 mg + Nicotinamide 45 mg tablets	For the treatment of diabetic neuropathy	27.10.2009
946.	Olmесartan (20/40mg)+ Atorvastatin 5/10/20mg film coated tablets	For the treatment of co-existing essential hypertension and hyperlipidemia in adult patients	27.10.2009
947.	Glucosamine sulphate potassium chloride 500 mg + Ibuprofen IP 200mg film coated Tablets	For the treatment of adult patients with osteoarthritis of knee and/or hip joints	03.11.2009
948.	Methylcobalamin 1500 mcg + Gabapentin SR 600 mg film coated tablets (additional strength)	For neuropathic pain in adults.	4.11.2009
949.	Rupatadine 10 mg + Montelukast 10 mg Tablets	For the management of seasonal allergic rhinitis (SAR)	10.11.2009

950.	Eperisone 50 mg + Paracetamol 500 mg Tablets	For improvement of mytonic conditions caused by neck shoulder arm syndrome , scapulhumeral peri arthritis and low back pain in adult patients only	10.11.2009
951.	Lactobacillus Rhammnosus 1 billion cells + Saccharomyces Boulardi 125 mg + Zinc Enriched yeast 20 mg sachets & capsules	For the treatment of acute diarrhoea in children	4.11.2009
952.	Nimesulide 1.0% w/w + Ethanol 31% w/w topical solution	For the local application in relieving pain in acute low backache, tendonitis, tenosinovitis and sprains	17.11.2009
953.	Amlodipine 5mg/10mg/5mg/10mg/10mg + Valsartan 160mg/160mg/160mg/160mg/320mg + Hydrochlorothizide 12.5mg/12.5mg/25mg/25mg/25mg Tablets	For the treatment of essential hypertension	24.11.2009
954.	S (+) Etodolac 150/200/300mg + Paracetamol 500/500/500mg Tablets	For the symptomatic treatment of acute pain and inflammation in patients with osteoarthritis, rheumatoid arthritis and ankylosing spondylitis	25.11.2009
955.	Loteprednol etabonate 0.5% w/v + Moxifloxacin 0.5% w/v ophthalmic Suspension	For the treatment of post operative steriod responsive inflammatory ocular infections or risk of bacterial ocular infections exists	1.12.2009
956.	Halometasone monohydrate 0.05% w/w + Fusidic acid 2.00% w/w cream	For the treatment of acute and chronic infected eczematous dermatitis	15.12.2009
957.	Glimepiride 1/2 mg + Metformin 500 mg + Atorvastatin 10 mg tablets	For the treatment of type II diabetes mellitus associated with dyslipidemia	17.12.2009
958.	Xylometazoline 0.5 mg + Ipratropium 0.6 mg Nasal spray	For symptomatic treatment of nasal congestion with running nose (rhinorrhea)	23.12.2009
959.	Doxofylline 400 mg + Ambroxol 30 mg Tablets	For the treatment of patients with bronchial asthma and COPD, when use of both the drug is appropriate	23.12.2009
960.	Formoterol 6 mcg + Mometasone furoate 100/200/400mcg Metered dose Inhaler & Dry Powder Inhalation	For the treatment of patients with bronchial asthma and COPD, where the use of combination is found appropriate	30.12.2009
961.	Alendronate 70mg + Colecalciferol 140mcg (5600 IU) Tablets	For the treatment of mixed infections with roundworms and tapeworms in dogs	10.11.2009
962.	Cefoperazone 500/1000mg + Tazobactam 62.5/125mg Injection	For the treatment of patients with both essential hypertension and hypercholesterolemia	4.11.2009

963.	Aceclofenac 200mg/200mg SR + Rabeprazole 10mg/20mg Capsule	For the treatment of Painful inflammatory conditions associated with gastroduodenal ulcers.	01.07.2009
964.	Metformin Hcl 850mg + Sitagliptin Phosphate 50mg Tablet	As an adjunct to diet & exercise to improve glycemic control in patients with type-two diabetes mellitus	15.12.2009
965.	Acarbose 25mg/50mg + Metformin 500mg/500mg FC Tablet	For the treatment of patients with Type II diabetes mellitus, when diet, exercise and single agent do not result in adequate glycemic control.	23.02.2009
966.	Octinoxate 7.5%+ Avobenzone 2% + Oxybenzone 3% + Zinc Oxide 2% Lotion	A sunscreen lotion for prevention of sunburn skin	23.02.2009
967.	Halobetasol 0.50mg + Fusidic acid 20mg Cream	For the treatment of infected dermatoses	23.02.2009
968.	Octinoxate 7.5% + Avobenzone 2% + Oxybenzone 3% + Octocrylene 3% + Zinc Oxide 2% Lotion	A sunscreen lotion for prevention of sunburn skin	19.03.2009
969.	Escitalopram 5mg + Clonazepam 0.5mg Tablet	for treatment of patients with comorbid depression and anxiety disorders	13.12.2007
970.	Lornoxicam 8mg + Paracetamol 500mg Tablet	For the short term use in acute painful & inflammatory conditions in adults	14.05.2009
971.	Comipack of Ibandronic acid 150mg + Calcium carbonate 500mg + Calcitriol 0.25mg + Zinc sulphate 20mg	For the treatment of hypercalcaemia and/or osteoporosis	05.03.2009
972.	Diacerin 50mg + MSM 250mg + Glucosamine 750mg Tablet	As initial therapy in adult patients with osteoarthritis of knee and hip joints	01.06.2009
973.	Indapamide 1.5mg/1.5mg + Ramipril 2.5mg/2.5mg FC Tablet	For the management of hypertension in subjects not responding to any diuretic or ace inhibitor monotherapy	08.07.2009
974.	Levodropropizine Eur. Ph. 30mg + Chlorpheniramine maleate IP 2mg per 5 ml Syrup	For the treatment of non-productive cough	06.07.09
975.	Ferrous ascorbate 100mg + Folic acid 1.1 mg tablet and Omega-3-fatty acid 200mg capsules combikit	For iron, folic acid & omega-3-fatty acid deficiency	01/08/2010
976.	Propanol 1-ol 18gm + Ethanol 100% 45gm/100ml solution	For hygienic and surgical hand disinfection	18/01/2010
977.	Aliskiren 150/160mg + Valsartan 300/320mg tablets	For the treatment of hypertension	19/01/2010

978.	Piroxicam 20mg tab& Paracetamol 500mg tab combikit	For treatment of fever and pain associated with acute upper respiratory tract inflammation, acute musculoskeletal disorders, pain after operative intervention and following trauma, chronic condition like rheumatoid arthritis, osteoarthritis etc for short term management of acute painful episodes.	19/01/2010
979.	Artemether 20mg + Lumefantrine 120mg Dispersible tablet (Additional Strength)	for the treatment of pf. Malaria cases resistant to both chloroquine and Sulphadoxine - Pyremethamine combination.	08.02.2010
980.	Soybean oil 60gm + Triglycerides (medium chain) 50gm + olive oil purified fish oil 30gm + dl-alpha-tocopherol 163-225mg + glycerol (anhydrous) 25gm + Egg lecithin 12gm + sodium hydroxide (to approx pH 8) + sodium phosphate 0.3mg emulsion for infusion in 100ml.	Total parenteral nutrition following major abdominal, major thoracic or major urological surgery	19/01/2010
981.	Cinnarizine 20mg + Dimenhydrinate 40mg tablets	For the treatment of vertigo	02/03/2010
982.	Pregabalin SR 75/150/300mg + Methylcobalamin 1500mcg tablets	For the treatment of adult patients with peripheral neuropathy	02/09/2010
983.	Sodium chloride 6.80gm + Potassium chloride 0.30 gm + Calcium chloride dihydrate 0.37gm + Magnesium chloride hexahydrate 0.20gm + Sodium acetate trihydrate 3.27gm + L-malic acid 0.67gm in 1000ml solution for infusion	Replacement of extracellular fluid losses in case of isotonic dehydration, especially if acidosis is being imminent or present	02/11/2010
984.	Lornoxicam 4mg/4mg + Thiocolchicoside 4mg/8mg tablets	For the treatment of patients with acute painful musculoskeletal conditions	02/12/2010
985.	Cefixime 100mg/200mg + Cloxacillin 500mg/500mg tablets	For the treatment of adult patients with upper & lower respiratory tract infections, skin and soft tissue infections	02/12/2010
986.	Spironolactone 25mg + Furosemide 20mg tablets	For treatment of resistant oedema associated with secondary hyperaldosteronism; resistant hypertension, chronic cardiac failure and hepatic cirrhosis	03/05/2010
987.	Olopatadine 5mg + Ambroxol 30mg tablets	For the management of cough in adult patients only	03/05/2010
988.	Methylcobalamin 750mcg + Pregabalin 75/150mg + Vitamin B1 5mg + Folic acid 0.75mg + Benfothiamine 7.5mg capsules	For the treatment of painful diabetic neuropathy in adults only	03/05/2010

989.	Calcium acetate 435mg + Magnesium carbonate 235mg tablets	For the management of hyperphosphatemia in adults patients with renal failure being treated with dialysis (hemodialysis or peritoneal dialysis)	03/05/2010
990.	Dicyclomine 2.5mg + Dried Aluminium Hydroxide 200mg + Light Magnesium Oxide 100mg + Simethicone 20mg per 5ml suspension.	For the treatment of the symptoms of functional gastrointestinal disorders like irritable bowel syndrome, functional dyspepsia, peptic ulcers., GERD which includes smooth muscle spasm, flatulence, abdominal distension, hyperacidity, gastric distress, bloating etc.	03/05/2010
991.	Sertaconazole 2% w/v + Zinc Pyrithione 1% w/v Shampoo	For the treatment in adults patients with dandruff/seborrheic dermatitis of the scalp	03/05/2010
992.	Amlodipine 5mg + Ramipril 10mg/5mg Tablets (additional strength)	For the treatment of hypertension only	03/10/2010
993.	Lidocaine 7.5mg + Prilocaine 2.5mg per actuation spray	For the treatment of adult male patients with premature ejaculation	03/12/2010
994.	Drospirenone 3mg + Ethinyl Estradiol 0.02mg tablets	For the treatment of symptoms of premenstrual dysphoric disorders (PMDD) in women (additional indication)	16/03/2010
995.	Miglitol 25 mg + Metformin 500mg tablets Each uncoated tablet contains: Miglitol 25 mg + Metformin Hydrochloride IP (as sustained release) 500mg tablets	For adult with Type-II diabetes mellitus where simple drug therapy, diet and exercise do not result in adequate glycemic control.	16/03/2010
996.	Propranolol 40mg (SR Pellets) + Flunarizine 5mg/10mg capsules	For the prophylaxis of migraine	16/03/2010
997.	Citicoline 500mg + Piracetam 400mg Tablets	For the treatment of acute stroke	16/03/2010
998.	Diclofenac 50mg + Chlorzoxazone 500mg Tablets	For the treatment of acute inflammation conditions associated with spasm in adults only	16/03/2010
999.	Mecobalamin 750 mcg + Pyridoxine 1.5mg + Nicotinamide 45 mg + Benfotiamine 150mg Tablets	For the treatment of diabetic neuropathy in adults	16/03/2010
1000.	Etoricoxib 1% + Menthol 5% Spray	For the topical treatment of acute musculoskeletal pain	16/03/2010
1001.	Pantoprazole 40mg + Cinitapride (ER) 3mg Capsules	For the treatment of patients suffering from non-ulcer dyspepsia (NUD) or gastroesophageal reflux disease (GERD)	17/03/2010

1002.	Atorvastatin 20mg + Ramipril 2.5mg/5mg Capsules (additional strength)	For treatment of patients with both hypertension and hypercholesterolemia.	17/03/2010
1003.	Lornoxicam 8mg/8mg + Thiocolchicoside 4mg/8mg Tablets (additional strength)	For the treatment of patients with acute painful musculoskeletal conditions	23/03/2010
1004.	Lidocaine 2.5% w/w+Prilocaine 2.5% w/w Gel (additional strength)	As a topical an aesthetic for use on normal intact skin for local anaesthesia	26/03/2010
1005.	Praziquantel 175mg + Pyrantel 504mg + Febental 525mg Tablets	For the treatment of mixed infections with roundworms and tapeworms in dogs	30/03/2010
1006.	S(-)Metoprolol 25mg/50mg (ER) + Atorvastatin (IR)10mg tablets	For the treatment of patients with both essential hypertension and hypercholesterolemia	01/04/2010
1007.	Atorvastatin Calcium IP Eq. to Atorvastatin 5mg + Fenofibrate BP 145mg film coated tablet (additional strengths)	For treatment of combined hyperlipidemia in patients with normal hepatic and renal function.	29.04.2010
1008.	Atorvastatin10mg + Ramipril 5mg + Aspirin (EC pellets) 75mg/150mg + Metoprolol (ER tablets) 25mg Capsules	For secondary prophylaxis of ischemic heart disease in patients where use of such combinations in appropriate	04/05/2010
1009.	Ibuprofen 400mg + Chlorzoxazone 500mg Tablets	For the short term treatment of musculoskeletal pain associated with inflammation and spasm in adults only	04/07/2010
1010.	Doxophylline (SR) 400mg/800mg + Montelukast 10mg/10mg Tablets	For the treatment of bronchial asthma in adults	04/07/2010
1011.	Cefixime 100mg/200mg + Ofloxacin 100mg/200mg Tablets	For the treatment of patients with typhoid fever and urinary tract infection in adults	26/04/2010
1012.	Liquid paraffin 6% + White soft paraffin 15% w/v Cream	For symptomatic relief of dermatological condition associated with dry skin including atopic dermatitis, eczema, pruritus, ichthyosis, xerosis, psoriasis	29/04/2010
1013.	Telmisartan 40/80 mg+ Indapamide SR 1.5/1.5 mg tablet	For the treatment essential hypertension	04/05/2010
1014.	one strip of 3 uncoated tablets of artesunate 150mg & one strip of 2 uncoated tablets of FDC of Sulphadoxine IP 500mg + Pyrimethamine IP 25mg	For the treatment of P. falciparum resistant malaria patients	04/05/2010
1015.	Indapamide (SR) 1.5mg/1.5mg +Nebivolol 2.5mg/5mg tablet	For the treatment of hypertension not controlled with monotherapy	05/12/2010
1016.	Cinitapride (ER) 3mg + Omeprazole (EC) 20mg Capsules	For the treatment of gastirc ulcer,gastroesophageal reflux disease(GERD) & Dyspepsia not responding to omeprazole alone	05/12/2010

1017.	Dexketoprofen Trometamol 25mg + Thiocolchicoside 4mg tablets	For the treatment of acute low back pain and other musculoskeletal painful & inflammatory conditions in adult patients	20/05/2010
1018.	Fluticasone Propionate 50mcg/125mcg/250mcg + Salmeterol xinafoate 25mcg/25mcg/25mcg Powder for inhalation	For the maintenance treatment of asthma and for the treatment of COPD associated with chronic bronchitis	25/05/2010
1019.	Cross linked Hyaluronic Acid 24mg + Lidocaine 3mg Pre-filled syringes	For filling any medium sized depression of the skin via mid dermis injection as well as for lip definition. The presence of lidocaine is meant to reduce the patients pain during the treatment	28/05/2010
1020.	Aceclofenac 1% w/w + Menthol 5% Spray	For the treatment of acute painful inflammatory conditions in adults only	28/05/2010
1021.	Metformin SR 500mg/500mg + GliclazideSR 60mg/30mg + Pioglitazone 15mg/15mg tablets	As 3rd line treatment of type II diabetes mellitus when diet, exercise and the single agents and the second line therapy with two drugs do not result in adequate glycemic control	28/05/2010
1022.	3 tablets of artesunate 100mg + 3 tablets of Artesunate 50mg & 2 tablets of FDC of Pyrimethamine 25mg + Sulphadoxine 500mg combipack	For the treatment of P. falciparum resistant malaria patients	28/05/2010
1023.	Calcium carbonate 600mg +Simethicone 80mg Chewable tablet	To relieve the uncomfortable symptoms of acid indigestion, heart burn, gas or sour stomach	28/05/2010
1024.	Activated Dimethicone 50mg + Magnesium Hydroxide 250mg+ Dried Aluminium Hydroxide250 mg + Sorbitol (70%)1.25 gm /5ml Solution	For treatment of symptoms of hyperacidity (e.g. heartburn, epigastric discomfort, or their equivalents) that are often associated with dyspepsia, peptic ulcers, gastritis, peptic esophagitis and indicated for relief of flatulence	28/05/2010
1025.	Aspirin 75mg + Simvastatin 10mg/20mg + Lisinopril 5mg/10mg + Atenolol 25mg/50mg Tablets	For secondary prevention of coronary heart disease/stroke in patients where use of such combination is appropriate	06/01/2010
1026.	Methylcobalamin 1500mcg +Folic acid 0.7mg +Niacinamide 12mg injection	For the treatment of diabetic neuropathy in adults	23/06/2010
1027.	Methylcobalamin 1500mcg +Pyridoxine 100mg +Nicotinamide 100mg injection	For the treatment of diabetic neuropathy in adults	23/06/2010
1028.	1 tablet of Tenofovir disoproxil 300mg + Lamivudine 300mg & 2 tablet of Nevirapine 200mg combipack	For the treatment of HIV infection in adults	23/06/2010

1029.	Vitamin A (oily form) as palmiate 2000IU + Vitamin B1 1mg + Vitamin B2 1mg + Vitamin B6 1.34mg + Vitamin B12 1mcg + Ascorbic acid 33.3mg + Vitamin D3 200IU + Folic acid 0.3mg + Calcium pantothenate 1mg + Niacinamide 15mg + Dibasic calcium phosphate 100mg + Phosphorus 77mg+ Ferrous fumarate 50mg + Copper 0.01mg+ Potassium iodide 0.0015mg + Heavy magnesium oxide 1mg + Manganse sulphate 0.01mg + Potassium sulphate 1mg + Zinc sulphate 0.15mg Capsule	For the treatment of vitamin deficiency states in adults	23/06/2010
1030.	Dexketoprofen 1.25% w/w + Linseed Oil 3.0% w/w + Menthol 5% w/w + Methyl Salicylate 10% w/w (12.5mg) Gel	For the topical treatment of acute musculoskeletal pain	07/06/2010
1031.	Cefuroxime Sodium 750/1500mg + Sulbactam Sodium 375/750mg Injection	For the treatment of mild to moderate lower respiratory tract infection	07/06/2010
1032.	HPMC 0.3% + Dextran 0.1% + Glycerin 0.2% eye drop Hydroxypropyl Methylcellulose USP.....0.3%w/v Dextran700.1%w/v Glycerin.....0.2%w/v Sterile ophthalmic drops	For temporary relief of burning and irritation due to dryness of the eye and for use as a protection against further irritation. For the temporary relief of discomfort due to minor irritation of the eyes or to exposure to wind or sun.	06.07.2010 24.06.2011
1033.	Cyanocobalamin 15mcg+Chromium Picolinate USP 250mcg+Folic Acid USP 1500 mcg+Nicotinamide IP100 mg+Pyridoxine 3mg +Selenius Acid USP 100mcg+Zinc Sulfate Monohydrate USP 61.8 mg eq. to 22.5 mg Tablet	For Mineral & Vitamins deficiency states in adult patients	07/06/2010
1034.	Methylparaben 0.15%w/w + Propyl paraben 0.05%w/w+Glycerin 20%w/w +CMC 1.74%w/w +Allantoin 0.5%w/w +Benzyl alcohol 0.5%w/w. GEL	For short term treatment of chronic wounds including stage III & IV pressure sores, leg ulcers	07/06/2010
1035.	Clonazepam IR 0.5mg/0.5mg+ Paroxetine CR 12.5/25mg Capsule	For the treatment of patients with co-morbid depression and anxiety	07/08/2010
1036.	Metoprolol succinate ER 25/50 mg+Telmisartan 20/40mg Tablet	For the treatment of essential hypertension	16/07/10
1037.	Etodolac 300/300mg +Thiocolchicoside 4/8mg	For the treatment of patients with acute painful musculoskeletal conditions	19/07/10
1038.	Celecoxib 100/200mg +Diacerein 50/50mg Capsule	For the treatment of adult patients with osteoarthritis of knee and/or hip joints	19/07/10

1039.	Metoprolol succinate ER 25mg+50mg + Olmesartan 20/20mg Tablet	For the treatment of essential hypertension	19/07/10
1040.	1 tablet of Atazanavir 300mg & 1 tablet of ritonavir Ritonavir 100mg & FDC of Tenofovir Disoproxil fumarate 300mg + Lamivudine 300mg (Each Co-pack contains :- 1 capsule of Atazanavir 300mg & 1 Tablet of Ritonavir 100mg & 1 Tablet of FDC of Tenofovir Disoproxil Fumarate 300mg + Lamivudine 300mg)	For the treatment of HIV infections in adults	19/07/10
1041.	Gliclazide 40/80mg+Metformin 500mg+Pioglitazone15mg Tablet	As 3rd line treatment of type II diabetes mellitus when diet, exercise and the single agents and the second line therapy with two drugs do not result in adequate glycemic control	19/07/10
1042.	Metformin 500/850/1000mg+Sitagliptin Phosphate 50/50/50mg Tablet(Additional Indication)	A) FDC is indicated as triple combination therapy with a PPARy agonist (i.e a thiazolidinedione) as an adjunct to diet and exercise in patients inadequately controlled on their maximal tolerated dose of metfomin and a PPARy agonist. B) FDC is also indicated as add-on to insulin(i.e triple combination therapy) as an adjucnjt to diet and exercise to improve glycemic contrl in patients when stable dosage of insulin and metformin alone do not provide adequte control.	08/02/2010
1043.	S(+) Etodolac 5/10%w/w + Camphor 4%w/w + Menthol 10%w/w + Methyl salicylate 5%w/w + Linseed oil 3%w/w gel	For the painful & inflammatory conditions associated with joint, tendons, ligaments and muscles	08/05/2010
1044.	Cefpodoxime 100/200mg+Dicloxacillin ER 500/500mg Tablet	For the treatment of lower RI, Skin and soft tissue, bone and joint infections and ENT infections in adult patients prone to antibiotic induced diarrhoea	08/06/2010
1045.	Voglibose 0.3mg + Metformin (SR) 500mg Tablet	As 2nd line treatment of type II Diabetes mellitus when diet, exercise and the single agent do not result in adequate glycemic control.	08/06/2010
1046.	Olmesartan 40mg + Amlodipine 5mg Tablet (Additional Strength)	Additional indication: 1. For the treatmenmt of hypertension alone or with other antihypertensive agents 2. To use as initial therapy in patients who are likely to need multiple antihypertensive agents to achieve their blood pressure goals	08/09/2010

1047.	Metformin 500/500mg + Repaglinide 1/2mg Tablet	Indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus who are already treated with a meglitinide & metformin or who have inadequate glycemic control on a meglitinide alone or metformin	20/08/10
1048.	Rosuvastatin 5/10/20mg+Fenofibrate 67/145/160mg Tablet	For the treatment of combined hyperlipidemia in patients with normal hepatic and renal function	23/08/10
1049.	Rosuvastatin 5/10mg +Fenofibrate 145/67 mg Tablet	For the treatment of combined hyperlipidemia in patients with normal hepatic and renal function	23.08.10
1050.	Fexofenadine Hydrochloride 120mg + Montelukast Sodium eq to Montelukast 10mg Chewable tablet Film coated tablet	For treatment of allergic rhinitis in adults only	31/08/10
1051.	Cefixime SR 200mg/400mg + Ofloxacin SR 200mg/400mg Tablet	For the treatment of patients with typhoid fever and urinary tract infection in adults	31.08.10
1052.	Etodolac 400mg/400mg + Thiocolchicoside 4mg/8mg tablet (additional strength)	For the treatment of patients with acute painful musculoskeletal conditions	09.09.10
1053.	Lornoxicam 4mg + Eperisone 50mg tablet	For the improvement of myotonic conditions caused by neck shoulder arm syndrome, scapulumeral periarthritis and low back pain in adult patients only	13.09.10
1054.	Beclomethasone Dipropionate IP 0.025% w/w + Neomycin sulphate IP 0.5% w/w cream	Additional lower strength	15.09.10
1055.	Amlodipine 5mg/2.5mg + Valsartan 320mg/80mg + HCTZ 12.5mg/12.5mg tablet (additional strength)	For the treatment of essential hypertension	21.09.10
1056.	Paracetamol 500mg/500mg +Thioclchicoside 4mg/8mg tablet	For the treatment of acute inflammation conditions associated with spasm in adults only	21.09.10
1057.	Ketorolac Tromethamine 0.4% w/v +Moxifloxacin 0.5% w/v Ophthalmic solution (Additional strength)	For reduction of post-operative inflammatory conditions of the eyes.	21.09.10
1058.	Etodolac 400mg + Paracetamol IP 500mg tablet (additional strength)	For the symptomatic treatment of acute pain and inflammation in patients with osteoarthritis, rheumatoid arthritis and ankylosing spondylitis	01.10.10

1059.	Dried Aluminium Hydroxide Gel IP 600mg +Magnesium Hydroxide IP 300mg +Simethicone IP 25mg +Oxetacaine BP 10mg per 5ml suspension	For the treatment of symptoms of functional gastrointestinal disorders like irritable bowel syndrome, functional dyspepsia, peptic ulcer, gastroesophageal reflux disease which include smooth muscle spasms, flatulence, abdominal distension, hyperacidity, gastric distress, bloating etc.	05.10.10
1060.	S(-) Metoprolol Succinate ER Eq. to S (-) Metoprolol tartarate 25mg/50mg + Clopidogrel (IR) 75mg/75mg tablet	For the treatment of essential hypertension who need antiplatelet therapy especially for prophylaxis of atherombotic event.	07.10.10
1061.	Drospirinone + Ethinylestradiol tablets Same as approved	For the treatment of moderate acne vulgaris in adult females, who have no known contraindications to oral contraceptive therapy, and have achieved menarche. It should be used for the treatment of acne only if the patient desires an oral contraceptive for birth control.	09.10.10
1062.	Etodolac USP 400mg +Tolperisone HCL 150mg tablet	For the treatment of acute inflammation conditions associated with spasm in adults only	11.10.10
1063.	Citicoline 500mg +Piracetam 400mg per 5 ml syrup (additonal dosage)	For the treatment of acute stroke	11.10.10
1064.	Thiocolchicoside 0.25% +Methyl salicylate IP 100mg +Menthol IP 50mg +Absolute alcohol IP 50mg per gm gel	For the topical treatment of painful muscles spasms of skeletal musculature	11.10.10
1065.	Amlodipine Besylate IP Eq. to Amlodipine 10mg/5mg/2.5mg + Telmisartan 80mg/40mg/20mg + HCTZ 25mg/12.5mg/12.5mg tablet	For the treatment of essential hypertension	12.10.10
1066.	Pregabalin 150mg/75mg +Methylcobalamin 750mcg +Alpha lipoic acid 100mg +Pyridoxine 3mg +Folic acid 1.5mg capsule	For the treatment of painful diabetic neuropathy in adults only	12.10.10
1067.	Ferrous bisglycinate 60mg + Zinc sulphate monohydrate Eq. to Zinc 14mg + Copper as copper sulphate 1 mg + Selenium as selenomethionine 70mcg + Vitamin B6 IP 10mg + Methylcobalamin 1500mcg + Folic acid 5mg + Fish oil 10/40 (DHA 200mg) 500mg capsule.	For Vitamin and mineral deficiency	13.10.10
1068.	Combipack of 21 tablets of FDC of Ethinylestradiol IP 0.03 mg + Levonorgestrel IP 0.15 mg and 7 tablets of Ferrous Fumarate IP 75mg (Eq. to 24.375 mg of Ferrous iron)	As contraceptive pill for women	13.10.10

1069.	Amitriptyline Hydrochloride IP 4%w/w + Ketamine HCL eq. to Ketamine 2% w/w per gm cream.	For the treatment of patients suffering from neuralgia	13.10.10
1070.	Paracetamol IP 500mg + Phenylephrine HCL IP 5mg +Caffeine (anhydrous) IP 30mg + Diphenhydramine HCL IP 25mg tablet.	For the treatment of fever associated with cold, nasal congestion in adults	13.10.10
1071.	Levocetirizine dihydrochloride 2.5mg +Montelukast 5mg dispersible tablet	For the treatment of allergic rhinitis	13.10.10
1072.	Calcium citrate maleate Eq. to elemental calcium 250mg +Vitamin D3 IP 200 IU tablet	For the treatment of calcium and Vitamin D deficiency states	13.10.10
1073.	Levonorgesterel 100mcg +Ethniyl estradiol IP 20mcg tablet	(Additional indication) For the treatment of moderate acne vulgaris in women more than 18 years of age who have no therapy contraindications to oral contraceptive therapy, desire contraceptiopn, and have achieved menarche	13.10.10
1074.	Eberconazole 1% w/w + Mometasone Furate USP 0.1% w/w cream	For the treatment of mild to moderate inflammed cutaneous mycoses	13.10.10
1075.	Tolperisone HCL 150mg + Paracetamol IP 500mg tablet	For the treatment of patients with acute painful musculoskeletal conditions	21.10.10
1076.	Solution for haemofiltration and haemodialysis (Each unit contains two compartments A & B. Before reconstitution: • 1000ml of electrolyte solution in Compartment A contains Calcium Chloride. 2H2O5.145gm, Magnesium Chloride. 2H2O.... 2.033gm, Lactic Acid....5.4gm, • 1000ml of buffer solution in Compartment B contains: Sodium Chloride....6.45gm, Sodium Bicarbonate....3.090gm)	For treatment of acute kidney disease (renal failure), as substitution solution in continuous haemofiltration and haemodiafiltration and as a dialysis solution in continuous haemodialysis.	23.12.2010
1077.	Pyridoxine HCL IP 3mg + Nicotinamide IP 100mg + Cyanocobalamin IP 15mcg + Folic acid IP 500mcg + Chromium Picolinate USP 250mcg Tablet	For Mineral & Vitamins deficiency states in adult patients	23.12.2010
1078.	Rosuvastatin Calcium IP 5mg/10mg + Fenofibrate BP 160mg/160mg tablet (Additional strength)	For the treatment of combined hyperlipidemia in patients with normal hepatic and renal function	29.12.2010
1079.	Chlorhexidine gluconate IP 1%w/v + Ethyl Alcohol IP 61%w/v Solution	Surgical hand scrub & healthcare personnel hand wash	29.12.2010
1080.	Streptococcus faecalis T-110 JPC 30 million + Clostridium butyricum TO-A 2 million + Bacillus mesentericus TO-A JPC 1 million + Lactic acid bacillus (lactobacillus sporogenes) 50 million Capsules	For restoration of intestinal microflora	15-03-2010

1081.	Levocetirizine 2.5mg + Montelukast 4mg Dispersible Tablet & Syrup	For the treatment of allergic rhinitis	13.01.2010
1082.	Streptococcus faecalis 30million + Clostridium butyricum 2million + Bacillus mesentericus 1million+ Lactic acid bacillus 50million (lactobacillus sporogenes) Capsules	For restoration of intestinal microflora	15.03.2010
1083.	Niacin 1000mg ER + Laropiprant 20mg Tablet	For the treatment of dyslipidemia, particularly in patients with combined mixed dyslipidemia (characterized by elevated levels of LDL-cholesterol and triglycerides and low HDL-cholesterol) and in patients with primary hypercholesterolemia (heterozygous familial and non-familial) In combination with HMG-CoA reductase inhibitor when cholesterol lowering effect of HMG-CoA reductase inhibitor monotherapy is inadequate. it can be used as monotherapy only in patients in whom HMG-CoA reductase inhibitors are considered inappropriate or not tolerated	31.03.2010
1084.	Diclofenac 100mg (EC) + Thiocolchicoside 8mg Capsule	For secondary prophylaxis of ischemic heart disease in patients where use of such combinations is appropriate	06.07.2010
1085.	Imipenem 50mg + Clistatin 50mg Injection	For the treatment of P. falciparum resistant malaria patients	14.07.2010
1086.	Isphghula 3.5gm + Lactitol 10gm per 15gm Sachet	For the treatment of patients with constipation	25.10.2010
1087.	Chlorhexidine gluconate IP 1%w/v + Ethyl Alcohol IP 61%w/v Syrup	For treatment of allergic rhinitis in adults only	29.12.2010
1088.	Alpha Lipoic Acid USP 100mg + Methylcobalamin 1500mcg + Vitamin B6 IP 3mg + Folic Acid IP 1.5mg + Benfotiamine 50mg + Biotin USP 5mg + Chromium Picolinate USP Eq. to Chromium 200mcg Capsule	For the treatment of diabetic neuropathy	03.01.11
1089.	Moxifloxacin HCl BP 0.5% w/v + Bromfenac Sodium 0.09% w/v Eye drop	For the reduction of post operative inflammatory conditions of the eye	05.01.11
1090.	Ferrous Ascorbate 100mg + Folic Acid IP 1.5mg + Cyanocobalamin IP 15mcg + Zinc Sulphate Monohydrate Eq. to Elemental Zinc 22.5mg Tablet	For the treatment of iron deficiency anaemia	05.01.11
1091.	S (+) Etodolac 300mg +Thiocolchicoside 8mg Tablet	For the treatment of patients with acute painful musculoskeletal conditions	05.01.11

1092.	Beclomethasone Dipropionate IP 100mcg + Formoterol Fumarate Dihydrate BP Eq. to Formoterol Fumarate 6 mcg Metered Dose Inhaler	For the treatment of bronchial asthma where use of inhaled corticosteroid therapy found appropriate	05.01.11
1093.	Amlodipine Besilate IP Eq. to Amlodipine 5mg + Indapamide USP SR 1.5mg Tablet	For the treatment of mild to moderate hypertension	05.01.11
1094.	Metformin HCl IP 500mg + Alpha Lipoic Acid USP 200mg Tablet	For the treatment of patients with diabetic polyneuropathy	05.01.11
1095.	Spironolactone IP 25mg + Furosemide IP 40mg Tablet	For treatment of resistant oedema associated with secondary hyperaldosteronism; resistant hypertension, chronic cardiac failure and hepatic cirrhosis	05.01.11
1096.	Methylcobalamin 500mcg + Folic Acid IP 1.5mg + Zinc Sulphate IP 25mg + Chromium Polynicotinate 200mcg + Selenium as Sodium Selenite USP 65 mcg + Inositol 100mg + Alpha Lipoic Acid 50mg + Streptococcus faecalis 30 Millions (30 lakh) + Clostridium butyricum 2 Million (20 lakh) + Bacillus mesentericus 1 Million (10 lakh) + Lactic acid bacillus 50 Million (500lakh) Capsule	For Vitamins and Minerals deficiency states in adult patients	11.01.11
1097.	Hydroquinone USP 2% w/w + Tretinoin USP 0.025% w/w + Allantoin USP 1%w/w Gel	For treatment of hyper pigmentry disorders	31.01.11
1098.	Each bowel preparatory kit contains:One sachet of powder for reconstitution contains: Polyethylene glycol 3350NF: 210gm + Sodium Bicarbonate IP 2.86gm + Sodium Chloride IP 5.6gm + Potassium Chloride IP 0.74gm	For bowel cleansing prior to colonoscopy in adult patients only	11.02.11
1099.	Meropenem IP 1000mg + Sulbactam sodium USP 500mg injection	For the treatment of lower respiratory tract infection caused by gram negative bacteria in adults only	15.03.11
1100.	Adenosylcobalamin 15mcg + Ferrous Ascorbate 100mg + Folic Acid IP 1.5mg + Zinc Sulphate USP Eq. to Elemental Zinc 22.5mg tablet	For the treatment of iron deficiency anaemia in adults only	21.03.11
1101.	Aspirin (EC Tablets) 75mg/75mg/150mg +Rosuvastatin (Granules) 5mg/10mg/10mg Capsules	For the treatment of dyslipidemia associated with arthersclerotic arterial disease with risk of Myocardial infarction, stroke or peripheral vascular disease.	30.03.11
1102.	Cefpodoxime IP 100mg/100mg/200mg/200mg +Ofloxacin IP 100mg/200mg/100mg/200mg Tablets	For the Treatment of Lower and upper respiratory tract infection and Typhoid fever in adults only	16.04.11

1103.	Cefixime Trihydrate IP Eq. to Anhydrous Cefixime 100mg/200mg + Ofloxacin IP 100mg/200mg Dispersible Tablet	For the treatment of patients with typhoid fever and urinary tract infection in adults	20.04.11
1104.	Dexketoprofen 50mg + Dicyclomine 20mg per 2ml Injection	For the treatment of acute colicky pain in adult patients	28.04.11
1105.	Gatifloxacin 0.3% + Loteprednol Etabonate 0.5% + Benzalkonium Chloride 0.01% w/v Ophthalmic suspension	For Post-Operative Steroid repulsive inflammatory Ocular conditions when Ocular bacterial infections or a risk of bacterial infection exists	19.05.11
1106.	Diclofenac (as EC Tablets) 25mg + Paracetamol 325 mg Capsule	For the symptomatic treatment of acute pain and inflammation in patients with osteoarthritis, rheumatoid arthritis and ankylosing spondylitis	31.05.11
1107.	Amlodipine 10mg/10mg+ Telmisartan 40mg/80mg Tablets	For essential hypertension	31.05.11
1108.	1. PROBIO : Each sachet (1g) contains: Total Probiotic.... Not less than 1.25 Billion CFU (Lactobacillus acidophilus, Lactobacillus rhamnosus, Bifidobacterium longum, Saccharomyces boulardii) 2. PROBIO & PREBIO (F)s Each sachet (1g) contains: Probio (CMP 5) Total Probiotic...Not less than 1.25 Billion CFU (Lactobacillus acidophilus, Lactobacillus rhamnosus, Bifidobacterium longum, Saccharomyces boulardii); Fructo Oligo Saccharides 100mg 3. PROBIO & PREBIO (D); Each sachet (1.3g) contains: Probio (CMP 5); Total probiotic... not less than 1.25 billion CFU (Lactobacillus acidophilus, Lactobacillus rhamnosus, Bifidobacterium longum, Saccharomyces boulardii); Fructo Oligo Saccharides...1000mg	For the treatment of rotavirus diarrhoea.	09.06.11
1109.	Paracetamol 325mg + Tramadol Hydrochloride 37.5 mg Tablets	Additional indication. (For Symptomatic Treatment of Moderate To Severe Pain.)	21.06.11
1110.	Fexofenadine 120mg + Montelukast 10mg Chewable tablet (additional Dosage form)	For treatment of allergic rhinitis in adults only	07.07.11
1111.	Each Combipack of 21 tablets contains : A) FDC of Norgestrel & Ethinyl estradiol tablets IP Each sugar coated white tablet contains: Norgestrel 0.30mg & Ethinyl estradiol 0.03mg B) 7 tablets of Ferrous Fumarate: Each sugar coated tablet contains : - Ferrous Fumarate 75mg eq. to 24.375mg of ferrous iron	As contraceptive pill for women	27.07.11

1112.	Cefixime (SR) 400mg +Moxifloxacin (SR) 400 mg Tablets	For the treatment of lower respiratory tract infections in adults only	08.08.11
1113.	Alpha Lipoic acid 100mg + Folic acid 1.5mg + Methylcobalamin 1500mcg + Pyridoxine Hydrochloride 3mg + Vitamin D3 1000 IU Tablets	For the treatment of Diabetic neuropathy	10.08.11
1114.	Levosulpride (SR) 75mg + Rabepazole sodium IP (EC Pellets) 20mg Capsule	For the treatment of Gastro-oesophageal Reflux Disease (GERD)	19.08.11
1115.	Each Combikit contains Part A - One film coated tablet of Tenofovir Disoproxil Fumarate 300mg eq. to Tenofovir 245mg + Emtricitabine 200mg. Part B - One film coated tablet of Atazanavir sulphate eq. to Atazanavir 300mg + Ritonavir 100mg	For the treatment of HIV infection in adults.	23.08.11
1116.	Diclofenac sodium (SR) 100mg + Eperisone Hydrochloride (SR) 150mg Capsules	For the treatment of patient with acute musculoskeletal spasm associated with low back pain.	24.08.11
1117.	Rosuvastatin Calcium eq. to Rosuvastatin 20mg/20mg + Fenofibrate BP 67.5mg/145mg Tablets	For the treatment of combined hyperlipidemia in patients with normal hepatic and renal function	24.08.11
1118.	Acyclovir 50g + Hydrocortisone 10mg Cream	For the early treatment of recurrent cold sores in adult patients to reduce likelihood of ulcerative cold sores and to shorten the lesion healing time	30.08.11
1119.	Clindamycin Phosphate eq. to Clindamycin 1% w/w + Hydrous Benzoyl Peroxide eq. to Anhydrous Benzoyl peroxide 2.5% w/w topical gel	For topical treatment of inflammatory acne vulgaris (Additional lower strength)	30.08.11
1120.	Poly ethylene glycol 0.4% w/v + Propylene Glycol 0.3% w/v Eye Drops Each vial contains: Polythylene Glycol 400..... 0.4% w/v Propylene Glycol0.3% w/v Eye drops	For temporary relief of burning and irritation due to dryness of the eye	13.09.2011 14.11.2011
1121.	Metformin (ER)1000mg/500mg +Saxagliptin 2.5 mg/5mg Tablets	As an Adjunct to diet and exercise to improve glycemic control in adults patients with type 2 diabetes mellitus when treatment with both Saxagliptin and Metformin is appropriate	19.09.11

1122.	Ceftriaxone Sodium eq. to Ceftriaxone Sodium + Sulbactam Sodium eq. Sulbactam + Edetate Bi Sodium USNF (2000mg+1000mg+74mg & 1000mg + 500mg + 37mg) Injection	Additional Indication - For the treatment of urinary tract infections and lower respiratory tract infections, various bacteria	21.09.11
1123.	Difluprednate 0.05% w/v + Moxifloxacin 0.5% w/v Eye Drops	For steroid responsive inflammatory ocular conditions for which a corticosteroid is indicated and where bacterial infection or a risk of bacterial ocular infection exists	22.09.11
1124.	S(-) Amlodipine 2.5mg/5mg + Clopidogrel 75mg/75mg Tablets	For the treatment of high risk hypertensives who need anti-platelet therapy especially for prophylaxis of artherothrombotic events in patients with a history of recent stroke or established peripheral arterial disease	22.09.11
1125.	Each combipack contains : A) One tablet of Risedronate Sodium - Each film coated tablet contains: Risedronate Sodium (as Risedronate Sodium Hemi-Pentahydrate) - 35 mg B) Six Capsules of FDC of Calcitriol +Calcium carbonate + Zinc Each soft gelatin capsule contains : Calcitriol IP - 0.25mcg Calcium Carbonate IP - 500mg (eq. to elemental calcium 200mg) Zinc (as Zinc Sulphate USP) 7.5 mg	For the treatment of Osteoporosis in post menopausal women	30.09.11
1126.	Akiskiren Hemifumarate eq. to Aliskiren 150mg/150mg/300mg/300mg +Amlodipine Besilate IP eq. to Amlodipine 5mg/10mg/5mg/10mg Tablets	For the treatment of hypertension: a) As initial therapy in the patient likely to need multiple drugs to achieve blood pressure control. B) In the patients whose blood pressure is not adequately controlled with the Aliskiren alone or Amlodipine (or another dihydropyridine calcium channel blocker) alone. C) As replacement therapy in patients already receiving Aliskiren and Amlodipine from separate tablets at the same dose level.	12.10.11
1127.	Ferrous Ascorbate eq. to elemental iron 100mg + Folic acid IP 1.5 mg + Methylcobalamin 1.5mg +Zinc Sulphate monohydrate IP eq to elemental Zinc 22.5mg Tablets. (Additional strength)	For the treatment of Iron deficiency anaemia	19.10.11
1128.	Arterolane Maleate 150mg + Piperaquine Phosphate 750mg Tablet	Treatment of acute uncomplicated malaria infection due to Plasmodium falciparum in adults.	19.10.11

1129.	Gatifloxacin IP eq. to Gatifloxacin (Anhydrous) 3.0mg + Difluprednate 0.5mg + Benzalkonium Chloride IP (As preservative) 0.01% w/v Eye Drops	For the treatment in the patients with inflammatory ocular conditions where bacterial infection or a risk of bacterial ocular infection exists	24.10.11
1130.	Diclofenac Sodium IP (as sustained release Pellets) 100mg + Thiocolchicoside (as sustained release pellets) 16mg Capsule. (New Dosage Form)	For the treatment of acute inflammation conditions associated with spasm in adults only.	15.11.11
1131.	Epalrestat 50mg + Methylcobalamin 500mcg Tablets	For the treatment of Diabetic Neuropathy	16.11.11
1132.	Ketorolac Tromethamine IP 4.00mg + Olopatadine Hcl eq. to Olopatadine 1.00mg + Benzalkonium Chloride IP 0.05mg Ophthalmic solution	For the treatment of seasonal allergic conjunctivitis in adults only	21.11.11
1133.	Tramadol Hcl IP (As Immediate Release Layer) 50mg + Diclofenac Sodium IP (As Sustained Release Layer) 75mg Tablets	For the symptomatic treatment of moderate to severe pain in adult patients	21.11.11
1134.	Budesonide IP 1mg/0.5mg + Formoterol Fumarate Dihydrate IP eq to Formoterol Fumarate 20mcg/20mcg Respirator suspension. (Additional Strength)	For the treatment of asthma where the use of corticosteroid and long acting beta agonist in combination is appropriate	21.11.11
1135.	Amlodipine Besilate IP eq.to Amlodipine 10mg/5mg/5mg/5mg/2.5mg + Olmesartan Medoxomil 40mg/40mg/20mg/5mg/5mg + Hydrochlorothiazide IP 25mg/12.5mg/12.5mg/12.5mg/12.5mg Tablet	For the treatment of essential hypertension	23.11.11
1136.	Each Combipack contains Part (A) One Strip of FDC of Ramipril + Amlodipine Tablets;- Each uncoated tablet contains Ramipril IP - 5mg, Amlodipine besylate IP eq to Amlodipine 5mg B) Each Film coated tablet contains ;- Atorvastatin Calcium IP eq to Atorvastatin 10mg/20mg.	For the treatment of hypertension and as an adjunct to diet in patients to reduce elevated total cholesterol and triglyceride levels hypertension and dyslipidemia. The polypack should be used in patients for whom treatment with all of the three i.e Ramipril, Amlodipine and Atorvastatin is appropriate.	28.11.11
1137.	Rosuvastatin Calcium IP eq to Rosuvastatin 5mg + Ezetimibe 10mg. (Additional Strength)	For the treatment of patients with primary hypercholesterolemia.	05.12.11
1138.	Tolperisone Hcl IP 150mg + Diclofenac IP 50mg Tablets	For the treatment of Patients with acute muscle/musculoskeletal spasm in adult	07.12.11
1139.	Paracetamol IP 325mg + Pamabrom USP 25mg Tablets	For the treatment of patient with pre-menstrual syndrome in adults only	07.12.11
1140.	Dosulepine Hcl 50mg/75mg + Methylcobalamin 1500mcg/1500mcg Tablets	For the treatment of neuropathic pain.	08.12.11
1141.	Montelukast Sodium IP eq.to Montelukast 10mg +Olopatadine Hcl 5mg Tablets	For the treatment of relief of symptoms of allergic rhinitis	16.12.11

1142.	Amlodipine Besilate IP eq. to Amlodipine 5mg + Perindopril Erbumine BP 8mg Tablets. (Additional Strength).	For the treatment of mild to moderate hypertension in adults only and or treatment of stable coronary artery disease in patients already controlled with Perindopril & Amlodipine given concurrently at same dose level	20.12.11
1143.	Metoprolol succinate ER 25 mg+Telmisartan 40mg Tablet	For the treatment of essential hypertension	20.12.11
1144.	Iron Amino Acid Chelate as Ferrous Bisglycinate (75mg) eq. to Elemental Iron 15mg + Folic acid IP 0.25mg + Vitamin B 12 IP 3.75mcg +Zinc Picolinate (26mg) eq. to Elemental Zinc 5.5mg Syrup	For the treatment of Iron Deficiency Anaemia	22.12.11
1145.	Artemether 20mg + Lumefantrine 120mg Syrup	for the treatment of pf. Malaria cases resistant to both chloroquine and Sulphadoxine - Pyramethamine combination.	05.01.2011
1146.	Rosuvastatin 5/5/5/10/10/10/20mg + Fenofibrate 67.5/145/160/67.5/145/160/160mg Tablet	For the treatment of essential hypertension	19.02.2011
1147.	Omega-3 acid ethyl esters (90%) 1000mg comprising (Eicosapentaenoic acid (EPA) ethyl ester 460mg + Docosahexaenoic acid (DHA) ethyl ester 380mg) capsules (Additional Strength)	(a) Adjuvant treatment in secondary prevention after myocardial infarction, in addition to other standard therapy (eq. statins, antiplatelet medicinal products, betablockers,ACE inhibitors). (b) Endogenous hypertriglyceridemia as a supplement to diet when dietary measures alone are insufficient to produce an adequate response in type IV as monotherapy and in type IIb/III in combination with statins, when control of triglycerides is insufficient.	16.03.2011
1148.	Montelukast 10mg + Fexofenadine 120mg Chewable Tablets (Additional dosage form)	Surgical hand scrub & healthcare personnel hand wash	07.07.2011
1149.	Ornidazole IP 1 % w/w + Povidone Iodine IP (0.5% w/w available Iodine) 5% w/w Ointment	For the prevention and treatment of surgical wound infections in adult patients undergoing surgery	03.01.12
1150.	Aceclofenac IP (Sustained released pellets) 200mg/200mg + Thiocolchicoside IP (Sustained released pellets) 8mg/16mg Capsules. (New Dosage Form)	For the treatment of acute inflammation conditions associated with spasm in adults only	04.01.12

1151.	Budesonide IP 1mg/0.5mg + Formoterol Fumarate Dihydrate IP eq to Formoterol Fumarate 20mcg/20mcg Respirator suspension. (Additional Indication)	In the regular treatment of patients with moderate to severe Chronic Obstructive Pulmonary Disease (COPD) with frequent symptoms and a history of exacerbations.	04.01.12
1152.	Diclofenac Sodium IP (Enteric coated granules) 50mg + Eperisone Hcl IP (Tablet) 50mg Hard Gelatin Capsules. (New Dosage Form)	For the treatment of Patients with acute musculoskeletal spasm associated with low back pain	06.01.12
1153.	Cephalexin IP (as monohydrate) 200mg + Kanamycin IP (as monosulphate) 100,000 IU Suspension per 10 gm Intramammary Suspension	For the treatment of clinical mastitis in lactating dairy cows for bacteria susceptible to the combination of cephalexin and kanamycin such as Staphylococcus aureus, Streptococcus dysgalactiae, Streptococcus uberis and Escheria coli.	07.03.12
1154.	Sterile Solution for Peritoneal Dialysis Each 1000 ml contains: Calcium chloride dihydrate 0.184 g/l + Glycine 0.51 g/l + L-Alanine 0.951 g/l + L- Arginine 1.071 g/l + L-Isoleucine 0.85 g/l + L- Histidine 0.714 g/l + L-Leucine 1.02 g/l + L- Lysine (as Hcl) 0.955 g/l + L-Methionine 0.85 g/l + L- Phenylalanine 0.57 g/l + L-Proline 0.595 g/l + L- Serine 0.51 g/l + L-Threonine 0.646 g/l + L-Tryptophan 0.27 g/l + L-Tyrosine 0.3 g/l + L-Valine 1.393 g/l + Magnesium chloride hexahydrate 0.051 g/l + Sodium chloride 5.38 g/l + Sodium lactate 4.48 g/l	As Nutritional supplements for malnourished renal failure patients (Albumin concentration lower than 35 g/litre) being maintained on peritoneal dialysis.	18.04.12
1155.	Imipenem IP (Sterile) eq to anhydrous Imipenem 1 g + Cilastatin Sodium IP (sterile) eq to Cilastatin 1 g Powder for Injection (Additional strength)	For the treatment of serious lower respiratory tract infections, urinary tract infections, intra-abdominal, bone and joint infection, endocardities and bacterial septicemia	28.06.12
1156.	Cefpodoxime 100mg + Ofloxacin 100mg Dispersible Tablet (Additional Dosage form)	For the Treatment of Lower and upper respiratory tract infection and Typhoid fever in adults only	29.11.2012
1157.	Diclofenac Diethylamine BP 4.64 % w/v Eq. to Diclofenac Sodium IP 4.00 % + Absolute Alcohol IP 10.00 % v/v Topical Solution	For the Treatment of Acute Lower Back Pain	21.12.12
1158.	Diclofenac Diethylamine BP 2.32 % w/v Eq to Diclofenac Sodium 2.00 % w/v + Methyl Salicylate IP 10.00% w/v + Menthol 5.00 % w/v + Absolute Alcohol IP 10.00 % v/v Topical Solution (Additional Strength)	For the Treatment of Acute Lower Back Pain	01.01.2013

1159.	Telmisartan 20mg + Amlodipine Besylate Eq. to Amlodipine 2.5mg + Hydrochlorothiazide 6.25mg Tablets (Additional Strength)	For the Treatment of Essential Hypertension	03.01.2013
1160.	Amlodipine besilate IP Eq. to Amlodipine 10mg + Indapamide SR 1.5 mg Tablet (Additional Strength)	For the treatment of mild to moderate Hypertension	02.01.2013
1161.	Each sustained release tablet contains: Tolperisone HCl 450mg + Diclofenac Sodium IP 100mg (additional strength)	For the treatment of Patients with acute muscle/musculo skeletal spasm in adult	12.04.2013
1162.	Each uncoated bilayered tablet contains: Telmisartan Ph. Eur IP 80mg + Hydrochlorothiazide Ph. Eur 25mg (additional strength)	For the treatment of hypertension as second line therapy	14.05.2013
1163.	Ferrous Sulphate eq. to Elemental Iron 100mg/20mg + Folic Acid IP 0.5mg/0.1mg Enteric coated tablets (Additional Dosage Form)	For the treatment of Iron deficiency Anaemia	15.07.13
1164.	Linagliptin 2.5mg/2.5mg/2.5mg + Metformin 500mg/850mg/1000mg Film coated Tablets	As an adjunct to diet and exercise to improve glycemia control in adults with type II Diabetes Mellitus when treatment with Linagliptin and Metformin is appropriate.	26.07.13
1165.	Artemether 60mg +Lumefantrine 360mg (additional Strength) uncoated Tablets	For the treatment of pf malaria cases resistant to both chloroquine and sulfadoxine-pyremethamine combination	29.07.13
1166.	Latanoprost 0.005% W/v +Timolol maleate 0.5% W/v (Presevative free) Ophthalmic Solution (Additional Dosage Form)	For reduction of elevated intra ocular pressure in patients with open angle glaucoma & ocular hypertension	10.09.13
1167.	Metformin Hcl 500mg/850mg/1000mg+ Vildagliptin50mg/50mg/50mg Film coated Tablet (additional indication)	For the treatment of Type 2 Diabetes mellitus having HbA1c > 8% where diabetes is not adequately controlled by diet and exercise alone.	22.10.13
1168.	S(-) Amlodipine besilate IP Eq to S(-) Amlodipine 5mg / 2.5mg + Hydrochlorothiazide	For the treatment of essential hypertension	18.10.13

	IP 25mg/12.5mg +Olmesartan Medoxomil 40 mg /40 mg Tablet		
1169.	Each ml contains Dorzolamide Hydrochloride 2mg/ml + Timolol Maleate 5mg/ml ophthalmic solution (preservative free formulation of the approved FDC)	For the treatment of elevated intra ocular pressure in patients with open angle glaucoma or pseudoexfoliative glaucoma when topical beta- blockers monotherapy is not sufficient.	18.11.13
1170.	Praziquantal 20mg+Pyrantel embonate 230mg Tablet (Veterinary product)	For the treatment mixed infestations with roundworms and tapeworms in Dogs	25.11.13
1171.	Prasugrel Hydrochloride IP 10 mg (as film coated tablet) + Aspirin IP(as enteric coated tablets) 75 mg hard gelatine capsule	For the percutaneous Coronary intervention(PCI)	15.01.14
1172.	Glimepiride IP 0.5 mg+ Metformin Hydrochloride ER 500 mg uncoated bilayered tablets (additional strength)	As an adjunct to diet and exercise in type 2 diabetes mellitus patients, when monotherapy is not able to achieve glycemic control.	20.01.14
1173.	Each freeze-dried vial contains: Tiletamine (as Hydrochloride) 125 mg/250 mg+ Zolezepam(as hydrochloride) 125 mg/250 mg freeze dried powder for injectable(veterinary product)	As restrain and general anesthesia for dogs, cats and wild animals	20.01.14
1174.	Pantoprazole Sodium IP Eq to Pantoprazole 40 mg (As Enteric coated pellets) + Levosulpiride 75 mg (as sustained release tablets) Capsules	For short term treatment of GERD in adult patients who do not respond to PPI alone.	27.01.14
1175.	Gestodene 75 mcg+ Ethinylestradiol BP 20 mcg sugar coated tablet(additional strength)	For the prevention of Pregnancy	03.02.14
1176.	Each ml contains Minoxidil IP 5 %+ Finasteride IP 0.1% lipid Solution for topical application	For the treatment of androgenic alopecia in males.	07.02.14
1177.	Esomeprazole 40 mg (as delayed release pellets) + Levosulpiride 75 mg (As extended release tablet) hard gelatine capsule.	For short term therapy of Gastroesophageal Reflux Disease (GERD) in patients who do not respond to PPI alone	13.02.14
1178.	Each gram contains	For the treatment of chronic plaque psoriasis	19.02.14

	Mometasone Furoate IP 1 mg + Salicylic Acid IP 50 mg ointment (additional indication)		
1179.	<p>Each combipack contains:</p> <p>21 pills of FDC of levonorgestrel + ethinylestradiol tablets IP:</p> <p>Each sugar coated tablet contains:</p> <p>Levonorgestrel IP 150 mcg + ethinylestradiol IP 30 mcg</p> <p>7 pills of placebo/inert tablets</p>	As contraceptive pill for women.	01.04.14
1180.	<p>Each combipack contains:</p> <p>One tablet of Tenofovir Disoproxil FumArate+ Emtricitabine IP</p> <p>Each film coated tablet contains:</p> <p>Tenofovir Disoproxil Fumarate IP 300 mg Emtricitabine IP 200 mg</p> <p>Two tablets of Nevirapine IP</p> <p>Each tablet contains:</p> <p>Nevirapine IP 200 mg</p>	For the treatment of HIV-1 infection in adults.	03.04.14
1181.	<p>Each mouth dissolving tablet contains:</p> <p>Escitalopram Oxalate IP</p> <p>Eq to Escitalopram 10 mg +</p> <p>Clonazepam IP 0.5 mg</p> <p>(additional dosage form)</p>	For treatment of patients with comorbid depression and anxiety disorder	04.04.14
1182.	<p>Each film coated tablets contains:</p> <p>Indapamine USP(as sustained release form) 1.5 mg + Amlodipine Besilate IP Eq to Amlodipine 2.5 mg</p> <p>(additional strength)</p>	For the treatment of mild to moderate hypertension in elderly patients of age more than 65 years.	09.05.14

1183.	<p>Combipack</p> <p>Each strip contains-</p> <p>A. Sitagliptin Phosphate film coated tablets</p> <p>Each film coated tablet contains: sitagliptin Phosphate monohydrate Eq to 100 mg of sitagliptin</p> <p>B. Metformin Hydrochloride Sustained release Tablet IP. Each uncoated tablet contains: 1000 mg of metformin Hydrochloride IP</p> <p>(additional strength)</p>	<p>As an adjunct to diet and exercise to improve glycemic control in adult patients with type 2 Diabetes Mellitus.</p>	04.06.14
1184.	<p>Each capsule contains:</p> <p>Indacaterol Maleate 110 mcg</p> <p>Glycopyrronium Bromide 50 mcg inhalation powder, hard gelatin capsules</p>	<p>A once daily maintenance bronchodilator treatment to relieve symptoms and reduce exacerbations in patients with chronic Obstructive pulmonary disease COPD.</p>	22.07.14
1185.	<p>Each gram of ointment contains-</p> <p>Neomycin Sulphate IP 5 mg (3000 IU) + Bacitracin Zinc IP 500 IU</p> <p>(veterinary product)</p>	<p>Broad spectrum antibiotic skin ointment used for dressing of wounds, yoke gall, ulcers, cuts, abrasions, Foot rot, Udder impetigo, FMD lesions in hoof, post operative lesions & Burns.</p>	07.08.14
1186.	<p>Each ml of injection contains:</p> <p>Ivermectin IP 10 mg+ Clorsulon USP 100 mg</p> <p>(veterinary product)</p>	<p>For control and treatment of Liver fluke and Endoparasites like gastrointestinal and pulmonary nematodes, eye worms, skin and muscle worms and ectoparasites like ticks, mites, lice and grubs.</p>	07.08.14
1187.	<p>Each 10 ml (two teaspoonfuls) of oral dosage form(tonic) contains:</p> <p>1.25 g of liver fraction derived from</p> <p>31.25 g of fresh liver yeast Extract 0.4 g</p> <p>+ Nicotinic acid IP 24 mg+ Ethanol (95%) IP 1 ml + Alcohol Content 9.4 % v/v</p> <p>(veterinary product)</p>	<p>Indicated for the treatment of anorexia, indigestion and liver disorders in sheep, goat and cattle and for supplementary treatment of Aflotoxicosis, mycotoxicosis and fatty liver Syndrome in poultry.</p>	07.08.14
1188.	<p>Each 5 ml of the suspension contains:</p>	<p>For control and treatment of Gastrointestinal and pulmonary</p>	07.08.14

	Levamisole HCl IP 112.5 mg eq to levamisole 95.45 mg + Oxytoclozanide IP 150 mg + Anhydrous Copper Sulphate BP eq to elemental copper 1.25 mg + Zinc sulphate monohydrate USP eq to elemental Zinc 0.4 mg + Cobalt sulphate eq to elemental cobalt 0.15 mg (veterinary product)	Nematodes, liver Flukes and Amphistomes.	
1189.	Each Film coated tablet contains: Piperaquine tetraphosphate as Piperaquine Tetraphosphate Tetrahydrate (QP) 320 mg + Dihydroartemisinin (DHA) 40 mg	For the treatment of acute uncomplicated P. Falciparum malaria only for adult patients.	18.09.14
1190.	Each 5 ml of reconstituted suspension contains: Amoxicillin Trihydrate IP eq to Amoxicillin 200 mg/400 mg + Potassium Clavulanate IP Eq to Clavulanic acid 28.5 mg / 57 mg (additional Strength) “Added inadvertently”	For the treatment of bacterial infection such as Sinusitis otitis media, Tonsilitis, acute and chronic bronchitis skin and soft tissue infections and post operative pain	18.09.14
1191.	Each Uncoated tablet contains: Ezetimibe 10 mg + Simvastatin 40 mg (additional strength)	For the treatment of patients with primary hypercholesterolemia.	23.09.14
1192.	Each combipack contains: A. Each 5 ml of constituted suspension contains: 1. Amoxicillin Trihydarte IP eq to Amoxicillin 200 mg + Potassium Clavulanate IP eq to Clavulanic acid 28.5 mg 2. Amoxicillin Trihydarte IP eq to Amoxicillin 400 mg + Potassium Clavulanate IP eq to Clavulanic acid 57 mg B. One vial of purified water IP Each Vial contains: Purified water IP 30 ml (additional Pack)	For the treatment of bacterial infection such as Sinusitis otitis media, Tonsilitis, acute and chronic bronchitis skin and soft tissue infections and post operative pain	14.10.14

1193.	Each 1 ml of the constituted suspension contains: Amoxicillin Trihydrate IP eq to Amoxicillin 80 mg+ Potassium Clavulanate IP eq to Clavulanic Acid 11.4 mg (additional Strength)	For the treatment of infections due to susceptible isolates of the designated bacteria in the conditions such as lower Respiratory Tract Infections, Acute Bacterial Otitis Media, Sinusitis, Skin And Skin Stucture Infections, Urinary Tract Infections in Children more than 20 kg body weight.	14.10.14
1194.	Each uncoated tablet Contains: Ivermectin IP 2 mg + Praziquantel IP 50 mg (veterinary product)	Broad spectrum anthelmintic for the treatment and control of internal parasites(nematodes and cestodes) in dogs	17.11.14
1195.	Each 5 ml (one teaspoonful) contains: Magnesium Hydroxide IP 98 mg Added as Magnesium Hydroxide paste Aluminium Hydroxide 0.291 g (Added as Aluminium Hydroxide Paste) Eq to 0.380g of Dried Aluminium Hydroxide gel IP Oxetacaine BP 10 mg Liquid orals	For the treatment of dyspepsia and related symptoms	17.12.14
1196.	Cream contains: Gamma benzene Hexachloride IP 0.10% w/w Proflavin Hemisulphate 0.10% w/w Cetrimide IP 0.45 % w/w (veterinary product)	For dressing of maggot wounds, to protect wound from flies.	02.01.15
1197.	Each film coated tablet contains: Saxagliptin Hydrochloride eq. to Saxagliptin 5 mg Metformin Hydrochloride IP 1000mg	As an Adjunct to diet and exercise to improve glycemic control in adults patients with type 2 diabetes mellitus when treatment with both Saxagliptin and Metformin is appropriate	07.01.15

	(Extended Release Tablet) (Additional strength)		
1198.	Each ml contains: Diminazene Diacetate 70 mg+ Phenazone BP 375 mg + chlorocresol IP 0.1% w/v Injectable dosing form (veterinary product)	<ul style="list-style-type: none"> • For the treatment of: Babesiosis caused by B.bovis, B.bigemina, B.motasi & B.canis. • Trypanosomiasis caused by T.congolense, T.vivax, T.brucei & T.evansi. • Theileriosis caused by T.annulata & T.mitans. It is to be used with Antibiotic in annulata infection. • Especially suitable for mixed infection. • Pyrexia of unknown etiology. 	13.02.15
1199.	Each vial contains: Quinapyramine Sulphate B vet C 1.5 g + Quinapyramine Chloride B vet C 1.0g Injectable dosing Form (veterinary product)	Indicated as a preventive as well as curative in cases of Trypanosomiasis in cattle, buffalos, camel, horses, pigs and sheep.	13.02.15
1200.	Each Vial contains Sterile Meropenam IP eq. to Anhydrous Meropenam 1000mg +Sterile Sodium Carbonate IP Eq. to Sodium 90.2 mg +Sterile Sulbactam Sodium USP eq. to Sulbactam 500 mg injection (veterinary product)	For the treatment of lower respiratory tract infection caused by gram negative bacteria in adults only.	13.02.15
1201.	Miconazole Nitrate IP 2% w/w+ Fluocinolone Acetonide IP 0.01% w/w Cream	For the treatment of Candidal Intertrigo and seborrhoeic dermatitis.	13.02.15
1202.	Each combipack contains: 1. One vial Containing: Amoxicillin Sodium IP Eq. to Amoxicillin 200mg/2000mg/3000mg + Sulbactam Sodium USP Eq. to Sulbactam 100mg/1000mg/1500mg	For the treatment of common bacterial infections where antibiotic therapy is indicated, including URTI, genito-urinary infection, skin and soft tissue infections, bone and joint infections and other infections.	13.02.15

	2. One ampoule of Sterile water for injection IP 5ml/15ml/15ml		
1203.	<p>Each kit Contains:</p> <p>1. 5 sachets of Oral Rehydration Salts (4.4 g each)</p> <p>Each sachet contains:</p> <p>Combikit of Dextrose Anhydrous IP 2.70g + Sodium Chloride IP 0.52g + Sodium Citrate IP 0.58g + Potassium Chloride IP 0.30g</p> <p>2. 14 tablets of elemental zinc</p> <p>Each uncoated dispersible tablet contains:</p> <p>Zinc Sulphate monohydrate IP Eq. to elemental Zinc 20mg.</p>	For the treatment of acute infectious diarrhea.	05.03.15
1204.	<p>Each 5 ml Contains:</p> <p>Aluminium hydroxide paste eq. to Dried Aluminium hydroxide gel IP 250mg + Magnesium hydroxide paste eq. to Magnesium hydroxide IP 250mg + Simethicone Emulsion USP eq. to Simethicone 50mg + Oxetacaine BP 10mg</p>	used for symptomatic relief of peptic ulcer and gastritis	09.03.15
1205.	<p>Each enteric coated tablet contains:</p> <p>Dried Ferrous Sulphate Enteric Coated IP 150mg eq. to Elemental Iron 45 mg</p> <p>Folic acid 0.4 mg</p> <p>(Additional strength)</p>	For the treatment of iron deficiency anaemia.	19.03.15
1206.	<p>Each hard gelatin capsule contains:</p> <p>Dried Ferrous Sulphate IP 150mg (As Enteric Coated granules) eq. to Elemental Iron 45 mg</p> <p>Folic acid 0.5 mg.</p> <p>(Additional dosage form)</p>	For the treatment of iron deficiency anaemia.	19.03.15

1207.	Levamisole hydrochloride IP 15.0% w/w Eq. to Levamisole 12.7% w/w + Anhydrous Copper Sulphate BP Eq. to elemental Copper 0.16% w/w + Zinc Sulphate Monohydrate USP Eq. to elemental Zinc 0.05% w/w + Cobalt Sulphate Eq. to elemental Cobalt 0.02% w/w soluble powder for oral use. (veterinary product)	For control and treatment of gastrointestinal and pulmonary nematodes	30.04.15
1208.	Enrofloxacin 200 mg + Bromhexine HCl IP 15 mg oral solution. (veterinary product)	For the treatment of infectious diseases of poultry produced by Gram - positive bacterias, Gram - Negative bacteria and or mycoplasmas.	30.04.15
1209.	Ketoconazole IP 1.0 % w/w + Chlorhexidine Gluconate Solution IP Eq. to Chlorhexidine Gluconate 2.1 % w/w shampoo for topical use. (veterinary product)	For management of problems related with bacterial and fungal dermatitis of dogs and cats.	30.04.15
1210.	Cypermethrin 1.0% w/w + Miconazole Nitrate IP 2.0% w/w shampoo for topical application to hair coat. (veterinary product)	Controls fungal infections, kills and repels external parasites like ticks, fleas, lice and mites, moisturizes, soothes, removes bad odour without masking perfume and leaves fragrance on dog skin.	30.04.15
1211.	Levocetirizine Dihydrochloride IP 2.5mg/2.5mg/5mg + Montelukast Sodium IP Eq. to Montelukast 4mg/5mg/10mg orally disintegrating strip. (Additional dosage form)	For treatment of allergic rhinitis	30.04.15
1212.	Miconazole Nitrate IP 2% w/w + Flucinolone Acetonide IP 0.01% w/w cream	For the treatment of fungal infection.	30.04.15
1213.	Gel contains: Diclofenac Diethylamine BP eq to Diclofenac sodium 1 % w/w Methyl salicylate IP 10 % w/w Menthol IP 5 % w/w Linsed oil BP 3.0 w/w	For the treatment of pain, swelling and inflammation due to musculo-skeletal disorders (such as sprains, strains, tendonitis, bursitis, hand, neck, shoulder pain, sciatica, muscle stiffness, joint pain, backache & lunago.	30.01.08

1214.	Each film coated tablet contains: Ferrous ascorbate eq to Elemental Iron 100 mg/50 mg Folic acid IP 1.5 mg	For the treatment of iron deficiency anemia.	31.01.08
1215.	Oral Suspension: Each 5ml of reconstituted suspension contains: Amoxicillin trihydrate USP e.q. to Amoxicillin 400 mg Caluvulanate Potassium e.q. to Clavulanic acid 57 mg Dispersible Tablet: Each dispersible tablet contains: Amoxicillin trihydrate IP e.q. to Amoxicillin 400 mg Caluvulanate Potassium e.q. to Clavulanic acid 57 mg	For the treatment of LRTI infections (e.g. Pneumonia, bronchitis), acute otitis media, sinusitis, UTI, skin & soft tissue infections & bone & joint infections.	09.12.03
1216.	Each uncoated dispersible tablet contains: Amoxycillin trihydrate IP e.q. to Amoxycillin 200 mg + Potassium caluvulanate e.q. to Clavulanic acid 28.5 mg	For the treatment of LRTI infections (e.g. Pneumonia, bronchitis), acute otitis media, sinusitis & UTI, skin & soft tissue infections & bone & joint infections.	13.12.99
1217.	Each 5 ml conatins: Chlorpheniramine maleate 4 mg Codeine phosphate 10 mg	For dry cough	10.03.95
1218.	Each uncoated dispersible tablet contains: Amoxycillin trihydrate IP e.q. to anhydrous Amoxycillin 250 mg/125 mg Caluvulanate Potassium e.q. to Clavulanic acid 62.5 mg/31.25mg	For the treatment of LRTI infections (e.g. Pneumonia, bronchitis), acute otitis media, sinusitis, UTI, skin & soft tissue infections & bone & joint infections.	28.01.91
1219.	Each 5ml of reconstituted suspension contains: Amoxycillin trihydrate IP e.q. to Amoxycillin 200 mg	For the treatment of LRTI infections (e.g. Pneumonia, bronchitis), acute otitis media, sinusitis, UTI, skin & soft	Old drug

	Caluvulanate Potassium e.q. to Clavulanic acid 28.5 mg	tissue infections & bone & joint infections.	
1220.	Sodium Salicylate IP (Eq. to Salicylic acid IP 0.86% w/w) 1.0% w/w + Zinc Gluconate BP 0.5 % w/w + Pyridoxine HCl IP 0.5% w/w (Shampoo) (veterinary product)	For the treatment & control of keratoseborrhea in dogs and cats	08.06.15
1221.	Each Bolus contains: Levamisole HCl IP 2.0gm + Oxyclozanide IP 4.0gm (veterinary product) (Additional strength)	For the treatment of all flukes (Fasciola spp) & Tapeworm segmnts (Moniezia spp.) for cattle and sheep. Also for the various species of the nematodes.	08.06.15
1222.	Spray dosing form contains: Gamma benzene Hexachloride IP 0.10% w/v Proflavin Hemisulphate 0.10% w/v Cetrimide IP 0.45 % w/v (veterinary product) (Additional dosage form)	To kill maggots, to heal wound, to protect wound from flies.	15.07.15
1223.	Each Bolus (Tablet) contains: Levamisole HCl IP 1.5 g eq to levamisole 1.27 g + Oxyclozanide IP 2.0 g + Anhydrous Copper Sulphate BP eq to elemental copper 18.75 mg + Zinc sulphate monohydrate USP eq to elemental Zinc 6.0 mg + Cobalt sulphate eq to elemental cobalt 2.25 mg (veterinary product)	For control and treatment of Gastrointestinal and pulmonary Nematodes, liver Flukes and Amphistomes.	21.08.15
1224.	Teneligliptin Hydrobromide Hydrate Eq. to Teneligliptin 20mg Metformin- 500mg/1000mg (ER) Tablets	As an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus when treatment with both teneligliptin and metformin is appropriate.	05.01.16

1225.	<p>Brinzolamide 1.0% w/v</p> <p>Timolol maleate 0.683% w/v Eq. to Timolol 0.5% w/v</p> <p>Ophthalmic suspension</p> <p>(Please refer S. No. 1308)</p>	<p>Decrease of intraocular pressure (IOP) in adults patients with open angle glaucoma or ocular hypertension for whom monotherapy provides insufficient IOP reduction.</p>	18.02.16
1226.	<p>Emtricitabine 200mg</p> <p>Tenofovir Disoproxil Fumarate 300mg eq. to Tenofovir Disoproxil 245mg Tablet</p> <p>(additional Indication)</p>	<p>Indicated in Combination with safer sex practices for pre-exposure prophylaxis (PrEP) to reduce the risk of sexually acquired HIV-1 in adults at high risk.</p>	17.02.16
1227.	<p>Rifampicin - 75mg</p> <p>Isoniazid -50mg</p> <p>Pyrazinamide -150 mg dispersible tablet</p> <p>(additional strength)</p>	<p>The combination is indicated for the treatment of tuberculosis in children, caused by Mycobacterium tuberculosis.</p>	08.03.16
1228.	<p>Clopidogrel Bisulphate eq. to Clopidogrel 75mg</p> <p>Aspirin 100mg tablets</p> <p>(additional strength)</p>	<p>For the treatment of angina and myocardial infarction.</p>	15.03.16
1229.	<p>Rifampicin 75mg</p> <p>Isoniazid 50mg dispersible tablet</p> <p>(additional strength)</p>	<p>The combination is indicated for the treatment of tuberculosis in children, caused by Mycobacterium tuberculosis.</p>	11.03.16
1230.	<p>Brinzolamide 10mg</p> <p>Brimonidine Tartrate eq. to Brimonidine 2mg</p> <p>Ophthalmic suspension</p>	<p>For the reduction of elevated intraocular pressure (IOP) in patients with open-angle glaucoma or ocular hypertension.</p>	30.03.16

<p>1231.</p>	<p>Frontline Plus (Cats) contains:</p> <p>Fipronil 9.8%</p> <p>(S)-Methoprene 11.8%</p> <p>Frontline Plus (Dogs) contains:</p> <p>Fipronil 9.8%</p> <p>(S)-Methoprene 8.8%</p> <p>Spot-on-solution (veterinary formulation)</p>	<p>In Cats:</p> <ol style="list-style-type: none"> 1. To be used against infestation with fleas, alone or in association with ticks and/or biting lice. 2 Elimination of fleas (Ctenocephalides spp.). Insecticidal efficacy against new infestations with adult fleas persists for 4 weeks. Prevention of the multiplication of fleas by inhibiting the development of eggs (Ovicidal activity), larvae and pupae (larvicidal activity) originating from eggs laid by adult fleas for six weeks after application. 3. Elimination of ticks (<i>Ixodes ricinus</i>, <i>Dermacentor variabilis</i>, <i>Rhipicephalus sanguineus</i>). The product has a persistent acaricidal efficacy for up to 2 weeks against ticks (based on experimental data). 4. Elimination of biting lice (<i>Felicola subrostratus</i>). <p>The product can be used as part of treatment strategy for the control of Flea Allergy Dermatitis (FAD).</p> <p>In Dogs:</p> <ol style="list-style-type: none"> 1. To be used against infestation with fleas, alone or in association with ticks and/or biting lice. 2. Treatment of flea infestations (Ctenocephalides spp.). Insecticidal efficacy against new infestations with adult fleas persists for 8 weeks. Prevention of the multiplication of fleas by inhibiting the development of eggs (Ovicidal activity) and larvae and pupae (larvicidal activity) originating from eggs laid by adult fleas for eight weeks after application. 	<p>13.04.2016</p>
--------------	---	--	-------------------

		<p>3. Treatment of tick infestations (<i>Ixodes ricinus</i>, <i>Dermacentor variabilis</i>, <i>Dermacentor reticulatus</i>, <i>Rhipicephalus sanguineus</i>). The product has a persistent acaricidal efficacy for up to 4 weeks against ticks.</p> <p>4. Treatment of infestations with biting lice (<i>Trichodectes canis</i>).</p> <p>The product can be used as part of treatment strategy for the control of Flea Allergy Dermatitis (FAD).</p>	
1232.	<p>Each Hard gelatin capsule contains:</p> <p>Rosuvastatin calcium IP</p> <p>Eq. to Rosuvastatin (as film coated immediate release tablet) 5mg/10mg</p> <p>Choline Fenofibrate IP</p> <p>Eq. to Fenofibric acid (as delayed release tablets) 135mg/135mg</p>	For the treatment of mixed dyslipidemia.	16.06.2016
1233.	<p>α-Ketoisoleucine Calcium salt 67.0mg + α-Ketoleucine Calcium Salt 101.0mg + α-Ketophenylalanine Calcium Salt 68.0mg + α-Ketovaline Calcium Salt 86.0mg + α-Hydroxymethionine Calcium Salt 59.0mg + Lysine acetate 105.0mg (=75mg lysine) + Threonine 53.0mg + Tryptophan 23.0mg + Histidine 38.0mg + Tyrosine 30.0mg</p> <p>Film coated tablets</p>		16.06.2016
1234.	<p>Each tablet contains:</p> <p>Glibenclamide 2.5/5mg</p> <p>Metformin HCl IP 500mg (SR)</p>	For the management of type-II diabetes mellitus when single drug therapy, diet and exercise do not result in inadequate glycemic control.	04.08.2004
1235.	<p>Each Hard Gelatin Capsules contains:</p> <p>Rosuvastatin Calcium</p>	For the treatment of dyslipidemia associated with artherosclerotic arterial disease with risk of Myocardial	08.08.2016

	Eq. to Rosuvastatin (as film coated tablet) 20mg/20mg Aspirin (as enteric coated tablet) 75mg/150mg (Additional strength)	infarction, stroke or peripheral vascular disease.	
1236.	Each uncoated tablet contains: voglibose IP 0.2mg/0.3mg Metformin Hydrochloride IP 1000mg/1000mg, tablet (Additional Strength)	As 2nd line treatment of type II Diabetes mellitus when diet, exercise and the single agent do not result in adequate glyceic control.	14.09.2016
1237.	Each film coated tablets contains: Tenofovir Disoproxil Fumarate IP 300mg Emtricitabine IP 200mg, tablets (additional Indication)	Indicated in combination with safer sex practices for pre-exposure prophylaxis (PrEP) to reduce the risk of sexually acquired HIV-1 in adults at high risk.	04.10.2016
1238.	Each Combikit Contains: Part A: Lamivudine and Tenofovir Disoproxil Fumarate Tablet IP (300mg/300mg) Each film coated tablets contains: Lamivudine IP 300mg Tenofovir Disoproxil Fumarate IP 300mg Eq. to Tenofovir Disoproxil 245mg Part B: Nevirapine Extended Release Tablets 400mg Each Extended Release Tablets Contains: Nevirapine 400mg	For the treatment of HIV infection in adults.	27.10.2016
1239.	Each gram contains: Tretinoin USP (As Microsphere) 0.4mg Clindamycin Phosphate USP Eq. to Clindamycin 10mg, Gel	For the topical treatment of acne vulgaris in patients 12 years or older.	24.11.2016

1240.	<p>Each combikit contains:</p> <p>Part A:</p> <p>Two tablets of Lamivudine with Zidovudine Tablets IP</p> <p>Each Film coated tablets contains:</p> <p>Lamivudine IP 150mg</p> <p>Zidovudine IP 300mg</p> <p>Part B:</p> <p>One tablet of Atazanavir and Ritonavir Tablets</p> <p>Each film coated tablets contains:</p> <p>Atazanavir sulphate IP Eq. to Atazanavir 300mg</p> <p>Ritonavir IP 100mg</p>	For use as 2 nd line treatment of HIV infection in adults.	21.12.2016
1241.	<p>Amprolium HCl IP 16.67% w/w</p> <p>Sulfaquinoxaline IP 16.67% w/w Powder</p> <p>(veterinary product)</p>	For the treatment of Coccidiosis in poultry	03.02.2017
1242.	<p>Each dispersible Tablet contains:</p> <p>Lamivudine IP 30mg</p> <p>Zidovudine IP 60mg</p> <p>(Additional strength)</p>	Indicated in antiretroviral combination therapy for the treatment of Human Immunodeficiency Virus (HIV) infection in children.	15.02.2017
1243.	<p>Each Combikit Contains:</p> <p>Part A:</p> <p>Two film coated tablets of Darunavir Ethanolate</p> <p>Each tablet contains:</p> <p>Darunavir Ethanolate eq. to Darunavir 600mg</p> <p>Part B:</p> <p>Two film coated tablets of Ritonavir</p>	For the treatment of Human Immunodeficiency virus (HIV) infection in antiretroviral treatment experienced adult patients, such as those patients with HIV-1 strains resistant to more than one protease inhibitor and with other antiretroviral agents.	09.05.2017

	Each film coated tablet contains: Ritonavir IP 100mg, tablets		
1244.	Each film coated tablet contains: Darunavir Ethanolate eq. to Darunavir 600mg Ritonavir IP 100mg, tablets	For the treatment of Human Immunodeficiency virus (HIV) infection in antiretroviral treatment experienced adult patients, such as those patients with HIV-1 strains resistant to more than one protease inhibitor and with other antiretroviral agents.	16.05.2017
1245.	Each dose delivers: Budesonide 320 µg/inhalation Formoterol Fumarate Dihydrate 9µg/inhalation (Additional strength)	It is indicated in the regular treatment of asthma where use of combination of inhaled regular corticosteroid & long acting β-agonist is appropriate and patients with moderate to severe COPD with frequent symptoms and a history of exacerbations.	13.06.2017
1246.	Each capsule contains: Lopinavir 40mg Ritonavir 10mg oral pellets (capsules) (Additional strength)	Combination with other antiretroviral agents for the treatment of HIV-1 infection in pediatric patients (14 days and older)	12.06.2017
1247.	Each Combikit contains: Part A: One film coated tablet of Dolutegravir: Composition: Each film coated tablet contains: Dolutegravir sodium eq. to Dolutegravir 50mg Part B: One bilayered film coated tablet of Lamivudine and Tenofovir Disoproxil	For the management of Human Immunodeficiency Virus (HIV) infection in adults weighing more than 40kg.	12.06.2017

	<p>Fumarate IP Composition:</p> <p>Each bilayered film coated tablet contains: Lamivudine IP 300mg</p> <p>Tenofovir Disoproxil Fumarate IP 300mg</p>		
1248.	<p>Each Combikit contains:</p> <p>Part A:</p> <p>One film coated Tablet of Dolutegravir.</p> <p>Composition:</p> <p>Each film coated tablet contains:</p> <p>Dolutegravir sodium eq. to Dolutegravir 50mg</p> <p>Part B:</p> <p>One film coated tablet of Abacavir and Lamivudine IP.</p> <p>Composition:</p> <p>Each film coated tablet contains:</p> <p>Abacavir sulphate IP eq. to Abacavir 600 mg</p> <p>Lamivudine IP 300mg</p>	<p>For the treatment of Human Immunodeficiency Virus (HIV) infection in adults weighing more than 40kg.</p>	12.06.2017

1249.	<p>Each Film coated tablet contains:</p> <p>Tenofovir Disoproxil Fumarate IP 300mg</p> <p>Lamivudine IP 300mg</p> <p>Efavirenz IP 400mg</p> <p>(Additional strength)</p>	For the treatment of Human Immunodeficiency virus-1 (HIV-1) infection in adults.	09.06.2017
1250.	<p>Each film coated tablet contains:</p> <p>Abacavir Sulphate IP eq .to Abacavir 60mg</p> <p>Lamivudine IP 30mg</p> <p>(Additional strength)</p>	In combination with other antiretroviral agents for the treatment of Human Immunodeficiency Virus (HIV) infection in children	09.06.2017
1251.	<p>Each Combipack of 28 Tablets contains :</p> <p>24 tablets of Drospirenone IP 3mg and Ethinylestradiol IP 0.02 mg</p> <p>Each uncoated tablets contains:</p> <p>Drospirenone IP 3mg</p> <p>Ethinylestradiol IP 0.02mg with 4 inert tablets</p>	For oral contraceptive in women only	30.06.2017
1252.	Ledipasvir 90mg + Sofosbuvir 400mg Tablet	For the treatment of chronic hepatitis C (CHC) Genotype 1 infection in adults	08.12.2015
1253.	<p>Paclitaxel Nanoparticle injection</p> <p>Each vial contains:</p> <p>Paclitaxel USP 100mg</p> <p>Human Albumin IP 900 mg</p>	For the treatment of breast cancer after failure of combination chemotherapy for metastatic disease or relapse within 6 months of adjuvant chemotherapy.	20.02.2009
1254.	<p>Each gm of gel contains:</p> <p>Haemocoagulase isolated from Bothrops Atrax or Bothrops Jararaca 0.2 CU</p> <p>Chlorhexidine Gluconate solution 0.1% w/w</p>	For the topical treatment of localized capillary haemorrhage & wound healing.	04.08.2004

1255.	<p>Each gm of gel contains:</p> <p>Haemocoagulase isolated from Bothrops Atrox or Bothrops Jararaca 1.0 CU</p> <p>Chlorhexidine Gluconate solution 0.1% w/w</p> <p>(additional strength)</p>	For the topical treatment of localized capillary haemorrhage & wound healing.	22.11.2004
1256.	<p>Each ml contains:</p> <p>Moxifloxacin HCl Eq. to Moxifloxacin base 5mg</p> <p>Dexamethasone Sodium Phosphate Eq. to Dexamethasone Phosphate 1mg</p> <p>Ophthalmic solution</p> <p>(Additional indication)</p>	For post operative steroid responsive inflammatory ocular condition when bacterial ocular infection or risk of bacterial ocular infection exists.	31.10.2008
1257.	<p>Each 5ml reconstituted oral suspension contains:</p> <p>Artemether 40mg</p> <p>Lumefantrine 240mg</p> <p>(Additional strength)</p>	For the treatment of pf malaria cases resistant to both chloroquine and sulfadoxine-pyremethamine combination.	21.09.2010
1258.	<p>Each combipack of 28 tablets contains:</p> <p>21 tablets of Desogestrel 0.15mg and Ethinylestradiol 0.03 mg</p> <p>Each uncoated tablets contains:</p> <p>Desogestrel BP 0.15mg</p> <p>Ethinylestradiol IP 0.03mg</p> <p>with 7 inert tablets</p> <p>(Additional strength)</p>	For oral contraceptive in women only.	06.07.2017
1259.	<p>Silver Sulfadiazine IP (Nanonized) 0.5% w/w</p> <p>Chlorhexidine Gluconate Sloution IP eq. to Chlorhexidine Gluconate 0.2% w/w</p> <p>Topical cream</p>	For the prevention and treatment of infection in thermal burn wound(s) up to 10% body surface area	06.07.2017

1260.	Each 100ml contains: Iso propyl Alcohol IP75% v/v Hydrogen Peroxide IP0.125% v/v Glycerol IP.....1.45% v/v Solution	Hand Hygiene	07.07.2017																								
1261.	Each 100ml contains: Ethanol IP.....80% v/v Hydrogen Peroxide IP0.125% v/v Glycerol IP1.45% v/v Solution	Hand Hygiene	10.07.2017																								
1262.	<p>FDC of Glucose 13% + SMOFlipid 20% (Soya bean Oil + Triglycerides medium chain + Olive Oil, Refined + Fish Oil, Rich in omega-3-acid) + Amino acid solution (Emulsion for Infusion)</p> <table border="1" data-bbox="245 856 816 1896"> <thead> <tr> <th data-bbox="245 856 548 961">Ingredient</th> <th data-bbox="548 856 816 961">Composition (gm/ml)</th> </tr> </thead> <tbody> <tr> <td colspan="2" data-bbox="245 961 816 1031">A. Glucose 13% Each 1000ml contains:</td> </tr> <tr> <td data-bbox="245 1031 548 1234">Glucose monohydrate corresponding to Glucose (anhydrous) 130g</td> <td data-bbox="548 1031 816 1234">143g</td> </tr> <tr> <td data-bbox="245 1234 548 1283">Water for Injections</td> <td data-bbox="548 1234 816 1283">to 1000ml</td> </tr> <tr> <td colspan="2" data-bbox="245 1283 816 1388">B. Amino acid solution corresponding to Aminoven 10% with addition of electrolytes Each 1000ml contains:</td> </tr> <tr> <td data-bbox="245 1388 548 1436">L-Alanine</td> <td data-bbox="548 1388 816 1436">14.0g</td> </tr> <tr> <td data-bbox="245 1436 548 1484">L-Arginine</td> <td data-bbox="548 1436 816 1484">12.0g</td> </tr> <tr> <td data-bbox="245 1484 548 1589">Glycine (Aminoacetic acid)</td> <td data-bbox="548 1484 816 1589">11.0g</td> </tr> <tr> <td data-bbox="245 1589 548 1638">L-Histidine</td> <td data-bbox="548 1589 816 1638">3.0g</td> </tr> <tr> <td data-bbox="245 1638 548 1686">L-Isoleucine</td> <td data-bbox="548 1638 816 1686">5.0g</td> </tr> <tr> <td data-bbox="245 1686 548 1734">L-Leucine</td> <td data-bbox="548 1686 816 1734">7.4g</td> </tr> <tr> <td data-bbox="245 1734 548 1896">L-Lysine acetate corresponding to L-Lysine 6.6g</td> <td data-bbox="548 1734 816 1896">9.3g</td> </tr> </tbody> </table>	Ingredient	Composition (gm/ml)	A. Glucose 13% Each 1000ml contains:		Glucose monohydrate corresponding to Glucose (anhydrous) 130g	143g	Water for Injections	to 1000ml	B. Amino acid solution corresponding to Aminoven 10% with addition of electrolytes Each 1000ml contains:		L-Alanine	14.0g	L-Arginine	12.0g	Glycine (Aminoacetic acid)	11.0g	L-Histidine	3.0g	L-Isoleucine	5.0g	L-Leucine	7.4g	L-Lysine acetate corresponding to L-Lysine 6.6g	9.3g	Parenteral nutrition for patients. This is indicated in cases where oral or enteral nutrition is impossible, insufficient or contraindicated.	26.07.2017
Ingredient	Composition (gm/ml)																										
A. Glucose 13% Each 1000ml contains:																											
Glucose monohydrate corresponding to Glucose (anhydrous) 130g	143g																										
Water for Injections	to 1000ml																										
B. Amino acid solution corresponding to Aminoven 10% with addition of electrolytes Each 1000ml contains:																											
L-Alanine	14.0g																										
L-Arginine	12.0g																										
Glycine (Aminoacetic acid)	11.0g																										
L-Histidine	3.0g																										
L-Isoleucine	5.0g																										
L-Leucine	7.4g																										
L-Lysine acetate corresponding to L-Lysine 6.6g	9.3g																										

	L-Methionine	4.3g		
	L-Phenylalanine	5.1g		
	L-Proline	11.2g		
	L-Serine	6.5g		
	Taurine	1.0g		
	L-Threonine	4.4g		
	L-Tryptophan	2.0g		
	L-Tyrosine	0.4g		
	L-Valine	6.2g		
	Calcium chloride dihydrate corresponding to Calcium Chloride 0.56g	0.74g		
	Sodium glycerophosphate hydrate corresponding to Sodium glycerophosphate	4.18g		
	Magnesium sulphate heptahydrate corresponding to Magnesium sulphate 1.2g	2.47g		
	Potassium chloride	4.48g		
	Sodium acetate trihydrate corresponding to Sodium acetate 3.4g	5.62g		

	<table border="1"> <tr> <td>Zinc sulphate heptahydrate corresponding to Zinc sulphate 0.0129g</td> <td>0.023g</td> </tr> <tr> <td>Acetic acid glacial</td> <td>To pH approx.5.6</td> </tr> <tr> <td>Water for Injections</td> <td>To 1000ml</td> </tr> <tr> <td colspan="2">C. Lipid emulsion corresponding to SMOFLipid 20%</td> </tr> <tr> <td colspan="2">Each 1000ml contains:</td> </tr> <tr> <td>Soya-bean oil, refined</td> <td>60.0g</td> </tr> <tr> <td>Triglycerides, medium-chain</td> <td>60.0g</td> </tr> <tr> <td>Olive oil, refined</td> <td>50.0g</td> </tr> <tr> <td>Fish oil, rich in omega-3 acids</td> <td>30.0g</td> </tr> <tr> <td>All-rac-α-Tocopherol</td> <td>163-225g</td> </tr> <tr> <td>Purified egg phospholipids</td> <td>12.0g</td> </tr> <tr> <td>Glycerol (anhydrous)</td> <td>25.0g</td> </tr> <tr> <td>Sodium oleate</td> <td>0.3g</td> </tr> <tr> <td>Sodium hydroxide</td> <td>To pH approx. 8</td> </tr> <tr> <td>Water for Injections</td> <td>To 1000ml</td> </tr> </table>	Zinc sulphate heptahydrate corresponding to Zinc sulphate 0.0129g	0.023g	Acetic acid glacial	To pH approx.5.6	Water for Injections	To 1000ml	C. Lipid emulsion corresponding to SMOFLipid 20%		Each 1000ml contains:		Soya-bean oil, refined	60.0g	Triglycerides, medium-chain	60.0g	Olive oil, refined	50.0g	Fish oil, rich in omega-3 acids	30.0g	All-rac- α -Tocopherol	163-225g	Purified egg phospholipids	12.0g	Glycerol (anhydrous)	25.0g	Sodium oleate	0.3g	Sodium hydroxide	To pH approx. 8	Water for Injections	To 1000ml		
Zinc sulphate heptahydrate corresponding to Zinc sulphate 0.0129g	0.023g																																
Acetic acid glacial	To pH approx.5.6																																
Water for Injections	To 1000ml																																
C. Lipid emulsion corresponding to SMOFLipid 20%																																	
Each 1000ml contains:																																	
Soya-bean oil, refined	60.0g																																
Triglycerides, medium-chain	60.0g																																
Olive oil, refined	50.0g																																
Fish oil, rich in omega-3 acids	30.0g																																
All-rac- α -Tocopherol	163-225g																																
Purified egg phospholipids	12.0g																																
Glycerol (anhydrous)	25.0g																																
Sodium oleate	0.3g																																
Sodium hydroxide	To pH approx. 8																																
Water for Injections	To 1000ml																																
1263.	<p>FDC of Glucose 42% + Amino acid solution with electrolyte + Lipid Emulsion for Infusion</p> <table border="1"> <thead> <tr> <th>Ingredient</th> <th>Composition (gm/ml)</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> </tr> </tbody> </table>	Ingredient	Composition (gm/ml)			Parenteral nutrition for patients. This is indicated in cases where oral or enteral nutrition is impossible, insufficient or contraindicated.	26.07.2017																										
Ingredient	Composition (gm/ml)																																

A. Glucose 42%	
Each 1000ml contains:	
Glucose monohydrate corresponding to Glucose (anhydrous) 420g	462g
Hydrochloric acid	To pH approx. 4
Water for Injections	to 1000ml
B. Amino acid solution corresponding to Aminoven 10% with addition of electrolytes	
Each 1000ml contains:	
L-Alanine	14.0g
L-Arginine	12.0g
Glycine (Aminoacetic acid)	11.0g
L-Histidine	3.0g
L-Isoleucine	5.0g
L-Leucine	7.4g
L-Lysine acetate corresponding to L-Lysine 6.6g	9.3g
L-Methionine	4.3g
L-Phenylalanine	5.1g
L-Proline	11.2g
L-Serine	6.5g
Taurine	1.0g
L-Threonine	4.4g
L-Tryptophan	2.0g
L-Tyrosine	0.4g
L-Valine	6.2g
Calcium chloride dihydrate corresponding to Calcium Chloride 0.56g	0.74g

Sodium glycerophosphate hydrate corresponding to Sodium glycerophosphate	4.18g		
Magnesium sulphate heptahydrate corresponding to Magnesium sulphate 1.2g	2.47g		
Potassium chloride	4.48g		
Sodium acetate trihydrate corresponding to Sodium acetate 3.4g	5.62g		
Zinc sulphate heptahydrate corresponding to Zinc sulphate 0.0129g	0.023g		
Acetic acid glacial	To pH approx.5.6		
Water for Injections	to 1000ml		
C. Lipid emulsion corresponding to SMOFLipid 20% Each 1000ml contains:			
Soya-bean oil, refined	60.0g		
Triglycerides, medium-	60.0g		

	<table border="1"> <tr> <td>chain</td> <td></td> </tr> <tr> <td>Olive oil, refined</td> <td>50.0g</td> </tr> <tr> <td>Fish oil, rich in omega-3 acids</td> <td>30.0g</td> </tr> <tr> <td>All-rac-α-Tocopherol</td> <td>163-225g</td> </tr> <tr> <td>Purified egg phospholipids</td> <td>12.0g</td> </tr> <tr> <td>Glycerol (anhydrous)</td> <td>25.0g</td> </tr> <tr> <td>Sodium oleate</td> <td>0.3g</td> </tr> <tr> <td>Sodium hydroxide</td> <td>To pH approx. 8</td> </tr> <tr> <td>Water for Injections</td> <td>To 1000ml</td> </tr> </table>	chain		Olive oil, refined	50.0g	Fish oil, rich in omega-3 acids	30.0g	All-rac-α-Tocopherol	163-225g	Purified egg phospholipids	12.0g	Glycerol (anhydrous)	25.0g	Sodium oleate	0.3g	Sodium hydroxide	To pH approx. 8	Water for Injections	To 1000ml		
chain																					
Olive oil, refined	50.0g																				
Fish oil, rich in omega-3 acids	30.0g																				
All-rac-α-Tocopherol	163-225g																				
Purified egg phospholipids	12.0g																				
Glycerol (anhydrous)	25.0g																				
Sodium oleate	0.3g																				
Sodium hydroxide	To pH approx. 8																				
Water for Injections	To 1000ml																				
1264.	<p>Each film coated tablet contains:</p> <p>Darunavir Ethanolate eq. to Darunavir.....400mg</p> <p>Ritonavir IP50mg</p> <p>(Additional strength)</p>	For the treatment of Human Immunodeficiency Virus (HIV-1) infection in treatment experienced adults and adolescents having body weight of atleast 40 kg.	17.08.2017																		
1265.	<p>Diclofenac Diethylamine BP....2.32 % w/w (Eq. to Diclofenac Sodium 2% w/w)</p> <p>Methyl Salicylate IP10% w/w</p> <p>Menthol IP 5% w/w</p> <p>Topical spray</p>	For the local symptomatic relief of musculoskeletal pain (such as back pain, ankle pain, knee pain, shoulder pain, wrist pain) due to sprains, strains and sport injury.	01.09.2017																		
1266.	<p>Diclofenac Diethylamine BP....2.32 % w/w (Eq. to Diclofenac Sodium 2% w/w)</p> <p>Methyl Salicylate IP10% w/w</p> <p>Menthol IP 5% w/w</p> <p>Topical Gel</p>	For the treatment of pain, swelling and inflammation due to musculo-skeletal disorders (such as sprains, strains, tendonitis, bursitis, hard neck, shoulder pain, sciatica, muscle stiffness, joint pain, backache, lumbago)	01.09.2017																		
1267.	<p>Each ml contains:</p> <p>Polythylene Glycol 400..... 0.4% w/v</p> <p>Propylene Glycol0.3% w/v</p>	For the temporary relief of ocular symptoms due to dryness of the eye, such as discomfort, burning and irritation.	12.09.2017																		

	Lubricating Eye Gel		
1268.	Milbemycin Oxime2.5mg/12.5mg Praziquantel25mg/125mg Tablets (Veterinary product)	Treatment of nematode and cestode infection in dogs.	12.09.2017
1269.	Each film coated tablet contains: Losartan Potassium IP50mg Amlodipine Besylate IP Eq. to Amlodipine5mg Hydrochlorothiazide IP.....12.5mg Tablets	For treatment of hypertension in patients who are not controlled with the dual drug therapy.	14.09.2017
1270.	Each film coated tablet contains: Olmesartan Medoxomil IP.....20mg/40mg Chlorthalidone IP.....12.5mg Cilnidipine10mg Tablets	For the treatment of essential hypertension.	25.09.2017
1271.	Each 5ml contains: Ferrous Asparto-Glycinate eq. to Elemental Iron.....30mg Methylcobalamn.....500 mcg L-Methylfolate Calcium300 mcg Syrup	for the treatment of iron deficiency anemia	09.10.2017
1272.	Each film coated tablet contains: Dapagliflozin.....5mg/5mg/10mg/10mg Metformin HCL (extended release)..... 500mg/1000mg/500mg/1000mg	It is indicated as an adjunct to diet and exercise to improve glycaemic control in adults with type 2 diabetes mellitus when treatment with both Dapagliflozin and Metformin is appropriate.	16.10.2017

1273.	Each film coated tablet contains: Empagliflozin.....10mg/ 25mg Linagliptin.....5mg / 5 mg	It is indicated as an adjunct to diet and exercise to improve glycaemic control in adults with type 2 diabetes mellitus	16.10.2017
1274.	Each film coated tablet contains: Empagliflozin.....5mg/5mg/5mg/12.5 mg/12.5mg/12.5mg MetforminHcl.....500mg/850mg/1000mg/ 500mg / 850mg / 1000mg	It is indicated as an adjunct to diet and exercise to improve glycaemic control in adult patients with type 2 diabetes mellitus who are not adequately controlled on a regimen containing empagliflozin or Metformin, or in patients already being treated with both empagliflozin and Metformin.	17.10.2017
1275.	Each film coated tablet contains: Darunavir Ethanolate eq. to Darunavir.....800mg Ritonavir IP100mg (Additional strength)	For the treatment of Human Immunodeficiency Virus (HIV-1) infection in treatment experienced adults and adolescents.	02.11.2017
1276.	Each Combikit contains: Part A: One film coated tablet of FDC Tenofovir Disoproxil Fumarate+ Emtricitabine Tablets IP Each film coated tablet contains: Tenofovir Disoproxil Fumarate IP 300 mg Emtricitabine IP 200 mg Part B: One uncoated tablet of Nevirapine Extended Release Tablet Each Extended release tablet contains: Nevirapine IP 400 mg	For the management of Human Immunodeficiency Virus (HIV) infection in adults.	05.12.2017
1277.	Each uncoated tablet contains: Gliclazide B.P.....80mg Metformin Hydrochloride I.P..... 500mg	For the treatment of non-insulin dependent diabetes (Type-II) in adult patients where single drug therapy, diet and exercise do not result in adequate glycemic control	21.02.2006

1278.	Omeprazole powder for Oral Suspension (Sodium bicarbonate as buffer) Each sachet contains: Omeprazole.....20mg	For the treatment of active duodenal ulcer, Gastroesophageal Reflux Disease (GERD), erosive esophagitis and maintenance of healing of erosive esophagitis.	03.07.2007
1279.	Each Uncoated tablet contains: Perindopril Erbumin B.P.....8mg Indapamide BP.....2.5mg (Additional Strength)	For the treatment of hypertension	09.06.2014
1280	Each film coated tablet contains: Sacubutril + Valsartan..... 50 (24+26)mg/ Sacubutril + Valsartan..... 100 (49+51)mg/ Sacubutril + Valsartan...200 (97+103)mg	To reduce the risk of cardiovascular death and hospitalization for heart failure in patients with chronic heart failure (NYHA Class II-IV) and reduced ejection fraction	14.07.2016
1281	Each film coated tablet contains: Sofosbuvir..... 400 mg Velpatasvir..... 100 mg	For the treatment of adult patients with -chronic Hepatitis C virus, Genotype 1,2,3,4,5 or 6 infection. -without cirrhosis or with compensated cirrhosis -with decompensated with chronic for use in combination with Ribavirin	04.05.2017
1282	Each Pre-dispensed dose contains: Fluticasone Furoate.....100 mcg Vilanterol Trifenatate.....25mcg (Powder for inhalation)	Indicated for the maintenance treatment of the airflow obstruction in patients with chronic obstructive pulmonary disease (COPD) including chronic bronchitis and/ or emphysema and to reduce exacerbation of COPD in patients with an exacerbation history.	29.06.2017
1283	Each uncoated tablet contains: Arterolane Maleate IP Equivalent to Arterolane..... 37.5mg Piperaquine phosphate.....187.5 mg (Dispersible Tablets)	Indicated in children aged 6 months to 12 years for the treatment of - acute uncomplicated Plasmodium falciparum malaria infection - acute uncomplicated Plasmodium Vivax malaria infection	24.11.2017

1284	<p>Each film coated tablet contains:</p> <p>Emtricitabine IP.....200mg/200mg</p> <p>Tenofovir Alafenamide Hemifumarate Equivalent to</p> <p>Tenofovir Alafenamide.....10mg/25mg</p>	<p>In combination with other antiretroviral agents for treatment of Human Immunodeficiency Virus type-1 (HIV-1) infections in adults and adolescents with aged 12 years and older.</p>	10.01.2018
1285	<p>Each film coated tablet contains:</p> <p>Dolutegravir sodium equivalent to</p> <p>Dolutegravir 50mg</p> <p>Lamivudine IP..... 300mg</p> <p>Tenofovir Disoproxil Fumarate IP 300mg</p> <p>eq. to Tenofovir Disoproxil 245mg</p>	<p>For the management of Human Immunodeficiency Virus (HIV) infections in adults weighing more than 40kg.</p>	08.03.2018
1286	<p>Each film coated tablet contains:</p> <p>Abacavir Sulphate USP eq .to</p> <p>Abacavir.....600mg</p> <p>Dolutagravir Sodium eq. to</p> <p>Dolutagravir.....50mg</p> <p>Lamivudine USP.....300mg</p>	<p>For the treatment of Human Immunodeficiency Virus (HIV) infection in adults weighing more than 40kg.</p>	12.03.2018
1287	<p>Each combikit contains: Part A: One film coated of Atazanavir Sulphate + Ritonavir tablet. Each tablet contains: Atazanavir Sulphate IP eq.to Atazanavir.....300mg Ritonavir IP.....100mg Part B: One film coated of Abacavir Sulphate + Lamivudine tablet Each film coated tablet contains: Abacavir Sulphate IP eq to Abacavir.....600mg Lamivudine IP.....300mg</p> <p>Each combikit contains:</p> <p>Part A: One film coated tablet of Atazanavir Sulphate and Ritonavir tablet.</p> <p>Each film coated tablet contains:</p> <p>Atazanavir Sulphate IP eq.to</p> <p>Atazanavir.....300mg</p>	<p>For the management of Human Immunodeficiency Virus (HIV) infections</p>	<p>13.03.2018</p> <p>17.08.2018</p>

	<p>Ritonavir IP.....100mg</p> <p>Part B: One film coated tablet of Abacavir Sulphate and Lamivudine tablet</p> <p>Each film coated tablet contains:</p> <p>Abacavir Sulphate IP eq to</p> <p>Abacavir.....600mg</p> <p>Lamivudine IP.....300mg</p>		
1288	<p>Each ml cutaneous solution contains:</p> <p>Chlorhexidine gluconate solution IP</p> <p>Eq. to Chlorhexidine gluconate 20 mg</p> <p>Isopropyl Alcohol IP 0.70 ml</p>	For disinfectant of the skin prior to invasive medical procedures and maintenance of device insertion sites.	22.03.2018
1289	<p>Each film coated tablet contains:</p> <p>Canagliflozin + Metformin HCL (50mg+500mg,50mg+850mg,50mg+1000mg,150mg+500mg,150mg+850mg,150mg+ 1000mg)</p> <p>.</p>	<p>Indicated as an adjunct to diet and exercise to improve glycaemic control in adult with type 2 diabetes mellitus when treatment with both Canagliflozin and metformin is appropriate.</p> <p><u>Limitation of use:</u> Not for treatment of type 1 diabetes or diabetic ketoacidosis.</p>	27.03.2018
1290	<p>Each ml contains:</p> <p>i) Bupivacaine Hydrochloride IP 1.25mg Eq to anhydrous Bupivacaine Hydrochloride 1.185mg Fentanyl Citrate IP Eq to Fentanyl 2.0mcg Injection</p> <p>ii) Bupivacaine Hydrochloride IP 1.0mg Eq to anhydrous Bupivacaine Hydrochloride 0.948mg Fentanyl Citrate IP Eq to Fentanyl 2.0mcg Injection</p>	For maintaining the analgesia postoperatively. For maintaining analgesia during labour	17.04.2018
1291	<p>Each film coated tablet contains :</p> <p>Daclatasvir Dihydrochloride</p> <p>Eq to Daclatasvir.....60 mg</p> <p>Sofosbuvir.....400 mg</p>	For the treatment of patient with chronic Hepatitis C virus (HCV) genotype 3 infection	12.06.2018

1292	<p>Each vial contains:</p> <p>Morepenam IP eq. to Anhydrous Meropenam.....1gm</p> <p>Sodium Carbonate IP Eq. to Sodium90.2 mg</p> <p>Sulbactum Sodium USP Eq. to Sulbactum.....1gm Injection</p>	<p>For the treatment of lower respiratory tract infection caused by gram negative bacteria in adults only.</p>	25.06.2018
1293	<p>i) Each 38 cm Seresto Collar Contains: (For Cats less than or equal to 8 Kg of body weight)</p> <p>Imidacloprid.....1.25g</p> <p>Flumethrin....0.56g</p> <p>ii) Each 38 cm Seresto Collar Contains: (For Dogs less than or equal to 8 Kg of body weight)</p> <p>Imidacloprid.....1.25g</p> <p>Flumethrin....0.56g</p> <p>iii) Each 38 cm Seresto Collar Contains: (For Dogs more than or equal to 8 Kg of body weight)</p> <p>Imidacloprid.....4.5g</p> <p>Flumethrin....2.03g</p>	<p>For the treatment and prevention against fleas, Ticks & Lice and For reducing the risk of Vector-Borne Disease transmission.</p>	26.06.2018
1294	<p>Each Film coated tablet contains:</p> <p>Azilsartan Kamedoxomil eq to Azilsartan Medoxomil + Chlorthalidone IP</p> <p>(40mg+25mg,40mg + 12.5mg)</p>	<p>For the treatment of mild to moderate hypertension</p>	09.07.2018

1295	Each capsules contains: Glycopyrronium (As Glycopyrrolate USP)..... 25mcg Formoterol Fumarate Dihydrate IP Eq. to Formoterol Fumarate.....6mcg (Capsule for inhalation)	For the long-term, maintenance treatment of airflow obstruction in patients with chronic obstructive pulmonary disease (COPD), including chronic bronchitis and/or emphysema	16.07.2018
1296	Each sachet contains: (Granules in sachet) Lopinavir IP.....40mg Ritonavir IP.....10mg (Additional Dosage Form).	Combination with other antiretroviral agents for the treatment of HIV-1 infection in pediatric patients (14 days and older)	21.08.2018
1297	Each film coated tablet contains: Dapagliflozin.....5mg Metformin HCL 1000mg (Immediate Release)	It is indicated as an adjunct to diet and exercise to improve glycaemic control in adults with type 2 diabetes mellitus when treatment with both Dapagliflozin and Metformin is appropriate.	03.10.2018
1298	Each film coated tablet contains: 1. Carvedilol 6.25mg + Ivabradine hydrochloride 5.390mg eq. to Ivabradine 5mg 2. Carvedilol 6.25mg + Ivabradine hydrochloride 8.085mg eq. to Ivabradine 7.5mg 3. Carvedilol 12.5mg + Ivabradine hydrochloride 5.390mg eq. to Ivabradine 5mg 4. Carvedilol 12.5mg + Ivabradine hydrochloride 8.085mg eq. to Ivabradine 7.5mg 5. Carvedilol 25mg + Ivabradine hydrochloride Ivabradine 5.390mg eq. to 5mg 6. Carvedilol 25mg + Ivabradine hydrochloride 8.085mg eq. to Ivabradine 7.5mg.	It is indicated for as substituted therapy in adult patients with normal sinus rhythm already controlled by Ivabradine and carvedilol taken concomitantly at the same doses level for: i. The symptomatic treatment of chronic stable angina pectoris in coronary artery disease patients ii. The treatment of chronic heart failure (II-IV NYHA-Class) with systolic dysfunction.	03.10.2018
1299	Each film coated tablet contains: Memantine Hydrochloride USP.... 10mg Donepezil Hydrochloride IP..... 10mg (Additional Strength)	For the treatment of moderate to severe Alzheimer's disease.	16.10.2018

1300	<p>Each film coated tablet contains:</p> <p>Piperaquine Tetraphosphate as Piperaquine Tetraphosphate Tetrahydrate (QP)....160mg</p> <p>Dihydroartemisinin (DHA) 20mg</p> <p>(Additional Strength)</p>	<p>For the treatment of uncomplicated Plasmodium Falciparum Malaria in paediatric and adolescent patients.</p>	16.10.2018
1301	<p>Each uncoated tablet contains:</p> <p>Calcium Citrate US1200mg eq. to elemental Calcium.....252mg</p> <p>Calcitriol IP.....0.25mcg</p> <p>(Additional indication)</p>	<p>It is indicated for:-</p> <ol style="list-style-type: none"> 1. Treatment of Hypocalcaemia / Calcium & Phosphate abnormalities in patients with Uremic Osteodystrophy, Hypoparathyroidism & in hypophosphatemic rickets / osteomalacia. 2. Pre-dialysis Patients- management of secondary hyperparathyroidism and resultant metabolic bone disease in patients with moderate to severe chronic renal failure (CCr 15 to 55 mL/min) not yet on dialysis. 3. Dialysis Patients- management of hypocalcemia and the resultant metabolic bone disease in patients undergoing chronic renal dialysis. 4. Prevention of corticosteroid-induced osteoporosis in patients with renal impairment commencing oral steroid therapy in a dose and regimen expected to result in a significant bone loss. 5. Established osteoporosis / Post Menopausal Osteoporosis- diagnosed by objective measuring techniques, such as densitometry, or by radiographic evidence of a traumatic fracture in patients with renal impairment. 	16.10.2018

1302	Each film coated tablet contains: Ethinylestradiol IP.....30mcg Dienogest IP.....2mg	Indicated for use as an oral contraceptive and in the treatment of mild to moderate acne in women who seek oral contraception.	30.10.2018
1303	Composition: Diclofenac Diethylamine BP 4.64 % w/v Eq. to Diclofenac Sodium IP...4.00 % w/v Absolute AlcoholIP..... 10.00% v/v Topical Solution (Additional Indication)	For the treatment of acute lower back pain, osteoarthritis of shoulder, elbow, wrist, spine, hip, knee and ankle.	06.11.2018
1304	Each uncoated chewable tablet contains: Activated Dimethicone IP 50mg Magnesium Hydroxide IP 250mg Dried Aluminium Hydroxide Gel IP250mg Magnesium Aluminium Silicate Hydrate 50mg	For the treatment of symptoms of hyperacidity (e.g. heartburn, epigastric discomfort, or their equivalents) that are often associated with dyspepsia, peptic ulcer, gastritis, peptic esphagitis, and indicated for relief of flatulence (gas).	06.07.2010
1305	Each Film coated tablets contains: Clopidogrel bisulphate equivalent to Clopidogrel..... 75mg Aspirin IP 75mg/150mg (as enteric coated granules)	For the treatment of angina, myocardial infarction and stroke.	04.04.2005
1306	Each Film coated tablets contains: Atorvastatin Calcium IP eq. to Atorvastatin + Vitamin D3 (Cholecalciferol) IP (10mg + 1000 IU) & (20mg + 1000 IU)	For the treatment of patients with hyperlipidemia.	22.01.2019

1307	Each Film Coated Tablet contains: Zidovudine.....300mg Lamivudine150mg Nevirapine.....200mg	It is indicated in the treatment of HIV infection in adult patients once the patients is stabilized on maintenance recimen regimen Nevirapine 200mg B.D.	13.11.2001
1308	Brinzolamide USP.....1.0% w/v Timolol Maleate IP.....0.683%w/v eq. to Timolol.....0.5% w/v Benzalkonium Chloride IP (As preservative).....0.01% w/v Ophthalmic Suspension	It is indicated for:- Decrease of intraocular pressure (IOP) in adults patients with open angle glaucoma or ocular hypertension for whom monotherapy provides insufficient IOP reduction.	18.02.2016
1309	Each 1ml contains: Hydrocortisone Aceponate1.11mg Gentamicin Sulphate IP.....1505 IU Miconazole Nitrate IP.....15.1mg Oily Suspension (For external use only) For Veterinary Use Only	For the treatment of acute otitis externa, and acute exacerbation of recurrent otitis externa associated with bacteria susceptible to Gentamicin and fungi susceptible to Miconazole in particular Malassezia pachydermatis.	19.03.2019
1310	Each capsule contains: Glycopyrrolate USP equivalent to Glycopyrronium.....12.5mcg Formoterol Fumarate Dihydrate12mcg For Inhalation	It is indicated for:- As a maintenance bronchodilator treatment to relieve symptoms in adults patients with chronic obstructive pulmonary disease (COPD)	19.03.2019
1311	Each film coated tablet contains: Paroxetine Hydrochloride IP Eq. to Paroxetine (as extended release) + Clonazepam (25mg+0.5mg & 12.5mg+0.5mg) (Additional Dosage form)	It is indicated for the treatment of patients with Co-morbid depression and anxiety.	16.04.2019

1312	Each Dispersible tablet contains: Abacavir Sulphate IP eq .to Abacavir60mg Lamivudine IP30mg (Additional Dosage form)	In combination with other antiretroviral agents for the treatment of Human Immunodeficiency Virus (HIV) infection in children	23.04.2019
1313	Each film coated tablet contains: Dolutegravir Sodium Eq. to Dolutegravir.....50mg Emtricitabine IP..... 200mg Tenofovir Alafenamide Fumarate eq. to Tenofovir Alafenamide.....25mg	Indicated for the management of Human Immunodeficiency Virus (HIV) infections in adults weighing more than 40kg.	23.04.2019
1314	Each uncoated tablet contains : Perindopril Erbumine BP4mg Indapamide IP1.25mg Amlodipine Besilate IP5mg	For treatment of moderate to severe hypertension	20.05.2019
1315	Eye Drops contains Alcaftadine 0.25%w/v Ketorolac Tromethamine0.4%w/v	For the treatment of ocular itching and other symptomatic associated allergic conjunctivitis.	21.05.2019
1316	Each tablet contains Sulfamethaxazole IP800mg Trimethoprim IP160mg Isoniazid IP300mg Pyridoxine Hydrochloride IP.....25mg	For the prevention of tuberculosis, bacterial pneumonia, malaria and isosporiasis and to reduce mortality and hospitalizations in HIV infected patients with advanced disease and without active TB.	28.05.2019
1317	Each Film Coated Tablet Contains : 1. Metoprolol Succinate IP47.5mg Eq. to Metoprolol Tartarate50mg (As Extended Release) Cilnidipine10mg Telmisartan IP40mg 2. Metoprolol Succinate IP23.75mg Eq. to Metoprolol Tartarate25mg (As Extended Release)	It is indicated for treatment of patients with uncontrolled essential hypertension and stable ischemic heart disease.	04.06.2019

	<p>Cilnidipine10mg Telmisartan IP40mg</p>		
1318.	<p>Injection For (Veterinary Use) Each MI Contains Buparvaquone50mg Furosemide IP55mg Sorbitan mono oleate BP100mg (As preservative) Oil baseq.s.</p>	For the treatment of theileriosis (east coast fever) particularly for advanced cases with pulmonary oedema.	27.06.2019
1319	<p>Dry Powder For Inhalation Each Capsule Contains: Glycopyrronium (As Glycopyrrolate USP)25mcg Formoterol Fumarate Dihydrate12mcg</p>	Indicated as a maintenance bronchodilator treatment to relieve symptoms in patients with chronic obstructive pulmonary disease(COPD)	28.06.2019
1320	<p>Each Film Coated Tablet contains: Azilsartan Kamedoxomil eq. To Azilsartan Medoxomil.....40mg Chlorthalidone IP6.25mg (In additional strength)</p>	For the treatment of mild to moderate hypertension.	09.07.2019
1321	<p>Each Film Coated Tablet contains: Tadalafil IP + Dapoxetine Hydrochloride IP Eq. To Dapoxetine (20mg + 60mg, 20mg + 30mg & 10mg + 30mg)</p>	For the treatment of co-existing Erectile Dysfunction and Premature Ejaculation in men 18 to 64 years of age.	23.07.2019
1322	<p>Each orodispersible Tablets contains: Streptococcus faecalis T-110 JPC.....30 million Clostridium butyricum TO-A.....2 million Bacillus mesentericus TO-A JPC.....1 million Lactic acid bacillus50 million (lactobacillus sporogenes) (In additional dosage form)</p>	For restoration of intestinal microflora	30.07.2019

1323	<p>Each Film Coated Tablet contains:</p> <p>Remogliflozin Etabonate + Metformin Hydrochloride IP (100mg + 500mg & 100mg + 1000mg)</p>	<p>Indicated in adults aged 18 years and older with type 2 diabetes mellitus as an adjunct to diet and exercise to improve glycemic control:</p> <ul style="list-style-type: none"> • In patients insufficiently controlled on their maximally tolerated dose of metformin alone • In patients already being treated with the combination of remogliflozin and metformin as separate tablets. 	14.08.2019
1324	<p>Each Film Coated Tablet contains:</p> <p>Cephalexin IP (Extended Release) + Potassium Clavulanate Diluted IP eq. to Clavulanic acid (375mg + 125mg & 750mg + 125mg)</p>	<p>For the treatment of upper respiratory tract infections (URTI) and uncomplicated skin and soft tissue infections.</p>	14.08.2019
1325	<p>Each 12.5ml/25ml contains:</p> <p>Polyethylene Glycol 3350 USP.....6.563gm/13.125gm</p> <p>Sodium Chloride IP.....0.1754gm/0.3507gm</p> <p>Sodium Hydrogen Carbonate IP.....0.0893gm/0.1785gm</p> <p>Potassium Chloride IP.....0.0233gm/0.0466gm</p> <p>Liquid concentrate for oral solution</p>	<p>To be used only for bowel preparation before colonoscopy examination.</p>	02.03.2017
1326	<p>Each Film Coated Tablets contains:</p> <p>Saxagliptin Hydrochloride 5.95mg Eq. To Saxagliptin.....5mg</p> <p>Dapagliflozin Propanediol monohydrate 12.3mg Eq. To Dapagliflozin.....10mg</p> <p>Film Coated Tablets</p>	<p>Indicated as an adjunct to diet and exercise to improve glycaemic control in adults with type 2 diabetes mellitus (T2DM).</p> <p>Not indicated for use in patients with type1 diabetes.</p> <p>Not to be used for the treatment of diabetic ketoacidosis.</p>	24.09.2019

1327	Each spray Delivers: Mometasone Furoate BP.....50mcg Azelastine Hydrochloride BP.....140mcg Bezalkonium Chloride BP.....0.02% w/w (preservative)	For the relief of the symptoms of seasonal allergic rhinitis in patients 12 years of age and older.	30.09.2019
1328	Each Film coated tablet Contains: Ebastine.....10mg Montelukast.....10mg	For the treatment of allergic rhinitis in adults only.	14.10.2019
1329	Each uncoated bilayered tablets contains: Pregabalin IP (As Prolonged Release)75mg Etoricoxib IP..... 65mg 60mg	In the treatment of chronic low back pain associated with neuropathic component.	07.11.2019
1330	Each film coated bilayered tablet contains: Evogliptin Tartrate 6.869mg Eq. To Evogliptin.....5mg Metformin Hydrochloride IP (as sustained release form).....1000mg	As an adjunct to diet and exercise to improve glycemic control in adults patients with type 2 diabetes mellitus who are appropriate for co administration of evogliptin and Metformin. Patients with inadequate glycemic control on Metformin monotherapy alternative for combination therapy of evogliptin and metformin.	13.11.2019
1331	Formoterol Fumarate dihydrate IP.....5µg Glycopyrronium USP7.2µg per acutation Inhalation Aerosol Preparation (In additional strength)	Indicated as a maintenance bronchodilator treatment to relieve symptoms in adult patients with chronic obstructive pulmonary disease (COPD).	20.11.2019

1332	Each uncoated tablet contains: Repaglinide IP + Voglibose IP (0.5mg + 0.2mg, 0.5mg + 0.3mg, 1mg + 0.2mg & 1mg + 0.3mg)	For the treatment of Type 2 Diabetes Mellitus as an adjunct to diet and exercise to improve glycemic control.	13.12.2019
1333	Dextran 70 0.1%w/v + Hypromellose 0.3%w/v lubricating eye drops.	For the temporary relief of burning and irritation due to dryness of the eye and for use as a protectant against further irritation. And for the temporary relief of discomfort due to minor irritations of the eye or to exposure to wind or sun.	30.12.2019
1334	Atenolol 50mg + Nifedipine (SR) 20mg tablet	Management of hypertension	18.11.1991
1335	Each cough lozenges contains: Dextromethorphan Hydrobromide BP..... 5mg Amyl-metacresol BP..... 0.6mg		07.10.1996
1336	Each soft gelatin capsule contains: Beta Carotene USP.....10mg Vitamin E IP.....25mg Vitamin C IP.....150mg		31.07.1997
1337	Each capsule Contains: Ferrous Fumerate IP.....100mg Folic Acid IP.....0.3mg Vitamin B12 IP.....1.0mcg Ascorbic Acid IP.....50mg Zinc Sulphate H ₂ O..... 41.4mg	Iron-Vitamin-Zinc supplement	21.08.1997
1338	Levonorgesterel 100mcg +Ethniyl estradiol IP 20mcg uncoated tablet	As oral contraceptive for the prevention of pregnancy	17.06.1999

1339	Combipack of Omeprazole 20mg + Tinidazole 500mg + Clarithromycin 250mg tablets	Eradication of H. Pylori associated with peptic ulcer disease	26.06.1999
1340	Each uncoated tablet contains: Stavudine +Lamivudine (30mg+150mg & 40mg +150mg)	It is indicated in the treatment of HIV infection in adults only.	27.12.2001
1341	Clopidogrel bisulphate eq. to Clopidogrel 75mg + Aspirin USP 75mg capsules	For the treatment of angina, myocardial infarction and stroke.	11.06.2003
1342	S (-) Amlodipine besylate Eq. to S (-) Amlodipine 2.5mg + Ramipril 5mg tablet	For the treatment of essential hypertension	09.09.2003
1343	S(-) Atenolol + Amlodipine Besilate eq to S(-) Amlodipine (12.5mg+2.5mg & 25mg+2.5mg & 25mg + 5mg) uncoated tablets	For the treatment of essential hypertension and angina pectoris	04.12.2003
1344	Each capsule contains- Rabepazole Sodium 20mg(as enteric coated pellets) + Domperidone Maleate B.P eq to Domperidone 30mg (10mg IR + 20mg SR)	For the treatment of GERD not responding to Rabepazole alone.	22.06.2005
1345	Combikit of two tablets contains: Stavudine 30mg + Lamivudine 150mg & one tablet of Efavirenz 600mg	For the treatment of HIV infection in adults	19.09.2005

1346	Each capsule contains: Pantoprazole (as sodium sesquihydrate....40mg (enteric coated granules) Itopride HCL (SR Pellets).....150mg	For the treatment of GERD not responding to Pantoprazole alone	12.07.2006
1347	Dexibuprofen +Paracetamol (200mg +500mg & 300mg+500mg) soft gelatin capsule	For the relief of pain and inflammation associated with rheumatoid arthritis, osteoarthritis or ankylosing spondylitis	30.08.2006
1348	Each uncoated tablet contains: Levocetirizine Dihydrochloride 5mg + Pseudoephedrine HCl BP 180mg (SR)	For the treatment of seasonal allergic rhinitis in adults	13.10.2006
1349	Each film coated tablet contains: Ferrous ascorbate eq to Elemental Iron 50 mg + Folic acid IP 1.0 mg	For the treatment of iron deficiency anemia in adults	08.11.2006
1350	Each time release tablet contains: Vitamin C 300mg + Zinc 40mg + Vitamin E 100IU + Beta-Carotene 10000IU + Selenium 50mcg + Vitamin B2 20mg + Copper 2mg + Lutein 4mg	As a supplement of vitamins and mineral salts with antioxidant effect that are involved in cellular protection against the degenerative action of free radicals. It is also essential for correct cell metabolism. This formulation combines the vitamins and mineral salts necessary for vision and eye. This formulation is associated with the reduction in the risk of age associated macular degeneration. They protect the eye from cataracts, are coadjuvants against changes in corneal epithelium with opacity of the cornea (xerophthalmia) and against deficient adjustment of vision to darkness (hemeralopia) and in the case of photophobia. It is also indicated in the case of hypovitaminosis states, where there is a greater need for vitamins and minerals such as stressful situations,	06.12.2006

		physical exercise, unvaried diet, ageing, treatment with antibiotics, infections, febrile states, diets, states with loss of appetite, alcohol consumption, exposure to sunlight.	
1351	Each kit contains: Two capsules contains Atazanavir Sulfate eq. to Atazanavir 150mg per capsule and One film-coated tablet of Ritonavir IP 100mg	For the treatment of patients with HIV Infection	04.04.2007
1352	1. Each film coated tablet contains: Cefadroxil monohydrate IP eq. to Cefadroxil 500mg + Clavulanate Potassium eq. to Clavulanic acid 125mg 2. Each Dispersible tablet contains: Cefadroxil monohydrate IP eq. to Cefadroxil + Clavulanic Potassium eq. to clavulanic acid (250mg +62.5mg & 125mg + 31.25mg) 3. Each 5ml suspension contains: Cefadroxyl monohydrate IP eq. to Cefadroxil + Clavulanate Potassium eq. to Clavulanic acid (250mg + 62.5mg & 125mg + 31.25mg)	For the treatment of adult patients with infections caused by susceptible microbes including S. aureus viz. UTI, LRTI and gonococcal urethritis.	08.05.2007
1353	Each film coated tablet contains: Ferrous ascorbate eq to Elemental Iron 100 mg + Folic acid IP 1.25 mg	For the treatment of iron deficiency anemia	28.01.2008
1354	Each film coated tablet contains: Diacerein + Glucosamine Sulphate Potassium Chloride USP (50 mg +500 mg & 50 mg + 750 mg)	For the treatment of adult patients with osteoarthritis of Knee and/or Hip joints.	10.11.2008

1355	Each capsule contains – Benfotiamine + Methylcobalamin + Alpha Lipoic acid USP + Inositol BP + Chromium Picolinate USP eq. to Chromium (150mg+ 1500mcg + 100mg + 150mg + 200mcg & 150mg+ 1500mcg + 200mg + 100mg + 200mcg)	For the treatment of diabetic neuropathy	13.01.2009
1356	Each hard gelatin capsule contains: Alfuzosin Hydrochloride.....10mg (Extended Release) Solifenacin Succinate.....5mg	Benign Prostatic Hyperplasia with overactive bladder (detrusor instability).	06.04.2010
1357	Diclofenac sodium + Thiocolchicoside (50mg + 4mg & 50mg + 8mg) uncoated tablets	For the treatment of acute inflammation conditions associated with spasm in adults only	23.06.2010
1358	Each Actuation of MDI delivers: Ciclesonide IP + Formoterol Fumarate Dihydrate IP eq. to Formoterol Fumarate + Tiotropium Bromide Monohydrate IP eq. to Tiotropium (80mcg + 6mcg + 9mcg & 160mcg + 6mcg +9mcg)	Indicated as third line treatment of severe cases of COPD, when monotherapy and second line therapy with two drugs do not respond adequately.	09.08.2010
1359	Each soft gelatin capsule contains: Calcium carbonate IP eq. to elemental Calcium.....200mg Calcitrol IP.....0.25mcg Zinc sulphate eq. to elemental Zinc.....7.5mg	For the treatment of hypocalcaemia and/or osteoporosis.	05.01.2011
1360	Each sachet of 20 gm of granules contains: Lactulose USP 10 gm + Ispaghula husk IP 3.5gm	For the treatment of chronic idiopathic constipation in adult patients only.	05.01.2011
1361	Each film coated tablet contains: Ciprofloxacin Hydrochloride IP eq. to. Ciprofloxacin.....250mg/500 mg Lactic Acid Bacillus.....2.5 Billion spores	For the treatment of bacterial diarrhoea only.	31.01.2011

1362	Combikit of (A) Each film coated tablet contains: Ibandronate Sodium eq. to Ibandronic acid 150mg (B) Each soft gelatin capsule contains: Calcitriol 0.25mcg + Calcium carbonate IP eq. to elemental Calcium 200mg + Zinc sulphate 7.5mg	For the treatment of hypocalcaemia and/or osteoporosis.	01.06.2011
1363	Each ml contains: Gatifloxacin..... 3.0mg Difluprednate.....0.5mg Sorbic acid IP (As preservative)..... 0.1%w/v ophthalmic emulsion	For the treatment in the patients with inflammatory ocular conditions where bacterial infection or a risk of bacterial ocular infection.	26.11.2012
1364	Each film coated tablet contains: Emtricitabine200mg Tenofovir Alafenamide fumarate equivalent to Tenofovir Alafenamide25mg	In combination with other antiretroviral agents for the treatment of adults and adolescents (aged 12 years and older with body weight at least 35 kg) infected with Human Immunodeficiency Virus type 1 (HIV- 1)	25.06.2018
1365	Each film coated tablet contains: Abacavir Sulphate IP eq .to Abacavir.....600mg Dolutagravir Sodium eq. to Dolutagravir.....50mg Lamivudine IP.....300mg	For the treatment of Human Immunodeficiency Virus (HIV) infection in adults weighing more than 40kg.	22.11.2018
1366	S(-) Atenolol 25mg + Hydrochlorthiazide IP 12.5mg uncoated tablets	For the treatment of hypertension	23.01.2004

Note 1: It may be stated that the above list of FDC s is prepared as per the records available with the office of DCG (I). In case any inconsistency is observed, same may be brought to the notice of DCG (I) for necessary action.

Note 2: As per DCGI letter dated 23.09.2011, 04.04.2012 & 13.09.2013 regarding limiting of Paracetamol in prescription combination products, lowering of Paracetamol content to 325mg is applicable to the combinations of paracetamol with other analgesic/anti-inflammatory drugs.